## How Pinnacle Safety Products, LLC Differs

- The panel lockout device is an inexpensive, yet effective lockout device where breaker switches are contained behind a hinged door to prevent status change
- Prevents tripping/opening of non-targeted circuit breakers
- Prevents damage to circuit breaker handles
- Single or multiple padlocks are used to prevent access to any of the circuit breakers
- Makes group LOTO easier by holding the device lock key captive within a group LOTO box where affected workers attach their lock for complex LOTO applications
- A multi user LOTO hasp can be used to provide additional spaces for individual LOTO when desired
- Can be installed without tools
- Does not require special training to install
- Does not expose workers to electrical hazards during installation
- The panel devices fit all electrical panelboards, switchboards, hinged covers, and nonhinged covers
  - One device can offer the same protection as 42 separate breaker locks typical in a single commercial electrical panel
  - Secures single and double door panel covers with the same single device
- The breaker device effectively locks out most medium to large breakers to prevent handle movement without risk of damaging the breaker handle
  - Can be installed above breaker handle to pin the top of the handle in the off position
  - Can be installed to the side of breaker handle to prevent lifting of the handle
- Conforms with OSHA's prohibition of using the common panel lock for protection of workers
- Conforms with OSHA regulations requiring lockout devices to be substantial enough to prevent removal without the use of excessive force or unusual techniques
- Lower cost allows the device to be treated as a consumable single use item
- Cost is no longer a restraining factor in the adoption of lockout devices, especially for smaller organizations or those operating on tight budgets
- The device can be installed permanently or as a temporary LOTO solution during maintenance and/or construction
- It may be used both indoors and outdoors in any environment















