

Daniel Levy Jewelry 1 West Superior St Chicago, IL 60654 312-332-3812 danny@daniellevyjewelry.com												
Shape	Size	Color	Clarity	Cut	Lab	Total Price	Depth %	Table %	Polish	Symmetry	Dimensions	Ratio
Cushion Brilliant	2.00	E	VS1		GCAL	11,500.00	67.5	60.0	Excellent	Excellent	7.34x7.33x5.00	1.00
Cushion Brilliant	2.01	D	VS1	Excellent	GCAL	11,557.50	68.3	61.0	Very Good	Very Good	7.35x7.19x5.00	1.02
Cushion Brilliant	2.02	F	VS2		IGI	9,494.00	66.2	61.0	Very Good	Very Good	7.43x7.34x5.00	1.01
Cushion Brilliant	2.10	G	VS1		IGI	9,660.00	66.4	62.5	Very Good	Very Good	7.53x7.46x5.00	1.01
Cushion Brilliant	2.13	I	VS1		IGI	6,709.50	67.4	62.0	Very Good	Very Good	7.51x7.45x5.00	1.01
Cushion Brilliant	2.15	G	VS1		IGI	9,890.00	66.0	61.5	Excellent	Very Good	7.64x7.55x5.00	1.01
Cushion Brilliant	2.31	I	SI1		IGI	6,560.40	66.4	62.5	Excellent	Excellent	7.78x7.68x5.00	1.01
Cushion Brilliant	2.31	D	VS1		GCAL	14,784.00	69.8	57.0	Excellent	Excellent	7.58x7.58x5.00	1.00
Cushion Brilliant	3.00	F	VS2	Excellent	GCAL	19,800.00	69.2	62.0	Excellent	Excellent	8.62x8.03x5.00	1.07
Cushion Brilliant	3.01	F	VS2	Ideal	GCAL	21,672.00	65.6	64.0	Excellent	Excellent	8.75x8.34x5.00	1.05
Cushion Brilliant	3.01	E	VS1		GCAL	24,983.00	67.6	65.0	Very Good	Very Good	8.82x8.16x5.00	1.08
Cushion Brilliant	3.02	F	VS2	Excellent	GCAL	22,650.00	68.3	63.0	Very Good	Very Good	8.33x8.17x5.00	1.02
Cushion Brilliant	3.05	E	VS2	Excellent	GCAL	22,265.00	67.5	62.0	Excellent	Excellent	8.56x8.33x5.00	1.03
Cushion Brilliant	3.06	G	VS2		IGI	19,890.00	68.7	61.0	Excellent	Very Good	8.38x8.35x5.00	1.01
Emerald	3.00	E	VS1		IGI	23,100.00	68.6	66.0	Very Good	Very Good	9.75x6.76x5.00	1.44
Emerald	3.19	F	VS1		GCAL	24,563.00	67.9	65.0	Very Good	Very Good	10.15x6.83	1.49
Emerald	3.34	E	VS1	Excellent	GCAL	28,056.00	65.8	67.0	Excellent	Excellent	10.42x6.98	1.49
Oval	2.02	H	VS1		IGI	8,403.20	63.1	59.0	Very Good	Very Good	10.11x7.16	1.41
Oval	2.08	H	VS2		IGI	8,008.00	60.5	60.0	Very Good	Very Good	10.08x7.35	1.37
Oval	2.18	F	SI1		GCAL	10,289.60	62.9	61.0	Very Good	Very Good	10.46x7.31	1.43
Oval	2.18	G	VS2	Excellent	GCAL	10,246.00	61.9	61.0	Excellent	Excellent	10.6x7.35x5.00	1.44
Oval	2.29	G	VS2		GCAL	11,679.00	62.1	59.0	Excellent	Very Good	10.86x7.46	1.46
Oval	2.36	E	VS2	Excellent	GCAL	12,980.00	60.9	61.0	Excellent	Very Good	11.13x7.54	1.48
Oval	2.54	G	VS2	Excellent	GCAL	13,081.00	62.8	60.0	Excellent	Very Good	10.8x7.75x5.00	1.39
Oval	3.00	D	VS1		GCAL	30,150.00	60.8	61.0	Very Good	Very Good	11.44x8.29	1.38
Pear	2.04	F	VS1		GCAL	9,996.00	60.4	60.0	Very Good	Good	11.35x7.23	1.57
Pear	2.04	G	VS2		IGI	8,976.00	62.7	56.0	Excellent	Excellent	11.11x7.14	1.56
Pear	2.24	G	VS1		IGI	10,528.00	61.6	59.5	Very Good	Very Good	11.7x7.29x5.00	1.60
Pear	2.25	F	VS2	Excellent	GCAL	11,137.50	62.3	59.0	Excellent	Very Good	11.55x7.41	1.56
Pear	2.26	G	VS1		IGI	10,825.40	60.1	58.5	Excellent	Excellent	11.63x7.5x5.00	1.55
Pear	2.32	G	VS2	Excellent	GCAL	10,648.80	61.2	59.0	Very Good	Very Good	11.67x7.5x5.00	1.56
Pear	2.60	G	VS2	Excellent	GCAL	12,350.00	63.5	60.0	Excellent	Very Good	11.58x7.75	1.49
Princess	2.01	E	SI1		IGI	9,045.00	73.0	69.0	Excellent	Excellent	6.93x6.84x5.00	1.01
Princess	2.31	G	VS1	Excellent	GCAL	10,764.60	71.9	74.0	Excellent	Excellent	7.24x7.13x5.00	1.02
Princess	3.01	I	VS1		IGI	14,147.00	72.3	71.0	Excellent	Excellent	7.81x7.8x5.00	1.00
Princess	3.10	D	VS1	Excellent	GCAL	24,645.00	71.8	72.0	Excellent	Excellent	8x7.9x5.67	1.01
Radiant	2.04	G	VS2		GCAL	9,343.20	69.2	62.0	Very Good	Very Good	9.01x6.16x5.00	1.46
Radiant	2.06	D	VS1	Excellent	GCAL	11,845.00	68.8	68.0	Excellent	Excellent	9.07x6.19x5.00	1.47
Radiant	2.09	E	VS1		GCAL	12,017.50	67.8	67.0	Very Good	Very Good	9.27x6.24x5.00	1.49
Radiant	2.14	H	VS2		GCAL	7,704.00	68.9	63.0	Very Good	Very Good	8.73x6.39x5.00	1.37
Radiant	2.18	F	SI1		GCAL	10,246.00	68.0	64.0	Very Good	Very Good	8.96x6.38x5.00	1.40
Radiant	2.21	H	VS2		IGI	8,729.50	67.0	65.0	Excellent	Excellent	9.21x6.48x5.00	1.42
Radiant	2.31	H	VS1		IGI	8,731.80	68.2	66.0	Excellent	Excellent	9.06x6.55x5.00	1.38
Radiant	2.54	F	SI2	Excellent	GCAL	10,160.00	68.4	67.0	Excellent	Excellent	9.51x6.73x5.00	1.41
Radiant	2.54	H	SI1		IGI	10,109.20	66.8	64.0	Excellent	Very Good	9.55x6.81x5.00	1.40
Radiant	2.78	I	SI1		GCAL	9,730.00	68.7	66.0	Excellent	Very Good	9.57x6.94x5.00	1.38
Radiant	3.00	E	VS1	Excellent	GCAL	23,700.00	70.7	69.0	Excellent	Excellent	9.55x7.04x5.00	1.36
Radiant	3.04	I	VS1		IGI	15,777.60	65.0	63.0	Excellent	Excellent	9.84x7.37x5.00	1.34
Radiant	3.05	G	VS1		GCAL	21,960.00	70.8	65.0	Excellent	Very Good	9.88x7.12x5.00	1.39
Radiant	3.40	E	VS1		IGI	27,880.00	63.2	66.0	Excellent	Very Good	10.81x7.56	1.43
Radiant	3.53	F	VS2		IGI	25,769.00	64.6	63.0	Excellent	Excellent	11.02x7.58	1.45
Round	2.00	F	SI1	Excellent	IGI	9,740.00	59.5	60.0	Excellent	Excellent	8.24x8.21x4.89	
Round	2.00	H	SI2	Ideal	IGI	6,200.00	62.4	57.0	Excellent	Excellent	8.05x8.01x5.01	
Round	2.00	E	SI1	Excellent	IGI	54,000.00	63.2	54.5	Excellent	Very Good	8x7.94x5.05	
Round	2.00	F	SI2	Ideal	IGI	7,900.00	61.1	56.5	Excellent	Excellent	8.12x8.09x4.95	
Round	2.00	G	VS2	Ideal	IGI	9,720.00	62.1	56.0	Excellent	Excellent	8.06x8.03x5.00	
Round	2.01	H	VS2	Ideal	IGI	8,140.50	59.3	59.5	Excellent	Excellent	8.23x8.21x4.87	
Round	2.01	H	VS1	Ideal	IGI	9,246.00	59.7	58.5	Excellent	Excellent	8.22x8.18x4.89	
Round	2.03	F	VS2	Ideal	IGI	10,962.00	62.3	56.0	Excellent	Excellent	8.11x8.07x5.04	
Round	2.06	I	VS1	Ideal	IGI	8,219.40	61.6	56.0	Excellent	Excellent	8.21x8.15x5.03	
Round	2.08	G	VS2	Ideal	IGI	10,108.80	60.1	59.0	Excellent	Excellent	8.32x8.27x4.99	
Round	2.08	E	VS2	Ideal	GCAL	13,041.60	62.1	57.0	Excellent	Excellent	8.16x8.12x5.06	
Round	2.08	I	VS2	Ideal	IGI	7,051.20	62.3	54.0	Excellent	Excellent	8.18x8.14x5.08	
Round	2.11	E	VS1	Ideal	GCAL	14,348.00	60.3	58.0	Excellent	Excellent	8.35x8.31x5.02	
Round	2.13	H	VS1	Ideal	IGI	9,904.50	60.6	58.0	Excellent	Excellent	8.35x8.29x5.03	
Round	2.17	H	VS1	Ideal	IGI	10,090.50	61.6	57.0	Excellent	Excellent	8.34x8.28x5.12	
Round	2.17	E	VS2	Ideal	GCAL	13,605.90	60.2	59.0	Excellent	Excellent	8.4x8.37x5.05	
Round	2.18	G	SI1	Ideal	IGI	9,592.00	61.1	57.0	Excellent	Excellent	8.39x8.35x5.11	
Round	2.21	F	VS1	Ideal	IGI	14,287.66	61.1	57.0	Excellent	Excellent	8.39x8.37x5.12	

Round	2.24	F	VS2	Excellent	GCAL	13,193.60	62.1	57.0	Very Good	Excellent	8.36x8.34x5.19
Round	2.28	G	SI1	Ideal	IGI	10,442.40	62.0	55.5	Excellent	Excellent	8.47x8.42x5.24
Round	2.29	H	VS1	Ideal	IGI	11,908.00	61.2	58.0	Excellent	Excellent	8.51x8.45x5.19
Round	2.29	H	VS2	Excellent	GCAL	10,534.00	61.9	56.0	Excellent	Very Good	8.48x8.43x5.24
Round	2.30	H	SI2	Ideal	IGI	41,400.00	59.7	58.5	Excellent	Excellent	8.61x8.56x5.13
Round	2.45	H	SI1	Ideal	IGI	9,996.00	61.6	56.0	Excellent	Excellent	8.68x8.62x5.32
Round	2.46	F	VS2	Ideal	GCAL	14,095.80	61.6	58.0	Excellent	Excellent	8.68x8.61x5.32
Round	2.48	F	VS2	Ideal	GCAL	14,210.40	61.9	56.0	Excellent	Excellent	8.69x8.63x5.36
Round	2.50	F	VS1	Ideal	IGI	15,875.00	61.7	58.0	Excellent	Excellent	8.7x8.66x5.36
Round	2.50	H	SI1	Ideal	GCAL	10,450.00	60.7	61.0	Excellent	Excellent	8.74x8.7x5.3
Round	2.50	H	VS2	Ideal	GCAL	11,450.00	61.9	56.0	Excellent	Excellent	8.71x8.68x5.38
Round	2.50	H	VS1	Ideal	IGI	11,575.00	61.3	57.0	Excellent	Very Good	8.75x8.71x5.35
Round	2.51	G	VS1	Ideal	IGI	13,428.50	61.4	56.0	Excellent	Excellent	8.76x8.73x5.37
Round	2.52	D	VS1	Ideal	IGI	18,900.00	62.1	58.0	Very Good	Excellent	8.68x8.65x5.38
Round	2.54	F	VS2	Ideal	GCAL	15,087.60	61.3	56.0	Excellent	Excellent	8.8x8.78x5.38
Round	2.59	F	VS2	Ideal	IGI	14,840.70	61.3	58.5	Excellent	Excellent	8.81x8.79x5.39
Round	2.59	H	VS1	Ideal	GCAL	12,380.20	60.9	56.0	Excellent	Excellent	8.89x8.87x5.41
Round	3.00	F	VS2	Excellent	GCAL	23,970.00	61.7	58.0	Very Good	Excellent	9.24x9.2x5.69
Round	3.00	H	VS1	Ideal	IGI	21,600.00	62.3	55.0	Excellent	Excellent	9.2x9.15x5.72
Round	3.00	H	VS2	Ideal	IGI	17,400.00	60.2	58.5	Excellent	Very Good	9.35x9.26x5.61
Round	3.11	F	VS2	Ideal	IGI	25,191.00	61.0	58.0	Excellent	Excellent	9.39x9.36x5.72
Round	3.13	G	VS1	Ideal	IGI	26,605.00	59.9	59.0	Excellent	Excellent	9.5x9.45x5.67