



**Hello,  
Greetings from DVM Global Exports LLP (India).**

**We are a merchant exporter of scientific instrument, laboratory and glassware apparatus, lab chemical, dairy materials.**

**Industry, we serve pharmaceutical, pathology lab, dye stuff, dairy, textile, processing, oil and paints, industrial R&D, gum industry, ceramic industry, educational institutes.**

## **DVM Global Exports LLP**

**Registered Office: 2029/4, Opp. Modhawada, Dolatkhana, Sarangpur, Ahmedabad - 380001  
Ahmedabad, Gujarat**

**Mobile: +91 90231 35423 / +91 90231 25265**

**Email: [info@dvmglobalexports.com](mailto:info@dvmglobalexports.com)**

**Website: [www.dvmglobalexports.com](http://www.dvmglobalexports.com)**

# GLASSWARE

## ADAPTERS

3700 Expander / Reducer Adapters	23
3930 Two Way Adapters	23
3940 Three Way Adapters	24
3950 "Y" Bend Adapters	24
3960 Straight Adapters	24
3970 Receiving Bend Adapters	24
4000 Receiving Bend, Short	25
4010 Receiving Bend, Long	25
3971 S bend Adapter	25
3980 Receiver bend with vacuum connection	25
4080 Recovery bend, Cone/cone	25
4090 Vertical Recovery Bend, Cone/cone	25
4100 Plain Still Head	25
4110 Claisen Still Head	26
3990 Gas Vent Adapter, Straight connection	26
3991 Gas Vent Adapter, Right Angle connection	26
4020 Adapter with glass stop cock	26
4030 Adapter with PTFE screw cock	26
4070 Calcium Chloride Tube - Guard Tube	26
4212 Calcium Chloride Tube - U Tube	26
4120 / 4180 Thermometer Pocket	27
4130 Splash Head, Sloping	27
4140 Splash Head, Vertical	27
4150 Splash Head, Steam Distillation	27
4160 Splash Head, Straight	27
4170 Sparger	28

## BEAKERS

3000 Beakers	1
--------------	---

## BOTTLES

3030 Bottles, B.O.D.	1
3120 Bottles, Gas Washing	2
3040 Bottles Reagent NM	1
3050 Bottles Reagent NM AMBER Colour	1
3090 Wash Bottles with i/c Stopper Complete	2
3080 Bottles, weighing	2
3060 Bottles, Rel. Density, with Glass Stopper	1
3051 Bottles with Blue Screw Cap	1
3070 Bottles, Rel. Density, with PTFE Stopper	1
3070A Bottles, Rel. Density, Class-A, Works certificate	2
3070R Bottles, Rel. Density, Class-A, RRSL certificate	2
3141 Impinger	3

## BURETTES

3150 Burettes, PTFE Cock, Class B	3
3150P Burettes, Pinch Clip, Class B	3
3154A Burettes, PTFE Cock, Class A, Works certificate	3
3154R Burettes, PTFE Cock, Class A, RRSL certificate	3
3161 Burettes, PTFE Cock, Amber Colour, Class B	3
3168A Burettes, PTFE Cock, Amber Colour, Class A	3
3160 Burettes, Glass Stop Cock, Class B	4
3164A Burettes, Glass Stop Cock, Works certificate	4
3164R Burettes, Glass Stop Cock, RRSL certificate	4
3170 Burettes, Automatic Zero, Class B	4
3174A Burettes, Automatic Zero, Works Certificate	4
3174R Burettes, Automatic Zero, RRSL Certificate	4
3180 Burettes, Amber Colour, Automatic Zero, Class B	4
3184A Burettes, Amber Colour, Automatic Zero, Works Certificate	4

## BUTTON STIRRING ROD

4200 Button Stirring Rod	28
--------------------------	----

## CHROMATOGRAPHY COLUMNS & SPRAYERS

4210 Chromatography Column	29
4211 Sprayer for Chromatography	29

## COLUMNS - DISTILLING

3860 Fractionating Column, Plain	6
3870 Fractionating Column, Vigreux	6
3875 Raschig Rings	6
3878 Glass Beads	6

## CONDENSERS

3190 Liebig	5
3200 Allihn	5
3210 Graham, Water in Jacket Type	5
3220 Graham, Water in Coil Type	5
3830 Double Surface (Davies)	5
3850 Air Condensor	5

## CROW RECEIVER

3810 Crow Receiver Cylinders	22
3814A Crow Receivers, Class A, Works Certificate	22
3814R Crow Receivers, Class A, RRSL Certificate	22
3820 Crow Receivers, Stoppered	22
3824A Stoppered, Class A, Works Certificate	22
3824R Stoppered, Class A, RRSL Certificate	22

## CYLINDERS

3230 Nessler Cylinder	6
3240 Stoppered Cylinder, Class B	6
3244A Stoppered Cylinder, Class A, Works Certificate	7
3244R Stoppered Cylinder, Class A, RRSL Certificate	7
3248A Stoppered, Hexagonal base, Class A	7
3250 Measuring Cylinder, Class B	7
3254A Measuring Cylinder, Class A, Works Certificate	7
3260 Measuring Cylinder, Hexagonal Base, Class B	7
3264A Measuring, Hex Base, Class A, Works Certificate	8
3264R Measuring, Round/Hex, Class A, RRSL Certificate	8

## DESICCATORS

3270 Indian Glass	8
3275 Borosilicate Glass, Non Vacuum	8
3280 Borosilicate Glass, Vacuum	8

## PETRI DISH

3290 Petri, Borosilicate	8
3291 Anumbra / S-Line Type	8

## DISTILLING APPARATUS

3300 Ammonia	9
3301 Nitrogen Determination	9
3302 Micro Kjeldahl	9
3310 With Graham Condensor	9
3320 / 3330 With Friedrichs Condensor	9
3340 Moisture Determination, Dean and Stark	9
3342 Receiver for Dean and Stark	9

## EXTRACTORS

3350 Soxhlet	10
3360 Condensers Only for Soxhlet Extraction	10
3370 Soxhlet Extraction Apparatus Complete	10

## FLASK

3380 Reaction Vessel	10
3390 Lids For Reaction Vessels	10
3400 Round Bottom or Flat Bottom	10
3410 Round Bottom or Flat Bottom, With Socket	10
3420 Round Bottom or Flat Bottom, Two neck	11
3430 Round Bottom or Flat Bottom, Three neck	11
3440 Round Bottom or Flat Bottom, Four neck	12
3450 Round Bottom or Flat Bottom, Five neck	12
3460 Distilling Flask With Side Arm	13
3480 Conical Flask, Erlenmeyer, Graduated	13
3469 Conical Flask with joint	13
3470 Conical Flask with Stopper	13
3490 Filtering Flask With Tubulation	13
3500 Iodine Determination Flask	13
3509 Kjeldahl, Round Bottom, Long Neck	14
3510 Kjeldahl, With i/c joint	14
3520 Volumetric Flasks, Class B	14
3524A Volumetric Flasks, Class A, Works Certificate	14
3524R Volumetric Flasks, Class A, RRSL Certificate	14
3530 Volumetric Flasks, Amber Colour, Class B	14

# GLASSWARE, HYDROMETERS, THERMOMETERS

## FUNNELS

3540 Long Stem Funnel	15
3541 / 3550 Powder Funnel	15
3560 Separating, globe shaped with glass stopcock	15
3570 Separating, pear shaped, with ptfe stopcock	15
3880 / 3890 Addition Funnel	15 / 16
3900 Pressure Equalizing Addition Funnel	16

## REACTION KETTLES

3580 Resin Reaction Kettle	16
3590 Bottoms Only For Kettles	16
3600 Covers Only For Kettles	16
3610 S.S. Clip for Kettles	16

## PIPETTES

3620 Serological Pipette, Graduated, Class B	17
3624A / 3264R Serological, Graduated, Class A (Certi.)	17
3640 Transfer Pipette, Volumetric, Class B	17
3644A / 3644R Transfer, Volumetric, Class A (Certi.)	17
3645 Gerber Milk Testing Pipette 10.75 ml	17
4277 Drum Pipettes	35

## STOPPERS (For Volumetric Flasks, RB, FB, etc)

3650 Hollow, hexagonal	18
3660 Solid, penny head	18

## TEST TUBES, CULTURE TUBES, CENTRIFUGE TUBES, CAPILLARY TUBES, VIALS, etc.

3720 Test Tube Borosilicate	18
3735 Test Tube Semi Borosilicate	18
3740 Culture Test Tube, Round Bottom	18
3750 Culture Test Tube, Flat Bottom	18
3910 / 3920 Test Tube With I/c. Stopper	18
3670 Glass Centrifuge Tube, conical bottom, plain	19
3680 Glass Centrifuge Tube, conical, graduated	19
3690 Glass Centrifuge, conical, graduated, stoppered	19
3691 Glass Centrifuge, conical, plain, stoppered	19
3692 Amber Coloured Test Tube	19
3693 Test Tubes for Different Tests	19
- LAL, Kahn, Wasserman, Widal	
156 Durham Tubes	19
155 Ignition Tubes	19
15 Capillary Tubes	19
Culture Vials with Screw Cap	20
Glass Vials with Rubber Stopper	20
HLPC Vials	20
Glass Ampoules	20
8260 S.S. Caps for Test tubes	20
8251 S.S. Test tube Stand	20
8250 Aluminium Test tube Stand	20

## MISC. ITEMS FOR EDUCATIONAL PURPOSE

4214 Viscometer (College Pattern)	29
4215 Stalagmometer	29
4216 Willmot Bubbler	29
4217 Alunometer	29

## MISC. GLASSWARE ITEMS

4263 / 4264 / 4266 Glass Rods	35
4265 Oleum Bulb	35
4267 "T" Connection Tube	35
4268 "Y" Connection Tube	35
4269 Glass Dropper With Rubber Teat	35
4275 Bend Glass Droppers	35
4272 / 4273 Arsenic apparatus	35
4276 Gauge glass tube for boiler	35
4278 Sight Glass Level Indicator	35
4279 Glass Tubes for DT Machine	35
4280 Dissolution Bowl	35
3760 / 3761 Watch Glass	22
3575 Rectangular Jar	16
4190 Mercury Seal Glass	27
4191 Thiele's Melting Point Tube	28
4192 Manometer "U" Tube	28

## HYDROMETERS & THERMOMETERS

SP. GR. HYDROMETER - GENERAL RANGE	31
- 1.000 - 2.000, 0.700 - 1.000, 1.000 - 1.500	
Alcoholmeter, Lactometer, Urinometer	

BATTERY HYDROMETERS	31
---------------------	----

TWADDLE HYDROMETERS	31
---------------------	----

SPECIFIC GRAVITY HYDROMETERS	31
- 50 Divisions, 100 Divisions, 200 Divisions	

Brix Hydrometers / Thermohydrometers	32
--------------------------------------	----

Brix Thermo Hydrometers (German Make)	34
---------------------------------------	----

BAUME HYDROMETERS	32
-------------------	----

THERMO - HYDROMETERS - ALL	32
----------------------------	----

SIKES HYDROMETERS	32
-------------------	----

DIRECT % HYDROMETERS	32
----------------------	----

- For Caustic Lye, Sulphuric Acid, Hydrochloric Acid, Nitric Acid, Acetic Acid, Liq. Ammonia, Cartier, Hydrogen Peroxide, Salinometer, Latexometer	
--	--

DENSITY HYDROMETERS	32
---------------------	----

- For Petrol - Diesel - Oil, As per IS 3104 : Part 1 With & Without Calibration Certificate	
---	--

## HYDROMETERS KITS

Universal Range Finder Hydrometer Kit - Set of 25	31
---	----

Battery Service Kit	31
---------------------	----

Sikes Hydrometer Kit - Set of 6 & Set of 1	32
--	----

Density Hydrometer Kit	32
------------------------	----

SPECIAL APPLICATION HYDROMETERS	32
---------------------------------	----

- Hydrometer for Bromine, Flow meter, Aviation fuel, LPG	
--	--

BUTYROMETER	17
-------------	----

ZEAL LACTOMETER	34
-----------------	----

PYKNOMETER WITH THERMOMETER	21
-----------------------------	----

## LAB. THERMOMETERS

Mercury Filled Thermometers	33
-----------------------------	----

Red Toluene Filled Thermometers - Mercury Free	33
--	----

Room / Wall Thermometers	33
--------------------------	----

Wet & Dry Hygrometers	33
-----------------------	----

Max. Min. Thermometers	33
------------------------	----

Low Temperature Thermometers	33
------------------------------	----

Precision Thermometers	33
------------------------	----

Long Stem Thermometers	33
------------------------	----

Zeal, UK Thermometers	33
-----------------------	----

Aquarium Thermometers	33
-----------------------	----

Special Application Thermometers	34
----------------------------------	----

- For Deep Freezer - ILR, For Petroleum Testing, Tobacco Barn, Brass Case, Sikka Type, Copper Cup, Wire Cage, L Shape for Oven & IR Moisture Balance, Dial Thermometer, Vapour Pressure, Soil Thermometer Whirling (Sling Pyschrometer), Pocket Thermometer	
---	--

Digital Thermometers	34
----------------------	----

Digital Room Thermometer	
--------------------------	--

Digital Thermometer Pen Type with sensor rod	
--	--

Digital Thermo hygrometer HTC 1	
---------------------------------	--

Digital Thermohygrometer HTC1 with calibration cert.	
--	--

Digital Multi Stem Thermometer with probe	
---	--

Digital LCD Probe Freeze Thermometer	
--------------------------------------	--

Infra Red Thermometer	
-----------------------	--

Digital Instruments	34
---------------------	----

pH Meter - Table top Model with electrode	
---	--

pH Meter - Pen type Pocket Model	
----------------------------------	--

TDS Meter - Pen type Pocket Model	
-----------------------------------	--

Digital Stop Watch	
--------------------	--

Digital Timer	
---------------	--

Brix Refractometer - ERMA - 0-32, 28-62, 58-90 brix	
---	--

Digital Analytical Weighing Balance (gen. lab. use)	41
---	----

## INDIAN GLASSWARE

Reagent Bottles Narrow Mouth / Wide Mouth	30
---	----

Winchestor Bottles	30
--------------------	----

Indian Glass Burettes with Pinch Clip	30
---------------------------------------	----

Indian Glass Volumetric Pipettes	30
----------------------------------	----

Indian Glass Desiccator	8
-------------------------	---

Neutral Glass Test Tubes	30
--------------------------	----

## MISCELLANEOUS LAB. ITEMS

<u>AGATE PESTLE - MORTARS</u>	34	<u>Plastic Retort / Burette Stand &amp; clamps</u>	42
<u>LAB. CHEMICALS</u>	30	<u>Plastic Funnel</u>	42
<u>FILTER PAPER, INDICATOR PAPER &amp; TLC PLATE</u>		<u>Plastic Test tube Stand</u>	42
<u>Whatman filter paper No. 1 - 46 x 57 cm</u>	38	<u>Pipette Stand</u>	42
<u>Filter Paper - Rough - Kp 1 - rim</u>	38	<u>Plastic Measuring Cylinder</u>	43
<u>Filter Paper - Superior - No. 101</u>	38	<u>Plastic Measuring Jug</u>	43
<u>Filter Paper No. 1 - 46 x 57 cm</u>	38	<u>Plastic Separatory Funnel</u>	43
<u>Spot Paper No. 2 - 46 x 57 cm</u>	38	<u>Plastic Desiccator</u>	43
<u>Butter Paper Sheet</u>	38		
<u>Blotting Paper</u>	38	<b><u>PORCELAIN WARE</u></b>	
<u>Tissue Paper</u>	38	<u>6200 Buchner Funnel</u>	37
<u>Aluminium Wrap</u>	38	<u>6210 Pestle Mortar</u>	37
<u>pH Indicator Paper</u>	38	<u>6225 Combustion Boat</u>	37
<u>Starch Iodide Paper</u>	38	<u>6230 Evaporating Dish</u>	37
<u>Congo Red Paper</u>	38	<u>6240 Only Desiccator Plate</u>	37
<u>Parafilm Roll</u>	38	<u>6250 Crucible</u>	37
<u>TLC Plate - Merck</u>	38	<u>6260 Clay Pipe Triangle</u>	37
<u>Whatman No. 2 - 90 mm (for petrol pump)</u>	38		
<u>Membrane Filter 0.45 um x 47 mm</u>	38	<b><u>RUBBER GOODS</u></b>	
<u>Membrane Filter 0.22 um x 47 mm</u>	38	<u>6000 Rubber Cork</u>	36
<u>Filter Paper Circles - Lab 1</u>	38	<u>6010 Bellow for Auto Burette</u>	36
		<u>6020 Pro Pipette Bulb</u>	36
<b><u>PTFE WARE</u></b>		<u>6030 Rubber Sleeve</u>	36
<u>6700 / 6710 PTFE Stuffing Box</u>	38	<u>6040 Adapter for Filter Flask</u>	36
<u>6701 PTFE Lab Seal</u>	38	<u>6050 Pressure Rubber Tube - Green</u>	36
<u>6702 PTFE Mercury Seal</u>	38	<u>6060 Condensor Rubber Tube - Red</u>	36
<u>6703 PTFE Adjustable Cone</u>	38	<u>6070 Pipette Bulb</u>	36
<u>6720 PTFE Blade For Button Stirrer</u>	38	<u>6080 Rubber pack for Guage Glass Tube</u>	36
<u>6700 PTFE Beaker</u>	38	<u>6061 Silicon Rubber Tube</u>	36
<u>6730 PTFE Magnetic Needle</u>	39	<u>6062 Rubber Teat for Glass Dropper</u>	36
<u>6740 PTFE Tape</u>	39		
<u>6750 PTFE Solid Stopper</u>	39	<b><u>SINTERED WARE</u></b>	
		<u>3770 Gooch Crucible</u>	21
<b><u>METALWARE</u></b>		<u>3780 Filter Tubes for Gooch Crucible</u>	21
<u>8260 SS Caps for Test tubes</u>	20	<u>3790 Sintered funnels, Buchner Type</u>	21
<u>8251 / 8250 Test tube Stands</u>	20	<u>3791 Membrane Filter Assembly</u>	21
<u>8000 / 8001 Retort Stand / Burette Stand</u>	39	<u>3792 Funnel Only for Membrane Filter Assembly</u>	21
<u>8010 / 8020 Boss head</u>	39	<u>3793 Sintered Part for Membrane Filter Assembly</u>	21
<u>8021 / 8050 / 8051 Clamps</u>	39	<u>3794 Flask For Membrane Filter Assembly</u>	22
<u>8230 Pinch Clip</u>	39		
<u>8060 Nickle Crucible</u>	40	<b><u>SILICA CRUCIBLE</u></b>	43
<u>8254 Platinum Crucible</u>	40	<u>Silicon Grease</u>	43
<u>8080 Laboratory Jack</u>	40		
<u>8100 Viscosity flow cup</u>	40	<b><u>STERILIZATION MONITORING - PACKAGING &amp; CLEAN ROOM PRODUCTS</u></b>	
<u>8110 Cork Borer Set</u>	40	<u>Bowie Dick Test Pack</u>	43
<u>8120 Spatula S.S.</u>	40	<u>Autoclave Indicator Tape - Steam &amp; ETO Sterilization</u>	43
<u>8200 / 8210 Crucible Tong</u>	40	<u>Process Indicator Strips &amp; Labels</u>	43
<u>8220 Tongs - For Beakers and Flasks</u>	40	<u>Sterilization Pouches</u>	43
<u>8255 Inoculation Wire Loop with holder</u>	40	<u>Wrapping Paper / Crepe Paper</u>	43
<u>8253 Diamond Marker</u>	40	<u>Autoclavable A4 paper / A4 Writing pad</u>	43
<u>8257 Test Sieves - Jayant</u>	40	<u>Sterile Writing Pen / Permanent Marker</u>	43
<u>8258 S.S. Scoop</u>	40	<u>Sterile / Non Sterile Gloves, Goggles,</u>	43
<u>8259 S.S. Sampler</u>	40	<u>Disposable Garment &amp; Face masks</u>	
<u>8261 S.S. Tray</u>	40	<u>Kimwipes Lab. Wipers</u>	43
<u>8262 Enamel Tray</u>	40		
<u>8130 Wire Gauze</u>	41	<b><u>TESTING KITS</u></b>	
<u>8140 Tripod Stand</u>	41	<u>10010 Chloroscope (Chlorine Testing Kit)</u>	34
<u>8150 Retort Ring</u>	41	<u>10020 Water Hardness Testing Kit</u>	34
<u>8160 Forcep S.S.</u>	41	<u>10030 Water Analysis Kit - Complete Testing Kit</u>	34
<u>8170 Test Tube Holder</u>	41		
<u>8180 Burner</u>	41	<b><u>PATHOLOGY LAB. / MEDICAL LAB. ITEMS</u></b>	44
<u>8185 Spirit Lamp</u>	41	<u>Microscope Glass Slides, Cover Glass</u>	
<u>8190 Weight Box</u>	41	<u>Coplin Jar, Plastic Slide Box</u>	
<u>8240 Test tube brush, Burette brush, Bottle Brush</u>	41	<u>Aluminium Slide Drying Tray</u>	
<u>8256 Petri Dish - Aluminium</u>	41	<u>Glass Test tubes, glass cuvettes &amp; Pasteur Pipettes</u>	
<u>8252 Nessler Tube Stand - Metal</u>	41	<u>HB Pipette, RBC Pipette, WBC Pipette, Esrite Pipette</u>	
		<u>Wintrobe Tube, Westergren ESR Tube &amp; Stand</u>	
<b><u>PLASTIC WARE</u></b>		<u>Haemometer Kit, Haemocytometer Kit, Esrite Kit</u>	
<u>Plastic Beaker</u>	42	<u>Ria Vials, Plastic Centrifuge Tubes, Micro Centrifuge Tubes</u>	
<u>Plastic Burette</u>	42	<u>Urine &amp; Sputum Containers, Tissue Embedding Rings,</u>	
<u>Dropping Bottle</u>	42	<u>Plastic Petri Dish, Disposable Pipettes,</u>	
<u>Plastic Reagent Bottle</u>	42	<b><u>INSTRUMENTS FOR PATHOLOGY LAB.</u></b>	
<u>Wash Bottle</u>	42	<u>Sample Cups for Analyzer -Hitachi /Beckman /ELIZA /etc</u>	

## LAB. INSTRUMENTS

AUTOCLAVE - VERTICAL	45	BOD INCUBATOR	47
AUTOCLAVE - PORTABLE	45	COD APPARATUS	47
COLONY COUNTER	45	ORBITAL SHAKING INCUBATOR	47
BLOOD CELL COUNTER	45	ROTARY SHAKER	47
BLOOD MIXER	45	DEEP FREEZER - Vertical / Horizontal	47
NEEDLE BURNER & SYRINGE DESTROYER	45	LOW TEMP. CRYOSTAT BATH	47
MUFFLE FURNACE	45	WATER BATH	47
HIGH TEMP. FURNACE	45	SHAKER WATER BATH	47
FURNACE CRUCIBLE	45	SEED GERMINATOR	47
HOT PLATE - ROUND / RECTANGULAR	45		
		PLANT GROWTH / ENVIRONMENTAL CHAMBER	48
HEATING MANTLE	46	HUMIDIFIER	48
HOT AIR OVEN	46	DE-HUMIDIFIER	48
SOXHLET EXTRACTION - HOT PLATE TYPE	46	LAMINAR AIR FLOW BENCH	48
SOXHLET WATER BATH	46	FUME HOOD	48
CENTRIFUGE MACHINE	46	DIGITAL pH Meter	48
MINI CENTRIFUGE MACHINE	46	DIGITAL TDS - CONDUCTIVITY METER	48
MAGNETIC STIRRER	46	DIGITAL CONDUCTIVITY METER	48
UV CHAMBER	46	KARL FISCHER TITRATOR	48
UV VISIBLE SPECTROPHOTOMETER	46	POTENTIOMETER TITRATOR	48
COLORIMETER	46	DISSOLVED OXYGEN (D.O.) METER	48
LOVIBOND COMPARATOR	46	SALINITY METER	48
TURBIDITY METER	46	ION METER	48
MELTING POINT APPARATUS	46	WATER STILL	48
DIGITAL WEIGHING BALANCE	46	MILLIPORE Lab. Water Purification System	48
MICROSCOPE	46	HPLC SYSTEM	48
MICROPIPETTES	46	DIGITAL HYDROMETER - PORTABLE	48

## BEAKERS

CAT NO. 3000 : BEAKERS GRIFFIN, LOW FORM, WITH SPOUT, GRADUATED,

Cat No.	Capacity ml.	Appx. Height O.D. x Height
30001	05	20 x 25
30002	10	25 x 32
30003	25	34 x 45
30004	50	42 x 55
30005	100	48 x 72
30006	150	54 x 83
30007	250	71 x 90
30008	400	80 x 110
30009	500	88 x 119
30010	600	80 x 148
30011	1000	114x154
30012	2000	135x198
30013	3000	144x217
30014	5000	164x266
30015	10000	210x310




## BOTTLES

CAT NO. 3030 : BOTTLES B.O.D., WITH INTERCHANGEABLE STOPPER,


30301	125	55x120
30302	300	70x150

300 ml. is for determination of B.O.D. in Industrial effluents, wastes and water as per method specified by the American Public Health Association and is numbered individually. 125 ml. is without cup top.



CAT NO. 3040 : BOTTLES REAGENT, PLAIN NARROW MOUTH, WITH INTERCHANGEABLE FLAT HEAD STOPPER

	Capacity ml.	Stopper	
30401	60	B-14	44x91
30402	125	B-19	55x113
30403	250	B-19	65x147
30404	500	B-24	80x168
30405	1000	B-29	106x213
30406	2000	B-34	113x273



CAT NO. 3050 : BOTTLES REAGENT, AMBER, NARROW MOUTH WITH INTERCHANGEABLE FLAT HEAD STOPPER,

30501	60	B-14	44x91
30502	125	B-19	55x113
30503	250	B-19	65x147
30504	500	B-24	80x168
30505	1000	B-29	106x213
30506	2000	B-34	113x273




CAT NO. 3051 : BOTTLES WITH DIN THREAD GR. CLEAR WITH TAMPER PROOF BLUE PP SCREW CAP & POURING RING AUTOCLAVABLE UPTO 140°C

		PLAIN	AMBER COLOUR
30511	100	56X100	
30512	250	66x138	
30513	500	86X171	
30514	1000	105X215	
30515	2000	130X152	
30516	5000	186X346	



CAT NO. 3060 : BOTTLES RELATIVE DENSITY, WITH CAPILLARY BORE GLASS STOPPER,

	Capacity ml.	Stopper		Tol. +/- ml
30601	10	B-10	27x41	1
30602	25	B-10	42x55	2




CAT NO. 3070 : BOTTLES RELATIVE DENSITY, WITH CAPILLARY BORE I/C PTFE STOPPER,

30701	10	B-10	27x41	1
30702	25	B-10	42x55	2

BOROSILICATE

CAT NO. 3070A : BOTTLES RELATIVE DENSITY, WITH CAPILLARY BORE INTERCHANGEABLE PTFE STOPPER (B10), CLASS - A WITH WORKS CERTIFICATE (TRACEABILITY OF R.R.S.L.)

Cat No.	Capacity ml.	Tolerance	O.D.x Height (mm)
3070A1	10	0.3	27x41
3070A2	25	0.8	42x55
3070A3	50	1.0	49x66




CAT NO. 3070R : BOTTLES RELATIVE DENSITY, WITH CAPILLARY BORE INTERCHANGEABLE PTFE STOPPER(B10), CLASS - A, R.R.S.L. CERTIFICATE (GOVERNMENT LABORATORY)

3070R2	25	0.8	42x55
--------	----	-----	-------

CAT NO. 3080 : BOTTLES WEIGHING, WITH INTERCHANGEABLE STOPPER,


30801	1	12x35
30802	2	14x35
30803	5	10x40
30804	15**	15x60
30805	20**	50x35
30806	25	30x65
30807	40**	60x40
30808	60	40x90



\*\* Squat Form


CAT NO. 3090 : BOTTLES WASH, COMPLETE WITH INTERCHANGEABLE STOPPER,

	Capacity ml.	Stopper	Height
30901	250	B-24	225
30902	500	B-24	280
30903	1000	B-29	315
30904	2000	B-29	340




CAT NO. 3100 : STOPPERS ONLY FOR WASH BOTTLES

31001	250	B-24
31002	500	B-24
31003	1000	B-29
31004	2000	B-29




CAT NO. 3110 : BOTTLES ONLY FOR WASH BOTTLES

31101	250	B-24	135
31102	500	B-24	175
31103	1000	B-29	205
31104	2000	B-29	250




CAT NO. 3120 : BOTTLES GAS WASHING, COMPLETE WITH I/c STOPPER, (VACUUM TRAP)

	Capacity ml.	I/C Joint
31201	125	B-29
31202	250	B-29
31203	500	B-29




CAT NO. 3130 : STOPPERS ONLY FOR GAS WASHING BOTTLES

31301	125	B-29
31302	250	B-29
31303	500	B-29



CAT NO. 3140 : BOTTLES ONLY FOR GAS WASHING BOTTLES

	Capacity ml.	O.Dx Height
31402	250	59x190



BOROSILICATE

CAT NO. 3141 : IMPINGER GRADUATED FOR AIR SAMPLING,

Cat No. Capacity ml.

31411	35
31412	50
31413	75
31414	100
31415	250
31416	275




## BURETTES

CAT NO. 3150 : BURETTE, FITTED WITH BOROFLO, SCREW THREAD STOPCOCK WITH **PTFE KEY**,

**CLASS B, (GENERAL PURPOSE)**


Cat No.	Capacity ml.	Tolerance +/- ml	Graduation Interval (ml)	Height (mm)	Price/ Piece
31501	1	0.01	0.01	440	
31502	2	0.02	0.02	440	
31503	5	0.02	0.02	440	
31504	10	0.05	0.05	440	
31505	25	0.1	0.1	440	
31506	50	0.1	0.1	440	
31507	100	0.2	0.2	440	



CAT NO. 3150P : BURETTE, FITTED WITH **PINCH CLIP** WITH RUBBER TUBING AND GLASS JET,


ACCURACY AS PER **CLASS B (EDUCATIONAL PURPOSE)**

Cat No.	Capacity ml.	Tolerance +/- ml	Graduation Interval (ml)
3150P1	10	0.05	0.05
3150P2	25	0.10	0.10
3150P3	50	0.10	0.10
3150P4	100	0.20	0.20




CAT NO. 3154A : BURETTE, **PTFE COCK**, SCREW THREAD STOPCOCK, ACCURACY AS PER **CLASS A**, WITH **WORKS CERTIFICATE** (TRACEABILITY OF Regional Reference Standards Lab (R.R.S.L.) - Central Govt. Lab)

Cat No.	Capacity ml.	Tolerance +/- ml	Graduation Interval (ml)	Height (mm)
3154A1	1	0.006	0.01	440
3154A2	2	0.01	0.02	440
3154A3	5	0.01	0.02	440
3154A4	10	0.02	0.05	440
3154A5	25	0.05	0.1	440
3154A6	50	0.05	0.1	440
3154A7	100	0.1	0.2	440




CAT NO. 3154R : BURETTE, **PTFE COCK**, SCREW THREAD STOPCOCK, ACCURACY AS PER **CLASS A**, WITH **R.R.S.L. CERTIFICATE** (GOVERNMENT LABORATORY)

Cat No.	Capacity ml.	Tolerance +/- ml	Graduation Interval (ml)	Height (mm)
3154R1	1	0.006	0.01	440
3154R2	2	0.01	0.02	440
3154R3	5	0.01	0.02	440
3154R4	10	0.02	0.05	440
3154R5	25	0.05	0.1	440
3154R6	50	0.05	0.1	440
3154R7	100	0.1	0.2	440




CAT NO. 3161 : BURETTE FITTED WITH BOROFLO, SCREW THREAD STOPCOCK WITH **PTFE KEY**, **AMBER COLOUR, CLASS B**

Cat No.	Capacity ml.	Tolerance +/- ml	Graduation Interval (ml)	Height (mm)
31611	10	0.1	0.05	440
31613	50	0.2	0.10	440



CAT NO. 3168A : BURETTE, **AMBER COLOUR**, ACCURACY AS PER **CLASS A** WITH **WORKS CERTIFICATE**, (TRACEABILITY OF RRSL)


Cat No.	Capacity ml.	Tolerance +/- ml	Graduation Interval (ml)	Height (mm)
3168A2	2	0.01	0.02	450
3168A4	10	0.02	0.05	460
3168A6	50	0.05	0.1	760
3168A7	100	0.10	0.2	830



BOROSILICATE


CAT NO. 3160 : BURETTE, STRAIGHT BORE **GLASS STOPCOCK**, ACCURACY AS PER **CLASS B**

Cat No.	Capacity ml.	Tolerance +/- ml	Graduation Interval (ml)	Height (mm)
31601	1	0.01	0.01	450
31602	2	0.02	0.02	450
31604	10	0.04	0.05	460
31606	50	0.1	0.10	760



CAT NO. 3164A : BURETTE, STRAIGHT BORE **GLASS STOPCOCK**, ACCURACY AS PER **CLASS A WITH WORKS CERTIFICATE** (TRACEABILITY OF RRSL)

3164A1	1	0.006	0.01	450
3164A2	2	0.01	0.02	450
3164A3	5	0.01	0.02	480
3164A4	10	0.05	0.1	460
3164A5	25	0.05	0.1	540
3164A6	50	0.05	0.1	760
3164A7	100	0.10	0.2	830




CAT NO. 3164R : BURETTE, STRAIGHT BORE **GLASS STOPCOCK**, ACCURACY AS PER **CLASS A WITH R.R.S.L. CERTIFICATE**

3164R1	1	0.006	0.01	450
3164R2	2	0.01	0.02	450
3164R3	5	0.05	0.02	480
3164R4	10	0.05	0.1	460
3164R5	25	0.05	0.1	540
3164R6	50	0.05	0.1	760
3164R7	100	0.10	0.2	830


CAT NO. 3170 : BURETTE **AUTOMATIC ZERO**, MOUNTED ON RESERVOIR, WITH RUBBER BELLOW, **CLASS B**

	Capacity ml.	Tolerance		Reservoir(Bottle)
31701	10	0.02	0.05	500ml
31702	25	0.05	0.1	2000ml
31703	50	0.05	0.1	2000ml
31704	100	0.1	0.2	2000ml



CAT NO. 3174A : BURETTE, **AUTOMATIC ZERO**, MOUNTED ON RESERVOIR, WITH RUBBER BELLOW, ACCURACY AS PER **CLASS A WITH WORKS CERTIFICATE**, (TRACEABILITY OF RRSL)

3174A1	10	0.05	0.05	500ml
3174A2	25	0.1	0.1	2000ml
3174A3	50	0.1	0.1	2000ml
3174A4	100	0.2	0.2	2000ml




CAT NO. 3174R : BURETTE, **AUTOMATIC ZERO**, MOUNTED ON RESERVOIR, WITH RUBBER BELLOW, ACCURACY AS PER **CLASS A WITH R.R.S.L. CERTIFICATE** (GOVERNMENT LABORATORY)

3174R1	10	0.05	0.05	500ml
3174R2	25	0.1	0.1	2000ml
3174R3	50	0.1	0.1	2000ml
3174R4	100	0.2	0.2	2000ml

CAT NO. 3180 : BURETTE, **AUTOMATIC ZERO**, MOUNTED ON RESERVOIR, WITH BELLOW, **CLASS B, AMBER COLOUR**

31801	10	0.05	0.05	500ml
31802	25	0.1	0.1	2000ml
31803	50	0.1	0.1	2000ml
31804	100	0.2	0.2	2000ml



CAT NO. 3184A : BURETTE, **AUTOMATIC ZERO**, MOUNTED ON RESERVOIR, WITH RUBBER BELLOW, **CLASS A, WITH WORKS CERTIFICATE**, (TRACEABILITY OF RRSL), **AMBER COLOUR**

	Capacity ml.	Tolerance	Graduation(ml)
3184A1	10	0.05	0.02
3184A2	25	0.1	0.05
3184A3	50	0.1	0.05
3184A4	100	0.2	0.1

BOROSILICATE

## CONDENSERS

CAT NO. 3190 : CONDENSERS LIEBIG, INTERCHANGEABLE INNER JOINT AND OUTER JOINT,

Cat. No.	Capacity mm.	I/C	Joint	Price/Piece
31901	200	Inner	Outer	
		B-24	B-24	
31902	300	B-19	B-19	
31903	300	B-24	B-24	
31904	400	B-24	B-24	
31905	500	B-24	B-24	
31906	600	B-24	B-24	

CAT NO. 3200 : CONDENSERS ALLIHN, INTERCHANGEABLE INNER JOINT AND OUTER JOINT,

32001	200	B-24	B-24
32002	300	B-24	B-24
32003	400	B-24	B-24
32004	600	B-24	B-24

CAT NO. 3210 : CONDENSERS GRAHAM, COILED DISTILLATE TYPE, DRIP TIP, I/C INNER JOINT AND I/C OUTER JOINT WATER IN JACKET,

32101	300	B-24	B-24
32102	400	B-24	B-24
32103	400	B-34	B-34
32104	500	B-24	B-24

CAT NO. 3220 : CONDENSERS GRAHAM, COILED DISTILLATE TYPE, DRIP TIP, INTERCHANGEABLE JOINT & WATER IN COIL INTERCHANGEABLE,

32201	300	B-24	B-24
32202	400	B-24	B-24
32203	500	B-24	B-24






## DOUBLE SURFACE CONDENSERS

CAT NO. 3830 : DAVIES CONDENSERS, DOUBLE SURFACE, I/C JOINT

	Appx. Jacket Length mm	Socket Size	Cone Size
38301	200	B-19	B-19
38303	300	B-19	B-19
38304	300	B-24	B-24
38305	300	B-34	B-34
38306	400	B-24	B-24
38307	400	B-34	B-34
38308	500	B-24	B-24
38309	500	B-34	B-34
383010	600	B-24	B-24
383011	600	B-34	B-34
383013	700	B-34	B-34

CAT NO. 3850 : AIR CONDENSERS, VERTICAL, CONE ONLY,

38501	400	B-19
38502	400	B-24
38503	400	B-34
38504	500	B-24
38505	500	B-34
38506	600	B-24
38507	600	B-34
38508	750	B-19
38509	750	B-24
385010	1000	B-19
385011	1000	B-24




BOROSILICATE

## COLUMN

CAT NO. 3860 : FRACTIONATING COLUMN, PLAIN,

Cat. No.	Length mm	Cone Size	Socket Size
38601	200	B-14	B-14
38602	200	B-19	B-19
38603	300	B-19	B-19
38604	300	B-24	B-24
38605	300	B-34	B-34
38606	400	B-19	B-19
38607	400	B-24	B-24
38608	400	B-34	B-34
38609	500	B-19	B-19
386010	500	B-24	B-24
386011	500	B-34	B-34
386012	600	B-24	B-24
386013	600	B-34	B-34
386014	750	B-34	B-34
386015	1000	B-34	B-34



38701	250	B-24	B-24
38702	300	B-24	B-24
38703	400	B-24	B-24
38704	600	B-24	B-24
38705	600	B-34	B-34



CAT NO. 3875 : RASCHIG RING N.G.

Cat. No.	Length x Dia (mm)
38751	6 x 6
38752	8 x 8
38753	10 x 10



CAT NO. 3878 : GLASS BEADS N.G. (WITHOUT HOLES)


Cat. No.	Dia Size (mm)
38781	2
38782	3
38783	4/5
38784	6



## CYLINDERS


CAT NO. 3230 : CYLINDERS COLOUR COMPARISON, NESSLER, FLA T BOTTOM, GRADUATE

	Capacity ml.	O.D.x Height(mm)
32301	50	26x150
32302	100	34x180



CAT NO. 3240 : CYLINDERS GRADUATED, SINGLE METRIC SCALE, WITH PENNY HEAD INTERCHANGEABLE STOPPER WITH ROUND BASE,

	Capacity ml.	Tolerance +/- ml	Height (mm)	Stopper Size	Gr. Interval (ml)
32401	5	0.1	135	B-10	0.1
32402	10	0.2	165	B-10	0.2
32403	25	0.5	190	B-14	0.5
32404	50	1	215	B-14	1
32405	100	1	285	B-19	1
32406	250	2	375	B-24	2
32407	500	5	435	B-24	5
32408	1000	10	505	B-34	10



BOROSILICATE

CAT NO. 3244A : CYLINDERS GRADUATED, SINGLE METRIC SCALE, WITH PENNY HEAD  
 INTERCHANGEABLE STOPPER WITH ROUND BASE, CLASS A WITH WORKS CERTIFICATE (TRACEABILITY OF RRSL)

Cat No.	Capacity ml.	Tolerance +/- ml	Height (mm)	Gr. Interval ml	Stopper Size
3244A1	5	0.1	135	0.1	B-10
3244A2	10	0.1	165	0.1	B-10
3244A3	25	0.25	190	0.25	B-14
3244A4	50	0.5	215	0.5	B-14
3244A5	100	0.5	285	0.5	B-19
3244A6	250	1	375	1	B-24
3244A7	500	2.5	435	2.5	B-24
3244A8	1000	5	505	5	B-34



CAT NO. 3244R : CYLINDERS GRADUATED, SINGLE METRIC SCALE, WITH PENNY HEAD  
 INTERCHANGEABLE STOPPER WITH ROUND BASE, CLASS A WITH RRSL CERTIFICATE (GOVERNMENT LABORATORY)

3244R1	5	0.1	135	0.1	B-10
3244R2	10	0.1	165	0.1	B-10
3244R3	25	0.25	190	0.25	B-14
3244R4	50	0.5	215	0.5	B-14
3244R5	100	0.5	285	0.5	B-19
3244R6	250	1	375	1	B-24
3244R7	500	2.5	435	2.5	B-24
3244R8	1000	5	505	5	B-34




CAT NO. 3248A : CYLINDERS GRADUATED, SINGLE METRIC SCALE, WITH PENNY HEAD  
 INTERCHANGEABLE STOPPER WITH HEXAGONAL BASE, CLASS A WITH WORKS CERTIFICATE (TRACEABILITY OF RRSL)

3248A1	5	0.1	135	0.1	B-10
3248A2	10	0.1	165	0.1	B-10
3248A3	25	0.25	190	0.25	B-14
3248A4	50	0.5	215	0.5	B-14
3248A5	100	0.5	285	0.5	B-19
3248A6	250	1	375	1	B-24
3248A7	500	2.5	435	2.5	B-24
3248A8	1000	5	505	5	B-34




CAT NO. 3250 : CYLINDERS GRADUATED, SINGLE METRIC SCALE, WITH POUR OUT, WITH ROUND BASE, CLASS B,

32501	5	0.1	130	0.1	
32502	10	0.2	150	0.2	
32503	25	0.5	160	0.5	
32504	50	1	280	1	
32505	100	1	230	1	
32506	250	2	375	2	
32507	500	5	395	5	
32508	1000	10	470	10	
32509	2000	20	570	20	



CAT NO. 3254A : CYLINDERS GRADUATED, SINGLE METRIC SCALE, WITH POUR OUT, WITH ROUND BASE, CLASS A, WITH WORKS CERTIFICATE (TRACEABILITY OF RRSL)

3254A1	5	0.05	130	0.1	
3254A2	10	0.1	150	0.2	
3254A3	25	0.25	160	0.5	
3254A4	50	0.5	175	1	
3254A5	100	0.5	230	1	
3254A6	250	1	260	2	
3254A7	500	2.5	345	5	
3254A8	1000	5	470	10	



CAT NO. 3260 : CYLINDERS GRADUATED, SINGLE METRIC SCALE, WITH POUR OUT, WITH HEXAGONAL BASE, CLASS B


32601	5	0.1	130	0.1	
32602	10	0.2	150	0.2	
32603	25	0.5	160	0.5	
32604	50	1	280	1	
32606	250	2	375	2	
32607	500	5	395	5	
32608	1000	10	470	10	



BOROSILICATE


CAT NO. 3264A : CYLINDERS GRADUATED, SINGLE METRIC SCALE, WITH POUR OUT, WITH HEXAGONAL BASE, CLASS A, WITH WORK CERTIFICATE (TRACEABILITY OF RRSL)

Cat. No.	Capacity ml.	Graduation +/- ml	Tolerance	Height (mm)	Price/Piece
3264A1	5	0.2	0.1	130	
3264A2	10	0.5	0.25	150	
3264A3	25	1	0.5	160	
3264A4	50	1	0.5	280	
3264A5	100	2	1	230	
3264A6	250	5	2.5	375	
3264A7	500	10	5	395	
3264A8	1000	20	10	470	
3264A9	2000	20	10	500	



CAT NO. 3264R : CYLINDERS GRADUATED, SINGLE METRIC SCALE, WITH POUR OUT, CLASS A, WITH RRSL CERTIFICATE (GOVERNMENT LABORATORY)


3264A1	5	0.2	0.1	130
3264A2	10	0.5	0.25	150
3264A3	25	1	0.5	160
3264A4	50	1	0.5	280
3264A5	100	2	1	230
3264A6	250	5	2.5	375
3264A7	500	10	5	395
3264A8	1000	20	10	470
3264A9	2000	20	10	500



## DESICCATORS WITH PLATE


CAT NO. 3270 : DESICCATORS WITH COVER KNOB TOP, INDIAN GLASS

Cat No.	Capacity mm.	Size (inch)
32701	100	4"
32702	150	6"
32703	200	8"
32704	250	10"



CAT NO. 3280 : DESICCATORS VACUUM, WITH TUBULATED COVER, STOPCOCK WITH PTFE SPINDLE, BOROSILICATE GLASS

32801	100	4"
32802	150	6"
32803	200	8"
32804	250	10"



32751	150	6"
32752	200	8"
32753	250	10"




## DISHES

CAT NO. 3290 : DISHES CULTURE, PETRI, BOROSILICATE

	Approx. O.D. x Height (mm)	Size (Inch)
32901	50 x 17	2"
32902	80 x 17	3"
32903	100 x 17	4"
32904	150 x 20	6"

*These clear dishes withstand repeated sterilisation (wet or dry). The edges are beaded to provide greater mechanical strength. Excellent for routine work.*



CAT NO. 3291 : DISHES CULTURE, PETRI, IMPORTED CZECH MAKE "ANUMBRA" / S-LINE TYPE

32911	100 x 15	4"
-------	----------	----


BOROSILICATE

## DISTILLING APPARATUS

CAT NO. 3300 : DISTILLING APPARATUS AMMONIA, WITH GRAHAM CONDENSER, INTERCHANGEABLE JOINTS,


Cat No.	Capacity ml	Price/Piece
33001	250	
33002	500	
33003	800	

Used for determining nitrogen in organic compounds. Both the digestion and distillation stages can be performed in this apparatus. The assembly shown is the distillation stage where the amount of ammonia, and hence, nitrogen is established. The inlet tube allows the permanganate solution to be introduced after distillation. Supplied with an outer interchangeable 24/29 joint on the flask and an outer interchangeable 19/26 joint on the condenser.




CAT NO. 3301 : NITROGEN DETERMINATION APPARATUS

Macro Kjeldhal Distillation, Comprising of 500ml Kjeldhal Flask, Multiple Adapter Dropping Funnel with Plug, Splash Head, Condenser & Received Adapter As per Quickfit



CAT NO. 3302 : DISTILLATION ASSEMBLY, MICRO KJELDHAL DISTILLATION, WITH SPECIAL JOINT

Macro Kjeldhal Distillation, Amber Comprising of 500ml Kjeldhal Flask, Multiple Adapter Dropping Funnel with Plug, Splash Head, Condenser & Received Adapter As per Quickfit



CAT NO. 3310 : DISTILLING APPARATUS WITH GRAHAM CONDENSER, I/C JOINTS, I/C STOPPER,

Cat No.	Capacity ml.	Height (mm)	Joint
33101	500	200	19/24

A general purpose batch distillation assembly with the facility for addition via the interchangeable stoppered neck. Ideally suited for the batch production of high purity distilled water. The flask has flat bottom with side delivery tube.

CAT NO. 3320 : DISTILLING APPARATUS WITH FRIEDRICHS CONDENSER, I/C JOINT, I/C STOPPER,

Cat No.	Capacity ml.	Height (mm)	Joint
33201	2000	350	24/29

Similar in design to No. 3310 but incorporating a Friedrichs Spiral Condenser for increased distillation rates and interchangeable 24/29 joints between the condenser and the side arm of the flask.

CAT NO. 3330 : DISTILLING APPARATUS COMPACT, WITH FRIEDRICHS CONDENSER, I/C STOPPER

Cat No.	Capacity ml.	Height (mm)	Joint
33301	1000	500	34/35

A Compact distillation assembly incorporating a specially designed Friedrichs Condenser with a vapour, tube rising to the top. The 1000ml Erlenmeyer flask is supplied with an outer interchangeable 34/35 joint.

CAT NO. 3340 : MOISTURE DETERMINATION APPARATUS, DEAN AND STARK, COMPLETE SET

Cat No.	Receiver with Stopcock (ml)	Capacity of R.B. Flask (ml)
33401	2	250
33402	5	500
33403	10	1000
33404	25	1000

Consists of graduated receiver, with outer and inner joint, round bottom flask and Liebig condenser 200 mm with appropriate joints.



CAT NO. 3342 : MOISTURE DETERMINATION APPARATUS, RECEIVER (WITH GRADUATED TUBE) ONLY FOR DEAN AND STARK

33421	2	250
33422	5	500
33423	10	1000
33424	25	1000



BOROSILICATE

## EXTRACTORS

CAT NO. 3350 : EXTRACTORS SOXHLET INTERCHANGEABLE JOINT,

Cat No.	Capacity ml	I/C Joint	
		Top	Bottom
33501	60	B-34	B-24
33502	100	B-40	B-24
33503	200	B-50	B-24

With a bulb in a siphon tube near the top to aid in the siphoning action. The siphon tube is protected from accidental damage by the vapour tube.

CAT NO. 3360 : CONDENSERS ONLY FOR EXTRACTION APPARATUS, ALLIHN,

	Capacity ml	Joint Bottom
33601	60	B-34
33602	100	B-40
33603	200	B-50

CAT NO. 3370 : EXTRACTION APPARATUS SOXHLET COMPLETE WITH ALLIHN CONDENSER WITH I/C JOINT

	Capacity ml.	Size	Flask Size (ml)
33701	60	Small	150
33702	100	Medium	250
33703	200	Large	500

## FLASKS

CAT NO. 3380 : FLASKS (VESSELS) REACTION, WIDE MOUTH, FLAT FLANGE, INNER DIA 100 MM, OUTER DIA 150 MM

Cat No.	Capacity ml.	Height (mm)
33801	1000	180
33802	2000	210
33804	5000	260

CAT NO. 3390 : LIDS FOR FLASKS REACTION, FLAT FLANGE AND INTERCHANGEABLE JOINT,







	I/C Centre	Centre Center Side
Single Neck Lid	B-34	
Two Neck Lid	B-34	/24
Three Neck Lid	B-34	24/24
Four Neck Lid	B-34	24/24/19
Five Neck Lid	B-34	24/24/19/19

CAT NO. 3400 : FLASKS BOILING, ROUND BOTTOM OR FLAT BOTTOM

	Capacity ml.	O.D.x Height(mm)
34001	50	51x95
34002	100	64x110
34003	150	75x137
34003	250	85x145
34004	500	105x178
34005	1000	128x212
34006	2000	166x260

CAT NO. 3410 : FLASKS BOILING, ROUND OR FLAT BOTTOM, SHORT NECK, WITH I/C, B-24 JOINT OR B-34 JOINT


	Capacity ml.	O.D. x Height(mm)
34101	50	50x90
34102	100	65x105
34104	500	105x170
34106	2000	170x250
34108	5000	225x330
34109	10000	280x400



BOROSILICATE

CAT NO. 3420 : FLASKS ROUND BOTTOM, TWO NECKS, CENTRE NECK AND ONE PARALLEL SIDE NECK, WITH I/C JOINT,

	Capacity ml	Center Joint	Side Joint
34201A	250	B-24	B-24
34202	500	B-24	B-19
34202A	500	B-24	B-24
34202B	500	B-34	B-24
34203	1000	B-24	B-19
34203A	1000	B-24	B-24
34203B	1000	B-34	B-24
34204	2000	B-24	B-19
34204A	2000	B-24	B-24
34204B	2000	B-34	B-24
34205	3000	B-24	B-19
34205A	3000	B-24	B-24



34206 5000 B-24 B-19


34206B 5000 B-34 B-24

34207A 10000 B-34 B-34

Note : Flat Bottom & Any Neck Change @8% will be charged extra.

CAT NO. 3430 : FLASKS ROUND BOTTOM, THREE NECKS, CENTRE NECK AND TWO PARALLEL NECKS, WITH I/C JOINTS,

	Capacity ml.	Side-1	Centre	Side-2,
34301	100	B-19	B-24	B-19
34301B	100	B-19	B-34	B-19
34302	250	B-19	B-24	B-19
34302B	250	B-19	B-34	B-19
34303	500	B-19	B-24	B-19
34303B	500	B-19	B-34	B-19
34303C	500	B-34	B-34	B-34
34304	1000	B-19	B-24	B-19
34304A	1000	B-34	B-34	B-34
34304B	1000	B-19	B-34	B-19
34304C	1000	B-34	B-34	B-34
34305	2000	B-19	B-24	B-19
34305A	2000	B-34	B-34	B-34
34305B	2000	B-19	B-34	B-19
34306	3000	B-19	B-24	B-19
34306B	3000	B-19	B-34	B-19
34307	5000	B-19	B-34	B-24
34307B	5000	B-19	B-34	B-19
34308	10000	B-24	B-34	B-24
34308B	10000	B-34	B-34	B-34
34308D	10000	B-34	B-55	B-24




BOROSILICATE

Note : Flat Bottom & Any Neck Change @8% will be charged extra.

CAT NO. 3440 : FLASKS ROUND BOTTOM, FOUR NECKS, CENTRE NECK AND THREE PARALLEL SIDE NECKS, WITH INTERCHANGEABLE JOINTS,


Cat. No.	Capacity ml.	Side-1 B-19	Centre B-24	Side-2 B-19	Side-3 B-19	Price/each
34401	100	B-19	B-24	B-19	B-19	
34401B	100	B-19	B-34	B-19	B-19	
34402	250	B-19	B-24	B-19	B-19	
34402B	250	B-19	B-34	B-19	B-19	
34403	500	B-19	B-24	B-19	B-19	
34403B	500	B-24	B-34	B-24	B-24	
34404A	1000	B-24	B-24	B-24	B-24	
34404C	1000	B-24	B-34	B-24	B-24	
34405A	2000	B-24	B-24	B-24	B-24	
34405C	2000	B-24	B-34	B-24	B-24	
34406A	3000	B-24	B-24	B-24	B-24	
34406C	3000	B-24	B-34	B-24	B-24	
34407A	5000	B-24	B-24	B-24	B-24	
34407C	5000	B-24	B-34	B-24	B-24	
34408A	10000	B-24	B-34	B-24	B-24	
34408C	10000	B-34	B-55	B-34	B-34	



Note : Flat Bottom and any neck change 8% will be charged extra.

CAT NO. 3450 : FLASKS ROUND BOTTOM, FIVE NECKS, CENTRE & FOUR PARALLEL SIDE NECKS

Cat. No.	Capacity ml.	Side-1	Centre	Side-2	Side-3	Side-4	Price/Piece
34501	500	B-19	B-19	B-24	B-19	B-19	
34501A	500	B-24	B-24	B-34	B-24	B-24	
34501B	500	B-24	B-24	B-24	B-24	B-24	
34501C	500	B-19	B-24	B-34	B-19	B-24	
34501D	500	B-19	B-19	B-24	B-19	B-19	
34502	1000	B-19	B-19	B-34	B-19	B-19	
34502A	1000	B-24	B-24	B-24	B-24	B-24	
34502B	1000	B-24	B-24	B-34	B-24	B-24	
34502C	1000	B-19	B-24	B-24	B-19	B-24	
34502D	1000	B-19	B-19	B-34	B-19	B-19	
34503	2000	B-19	B-19	B-24	B-19	B-19	
34503A	2000	B-24	B-24	B-34	B-24	B-24	
34503B	2000	B-24	B-24	B-24	B-24	B-24	
34503C	2000	B-19	B-24	B-34	B-19	B-24	
34503D	2000	B-19	B-19	B-24	B-19	B-19	
34504	3000	B-19	B-19	B-34	B-19	B-19	
34504A	3000	B-24	B-24	B-24	B-24	B-24	
34504B	3000	B-24	B-24	B-34	B-24	B-24	
34504C	3000	B-19	B-24	B-24	B-19	B-24	
34504D	3000	B-19	B-19	B-34	B-19	B-19	
34505	5000	B-19	B-19	B-24	B-19	B-19	
34505A	5000	B-24	B-24	B-34	B-24	B-24	
34505B	5000	B-24	B-24	B-24	B-24	B-24	
34505C	5000	B-19	B-24	B-34	B-19	B-24	
34505D	5000	B-19	B-19	B-34	B-19	B-19	



# BOROSILICATE


CAT NO. 3450 : FLASKS ROUND BOTTOM, FIVE NECKS, CENTRE & FOUR PARALLEL SIDE NECKS

Cat. No.	Capacity ml.	Side-1	Centre	Side-2	Side-3	Side-4
34506	10000	B-24	B-24	B-34	B-24	B-24
34506	10000	B-24	B-34	B-34	B-34	B-24
34506	10000	B-24	B-24	B-55	B-24	B-24
34506	10000	B-34	B-34	B-55	B-34	B-34

Note : Flat Bottom & Any neck change 8% will be charged Extra.

CAT NO. 3460 : FLASKS DISTILLING, WITH SIDE ARM,


Cat. No.	Capacity ml.	O.D.x Height(mm)	Neck OD(mm)
34601	100	65x200	21
34602	125	65x210	19
34603	250	85x225	25
34604	500	110x250	28
34605	1000	130x300	31
34606	2000	165x310	40



CONICAL FLASKS

CAT NO. 3480 : FLASKS ERLLENMEYER, GRADUATED, CONICAL, NARROW MOUTH,

Cat No.	Capacity ml.	O.D.x Height	Neck(OD)
34801	25	40x70	21
34802	50	50x82	21
34803	100	65x105	25
34804	150	70x125	28
34805	250	85x140	34
34806	500	104x175	34
34807	1000	130x122	42
34808	2000	165x286	48
34809	3000	185x315	48
34810	5000	220x375	50




CAT NO. 3469 : CONICAL FLASKS ERLLENMEYER, CONICAL NARROW MOUTH, WITH I/C JOINT

	Capacity ml	O.D.x Height	Socket
34691	50	40x70	B-19
34692	100	50x82	B-19
34693	150	65x105	B-19
34694	250	85x140	B-24
34695	500	104x175	B-24
34696	1000	130x122	B-24
34696	1000	130x122	B-34
34697	2000	165x286	B-34



CAT NO. 3470 : FLASKS ERLLENMEYER, CONICAL NARROW MOUTH, WITH I/C STOPPER


34701	25	65x200	B-19
34702	50	65x210	B-19
34703	100	85x225	B-24
34704	250	110x250	B-24
34705	500	130x300	B-24



CAT NO. 3490 : FLASKS FILTERING, HEAVY WALL, BOLT NECK, WITH TUBULATION

34901	50	50x82
34902	100	65x105
34903	250	85x145
34904	500	105x195
34905	1000	135x250
34906	**2000	165x290
34907	**5000	235x315
34908	**10000	230x500


\*\* These Flasks are Bottle Shaped



CAT NO. 3500 : FLASKS IODINE DETERMINATION, INTERCHANGEABLE STOPPER,

Cat. No.	Capacity ml.	Joint
35001	100	B-24
35003	500	B-24

These flasks are blown specially for iodine value determination. The Stopper handle projects above the liquid seal through to facilitate its removal.



BOROSILICATE


CAT NO. 3509 : FLASKS KJELDAHL, ROUND BOTTOM, LONG NECK,

	Capacity ml.	O.D.x Height
35091	100	61x210
35092	300	80x298
35093	500	97x320
35094	800	113x375



CAT NO. 3510 : FLASKS KJELDAHL, ROUND BOTTOM, INTERCHANGEABLE JOINT,


	Capacity ml.	O.D.xHeight	Joint
35101	500	97x305	B-24
35102	800	113x375	B-24



## VOLUMETRIC FLASKS


CAT NO. 3520 : FLASKS VOLUMETRIC, WITH INTERCHANGEABLE STOPPER, ACCURACY AS PER CLASS B

	Capacity ml.	Tolerance	Stopper
35201	1	0.02	B-10
35202	2	0.03	B-10
35203	5	0.05	B-10
35204	10	0.05	B-10
35205	25	0.08	B-10
35206	50	0.12	B-10
35207	100	0.2	B-14
35208	200	0.3	B-14
35209	250	0.3	B-14
352010	500	0.5	B-19
352011	1000	0.8	B-19
352012	2000	1.2	B-24




CAT NO. 3524A : FLASKS VOLUMETRIC, WITH INTERCHANGEABLE STOPPER, ACCURACY AS PER CLASS A WITH WORKS CERTIFICATE (TRACEABILITY OF R.R.S.L.)

Cat. No.	Capacity ml.	Tolerance	Stopper
3524A1	1	0.015	B-10
3524A2	2	0.01	B-10
3524A3	5	0.025	B-10
3524A4	10	0.025	B-10
3524A5	25	0.04	B-10
3524A6	50	0.06	B-10
3524A7	100	0.1	B-14
3524A8	200	0.15	B-14
3524A9	250	0.15	B-14
3524A10	500	0.25	B-19
3524A11	1000	0.4	B-19



CAT NO. 3524R : FLASKS VOLUMETRIC, WITH 1/C STOPPER, ACCURACY AS PER CLASS A WITH RRSL

Cat. No.	Capacity ml.	Tolerance	Stopper
3524R1	1	0.015	B-10
3524R2	2	0.01	B-10
3524R3	5	0.025	B-10
3524R4	10	0.025	B-10
3524R5	25	0.04	B-10
3524R6	50	0.06	B-10
3524R7	100	0.1	B-14
3524R8	200	0.15	B-14
3524R9	250	0.15	B-14
3524R10	500	0.25	B-19
3524R11	1000	0.4	B-19



CAT NO. 3530 : FLASKS VOLUMETRIC, WITH 1/C STOPPER, AMBER COLOUR, ACCURACY AS PER CLASS B

35301	1	0.02	B-10
35303	5	0.05	B-10
35305	25	0.08	B-10
35306	50	0.12	B-10

BOROSILICATE

CAT NO. 3530 : FLASKS VOLUMETRIC, WITH I/C STOPPER, AMBER COLOUR , ACCURACY AS PER CLASS B

35307	100	0.2	B-14
35308	200	0.3	B-14
35309	250	0.3	B-14
353010	500	0.5	B-19
353011	1000	0.8	B-19
353012	2000	1.2	B-24

## FUNNELS

CAT NO. 3540 : FUNNELS PLAIN, 60° ANGLE, LONG STEM,

	Diameter (mm)	Size Inch
35401	50	2"
35402	65	2.5"
35403	75	3"
35404	100	4"



CAT NO. 3541 : FUNNELS POWDER (SOLID ADDITION FUNNEL) PLAIN, WITHOUT CONE

Cat. No.	Dia (mm)	Size (Inch)
35411	50	2"
35412	65	2.5"
35413	75	3"
35414	100	4"
35415	125	5"
35416	150	6"
35417	200	8"

CAT NO. 3550 : FUNNELS POWDER, WITH SHORT STEM CONE B-24


35501	50	2"
35502	65	2.5"
35503	75	3"
35504	100	4"
35505	125	5"
35506	150	6"
35507	200	8"

CAT NO. 3560 : FUNNELS SEPARATING, GLOBE SHAPE, WITH STOPCOCK AND INTERCHANGEABLE STOPPER,

	Capacity ml.	Stopper
35601	125	B-19
35602	250	B-19
35603	500	B-24
35604	1000	B-29
35605	2000	B-29
35606	5000	B-34

CAT NO. 3570 : FUNNELS SEPARATING, PEAR SHAPE, FITTED WITH BOROFLO STOPCOCK WITH PTFE KEY & I/C STOPPER,


Cat. No.	Capacity ml.	Stopper	Price/Piece
35701	60	B-19	
35702	125	B-19	
35703	250	B-19	
35704	500	B-24	
35705	1000	B-29	
35706	2000	B-29	



## ADDITION FUNNELS

CAT NO. 3880 : FUNNELS TAP, CYLINDRICAL WITH CONE, OPEN TOP, GLASS STOPCOCK OR PTFE KEY,


	Capacity ml	Cone Size
38801	50	B-19
38803	100	B-19
38805	250	B-19
38806	250	B-24
38807	500	B-24



BOROSILICATE


CAT NO. 3890 : FUNNELS TAP, CYLINDRICAL WITH SOCKET AND CONE, GLASS OR PTFE STOPCOCK,

Cat No.	Length (mm)	Socket Size	Cone Size
38901	50	B-14	B-14
38902	100	B-19	B-19
38903	100	B-24	B-24
38904	250	B-19	B-19
38905	250	B-24	B-24
38906	500	B-19	B-19
38907	500	B-24	B-24
38908	1000	B-19	B-19
38909	1000	B-24	B-24
389010	1000	B-34	B-34



CAT NO. 3900 : PRESSURE EQUALISING FUNNELS TAP, CYLINDRICAL WITH INTERCHANGEABLE STOPPER AND GLASS OR PTFE STOPCOCK,

Cat No.	Length (mm)	Socket Size	Cone Size
39001	50	B-19	B-19
39002	100	B-19	B-19
39003	100	B-24	B-24
39004	250	B-19	B-19
39005	250	B-24	B-24
39006	500	B-19	B-19
39007	500	B-24	B-24
39008	1000	B-19	B-19
39009	1000	B-24	B-24



CAT NO. 3575 : JAR RECTANGULAR MUSEUM WITH COVER,

Cat No.	Height (mm)	Length	Breadth
35751	140 x	215 x	100
35752	225 x	225 x	125
35703	220 x	140 x	140
35704	210 x	170 x	130
35705	250 x	250 x	150
35706	Cover Only for Cat 3575		




## KETTLES

CAT NO. 3580 : KETTLES RESIN REACTION,


Cat No.	Capacity ml.	Height (mm)	Body
35801	500 x	178 x	87
35802	1000 x	178 x	115
35803	2000 x	190 x	163
35804	4000 x	343 x	163

Cover for 500 ml & 1000ml Kettles are interchangeable. Also cover for 2000 & 4000 ml Kettles are interchangeable.




CAT NO. 3590 : BOTTOMS ONLY FOR KETTLES CAT NO. 3580,

Cat No.	Capacity ml.
35901	500
35902	1000
35903	2000
35904	4000



CAT NO. 3600 : COVERS ONLY FOR KETTLES,

Cat No.	Capacity ml.	Centre	Side
36001	500	B-34	B-24x3
36002	1000	B-34	B-24x3
36003	2000	B-34	B-24x3
36004	4000	B-34	B-24x3



CAT NO. 3610 : S. S. CLIP FOR HOLDING FLAT FLANGE FLASK REACTION VESSEL AND RESIN REACTION KETTLES MADE FROM S.S. WIRE,

Cat No.	Size mm
36101	135
36103	190
36104	200




BOROSILICATE

## PIPETTES


CAT NO. 3620 : PIPETTES SEROLOGICAL, GRADUATED, CLASS B

Cat. No.	Capacity ml.	Tolerance +/- ml	Graduation Interval (ml)	Price/Piece
36201	0.1	0.01	0.01	
36202	0.2	0.01	0.01	
36203	1.0	0.01	0.01	
36204	2.0	0.02	0.02	
36205	5.0	0.05	0.05	
36206	10.0	0.1	0.1	
36207	25.0	0.2	0.2	
36208	50.0	0.1	0.2	




CAT NO. 3624A : PIPETTES SEROLOGICAL, GRADUATED, ACCURACY AS PER CLASS A, WITH WORKS CERTIFICATE (TRACEABILITY OF R.R.S.L)

3624A1	0.1	0.006	0.01
3624A2	0.2	0.006	0.01
3624A3	1.0	0.006	0.01
3624A4	2.0	0.01	0.02
3624A5	5.0	0.05	0.05
3624A6	10.0	0.05	0.1
3624A7	25.0	0.1	0.2
3624A8	50.0	0.2	0.2




CAT NO. 3624R : PIPETTES SEROLOGICAL, GRADUATED, ACCURACY AS PER CLASS A, WITH R.R.S.L. CERTIFICATE

3624R1	0.1	0.006	0.01
3624R2	0.2	0.006	0.01
3624R3	1.0	0.006	0.01
3624R4	2.0	0.01	0.02
3624R5	5.0	0.05	0.05
3624R6	10.0	0.05	0.1
3624R7	25.0	0.1	0.2
3624R8	50.0	0.2	0.2




CAT NO. 3640 : PIPETTES TRANSFER, VOLUMETRIC, ACCURACY AS PER CLASS B

Cat. No.	Capacity ml.	Tolerance
36401	1	0.015
36402	2	0.02
36403	5	0.03
36404	10	0.04
36405	20	0.06
36406	25	0.06
36407	50	0.1
36408	100	0.16




CAT NO. 3644A : PIPETTES TRANSFER, VOLUMETRIC, CLASS A, WORKS CERTIFICATE

3644A1	1	0.007
3644A2	2	0.01
3644A3	5	0.015
3644A4	10	0.02
3644A5	20	0.03
3644A6	25	0.03
3644A7	50	0.05



CAT NO. 3644R : PIPETTES TRANSFER, VOLUMETRIC, CLASS A, R.R.S.L. CERTIFICATE

3644R1	1	0.007
3644R2	2	0.01
3644R3	5	0.015
3644R4	10	0.02
3644R5	20	0.03
3644R6	25	0.03
3644R7	50	0.05



CAT NO. 3645 : GERBER MILK TESTING PIPETTES 10.75 ml (as per IS 1223)

CAT NO. 3646 : BUTYROMETER (for determining fat content in milk / cream / etc)

AMBROSIL BOROSILICATE

## TEST TUBES, CULTURE TUBES & CENTRIFUGE TUBES TEST TUBES

CAT NO. 3720 : TEST TUBES, WITH / WITHOUT RIM, AUTOCLAVABLE & GOOD FOR BOILING - BOROSILICATE, MACHINE MADE

	O.D. x Length (mm)	O.D. x Length (Inch)	Price/Piec
37200	10 x 50	2"x3/8"	
37201	10 x 75	3"x3/8"	
37202	12 x 75	3"x1/2"	
37203	12 x 100	4"x1/2"	
37204	15 x 125	5"x5/8"	
37205	15 x 150	6"x5/8"	
37206	18 x 150	6"x3/4"	
37207	25 x 100	4"x1"	
37208	25 x 150	6"x1"	
37209	25 x 200	8"x1"	
37210	32 x 200	8"x1.25"	
37211	38 x 200	8"x1.5"	

CAT NO. 3735 : TEST TUBES, SEMI BOROSILICATE, MACHINE MADE

Cat. No.	Approximate O.D. x Length (mm)	O.D. x Length (Inch)
37351	10 x 75	3"x3/8"
37302	12 x 75	3"x1/2"
37303	12 x 100	4"x1/2"
37304	15 x 125	5"x5/8"
37305	15 x 150	6"x5/8"
37306	16 x 100	4"x5/8"
37307	18 x 150	6"x5/8"
37308	25 x 100	4"x1"
37309	25 x 150	6"x1"

## CULTURE TUBES

CAT NO. 3740 : TUBES CULTURE, MEDIA, ROUND BOTTOM, WITH SCREW CAP AND RUBBER LINER,

	Capacity ml.
37401	5
37402	10/15
37403	30
37404	60

*These tubes are ideal replacement for media culture bottles. These tubes are provided with special bakelite caps to facilitate handling and sealing. The caps have a rubber liner.*




CAT NO. 3750 : TUBES CULTURE, MEDIA, FLAT BOTTOM, WITH SCREW CAP AND RUBBER LINER,

	Capacity ml.	O.D.x Length
37501	5	16x75
37502	15	25x57
37503	30	25x100

## STOPPERED TEST TUBE

CAT NO. 3910 : TEST TUBES, WITH I/C STOPPER, PLAIN,


	Dia x Height (mm)	I/C Joint Size
39101	15 x 125	B-14
39103	18 x 150	B-14
39105	25 x 200	B-19
39107	38 x 200	B-24



BOROSILICATE

CAT NO. 3920 : TEST TUBES, GRADUATED, WITH I/C STOPPER,


Cat No.	Capacity ml	Size	I/C Joint Size
39201	10	15 x 125	B-14
39202	10	15 x 150	B-14
39203	15	18 x 150	B-14
39204	25	25 x 150	B-19
39205	50	25 x 200	B-19
39206	75	32 x 200	B-24
39207	100	38 x 150	B-24



**CENTRIFUGE TUBES - GLASS**

CAT NO. 3670 : CENTRIFUGE, CONICAL BOTTOM, PLAIN,

	Capacity ml.	O.D.xLength
36701	5	13x100
36702	10	15x110
36703	15	17x120
36704	25	22x125
36705	50	28x125



CAT NO. 3680 : CENTRIFUGE, CONICAL BOTTOM, GRADUATED

36801	5	13x100
36802	10	15x110
36803	15	17x120
36804	25	22x125
36805	50	28x125




CAT NO. 3691 : CENTRIFUGE, CONICAL BOTTOM, PLAIN WITH STOPPER

36911	5	B-14
36912	10	B-14
36913	15	B-14
36914	25	B-19
36915	50	B-24



CAT NO. 3690 : CENTRIFUGE, CONICAL BOTTOM, GRADUATED, WITH STOPPER

Cat. No.	Capacity ml.	I/C Joint
36901	5	B-14
36902	10	B-14
36903	15	B-14
36904	25	B-19
36905	50	B-24



CAT NO. 3692 : AMBER COLOURED TEST TUBE

P.O.R.

CAT NO. 3693 : TEST TUBE FOR DIFFERENT TYPES OF TESTS

36931	Test tube for LAL Test	P.O.R.
36932	Test tube for KAHNS Test	P.O.R.
36933	Test tube for WIDAL Test	P.O.R.
36934	Test tube for WASSERMAN Test	P.O.R.
36935	Test tube for Cross Matching Test	P.O.R.



CAT NO. 156 : DURHAM TUBES - 25 x 7 mm / 37 x 7 mm

CAT NO. 155 : IGNITION / FUSION TUBES

CAT NO. 15 : CAPILLARY TUBES - DIFFERENT TYPES

151	Melting Point Capillary, One End Close
152	Melting Point Capillary, Both Side Open - Super
153	Melting Point Capillary, Both Side Open - Educational
152A	Capillary for Rat / Mice Bleeding
152B	Capillary for B.T. / C.T.
154	Capillary for TLC 4" - (Plastic Case)
154A	Capillary for TLC 12" - (Plastic Case)



158 TLC Plate - Merck / M.N.

159 TLC Jar with lid - 25 cm x 25 cm x 12 cm

BOROSILICATE

All test tubes and capillary tubes manufactured on automatic machine.

Glass Culture Vial with bakelite screw cap, Plain Clear Glass

Cat No.	Capacity ml
7770	5 ml
7771	10 ml / 15 ml
7772	20 ml
7773	30 ml



Glass Vial with Rubber Stopper, Plain Clear Glass

Cat No.	Capacity ml
7774	5 ml
7775	10 ml



Glass Culture Vial with bakelite screw cap, Amber colour

Cat No.	Capacity ml
7760	5 ml
7761	10 ml / 15 ml
7762	20 ml
7763	30 ml



Glass Vial with Rubber Stopper, Amber colour

Cat No.	Capacity ml
7764	5 ml
7765	10 ml



CHROMATOGRAPHY Vials - HPLC Vials

7751	HPLC vial 1.5 ml/2 ml with PP cap & septa, Clear Glass
7752	HPLC vial 1.5 ml/2 ml with PP cap & septa, Amber Colour
7753	Only HPLC glass vial - Clear Glass (without cap and septa)
7753	Only HPLC glass vial - Amber Colour (without cap and septa)
7754	PP cap and septa for HPLC vial 1.5 ml / 2 ml



GLASS VIALS FOR HOMOEOPATHY / DENTAL CARTRIDGE

P.O.R.

GLASS AMPOULES

7780	1 ml / 2 ml
7790	5 ml / 10 ml



CAT NO. 8260 : S.S. CAPS FOR TEST TUBE

82601	18 mm S.S. Cap for test tube 18 x 150
82602	25 mm S.S. Cap for test tube 25 x 150
82603	38 mm S.S. Cap for test tube 38 x 200



CAT NO. 8251 : TEST TUBE STAND S.S.

Hole size (mm)	Number of Holes							
	12	18	24	30	36	48	60	72
82511 11								
82512 13								
82513 16								
82514 20								
82515 26								
82516 40								



CAT NO. 8250 : TEST TUBE STAND ALUMINUM

Hole Size (mm)	Number of Holes							
	12	18	24	30	36	48	60	72
82501 11	91	106	115	133	151	168	276	326
82502 13	119	136	158	168	192	203	300	350
82503 16	140	152	168	200	221	273	400	526
82504 20	157	290	231	238	255	385	576	700
82505 26	245	290	340	385	490	610		
82506 40	420	505	665	735	858	1226		



For Plastic Test Tube Stands, please refer page no. 42


All vials and ampoules manufactured on automatic machines

BOROSILICATE

## SINTERED WARE


CAT NO. 3770 : CRUCIBLES GOOCH TYPE, LOW FORM, WITH SINTERED DISC,

	Capacity ml	Porosity Grade	Price/piece
37701	15	G-1	
37702	15	G-2	
37703	15	G-3	
37704	15	G-4	
37705	15	G-5	
37706	30	G-1	
37707	30	G-2	
37708	30	G-3	
37709	30	G-4	
377010	30	G-5	
377011	50	G-1	
377012	50	G-2	
377013	50	G-3	
377014	50	G-4	
377015	50	G-5	



CAT NO. 3780 : TUBES FILTER, FOR GOOCH CRUCIBLES,


Cat. No.	Capacity ml	Approximate O.D. x Length (mm)
37801	35	25 x 150
37802	80	36 x 160
37803	200	56 x 170



These are suitable for use with our filtering crucibles Gooch Type with sintered disc, No. 32060 lower part 8 mm O.D. x 75 mm length in all sizes.

CAT NO. 3790 : SINTERED FUNNELS BUCHNER TYPE, WITH SINTERED DISC,

	Capacity ml	Porosity Grade	Appx. Dia	Disc Dia	Stem Dia
37901	35	G-1	137	30	8
37902	35	G-2	137	30	8
37903	35	G-3	137	30	8
37904	35	G-4	137	30	8
37905	35	G-5	137	30	8
37906	80	G-1	149	40	8
37907	80	G-2	149	40	8
37908	80	G-3	149	40	8
37909	80	G-4	149	40	8
379010	80	G-5	149	40	8
379011	200	G-1	205	65	13
379012	200	G-2	205	65	13
379013	200	G-3	205	65	13
379014	200	G-4	205	65	13
379015	200	G-5	205	65	13



CAT NO. 3791 : MEMBRANE ASSEMBLY GLASS, VACCUUM FILTER, SINTERED ASSEMBLY, MODIFIED IDEAL FOR H.P.L.C. SOLVENTS BUFFER & BACTERIOLOGICAL FILTRATION ASSEMBLY.

\* FUNNEL WITH FLANGE & RUBBER CAP PROVIDED ON 250ML & 500ML FUNNEL ONLY

\* VACCUUM ADAPTER WITH SINTERED FLANGE & SOCKET

\* FILTER FLASK WITH I/C NECK

\* CLAMP FOR FLANGES, ANODISED ALUMINIUM

	Capacity ml	Size(mm)	Capacity(ml)
37911	250	47	1000
37912	500	47	2000




CAT NO. 3792 FUNNEL WITH FLANGE FOR MEMBRANE ASSEMBLY

	Capacity ml	Size(mm)
37921	250	47
37922	500	47



CAT NO. 3793 MEMBRANE SINTERED PART FOR MEMBRANE ASSEMBLY

	Capacity ml	Size(mm)
37931	1000	47
37932	2000	47



BOROSILICATE

CAT NO. 3794 MEMBRANE FLASK FOR MEMBRANE ASSEMBLY

	Capacity ml	I/C Joint
37941	1000	B-40
37942	2000	B-40
37943	CLAMP FOR MEMBRANE ASSEMBLY 47 MM	




**Merck Millipore / Whatman - Mixed Esters, Cellulose membrane circles - 47 mm dia, 0.45 microns - Special Rates on Request**

**PYKNOMETER**

CAT NO. 3800 : PYKNOMETER PYKNOMETER WITH THERMOMETER B-10 I/C JOINT,


	Capacity ml	I/C Joint
38001	25	B-14
38002	50	B-14
38003	THERMOMETER FOR PYKNOMETER 25 OR 50 ML	



**CROW RECEIVER**


CAT NO. 3810 : CROW RECEIVER CYLINDERS, GRADUATED WITH POUROUT,

Cat No.	Capacity ml	Tolerance +/- ml	Graduation Interval	Appx Height	Price/Piece
38101	50	1	1	270	
38102	100	1	1	300	
38103	250	2	2	310	



CAT NO. 3814A : CROW RECEIVER Cylinders, GRADUATED WITH POUROUT, CLASS A, WORKS CERTIFICATE

3814A1	50	1	1	270
3814A2	100	1	1	300
3814A3	250	2	2	310



CAT NO. 3814R : CROW RECEIVER Cylinders, GRADUATED WITH POUROUT, CLASS A, RRSL CERTIFICATE

3814R1	50	1	1	270
3814R2	100	1	1	300
3814R3	250	2	2	310




CAT NO. 3820 : CROW RECEIVER CYLINDERS, CROW RECEIVER, GRADUATED WITH I/C STOPPER

38201	50	1	1	270
38202	100	2	2	300
38203	250	2	2	315



CAT NO. 3824A : CROW RECEIVER CYLINDERS, CROW RECEIVER, GRADUATED WITH I/C STOPPER, CLASS A, WORKS CERTIFICATE (TRACEABILITY OF R.R.,S.L.)

3824A1	50	1	1	270
3824A2	100	2	2	300
3824A3	250	2	2	315



CAT NO. 3824R : CROW RECEIVER CYLINDERS, CROW RECEIVER, GRADUATED WITH I/C STOPPER, CLASS A, RRSL CERTIFICATE

3824R1	50	1	1	270
3824R2	100	2	2	300
3824R3	250	2	2	315



**WATCH GLASS**

CAT NO. 3760 : WATCH GLASSES - INDIAN GLASS

Cat No.	Size (mm)	Size (inch)
37601	50	2
37602	80	3
37603	100	4
37604	125	5
37605	150	6

CAT NO. 3761 : WATCH GLASSES - SUPERIOR

37611	75	3
37612	100	4
37613	125	5
37614	150	6




BOROSILICATE

## STOPPERS (For Volumetric Flasks, FB, RB, etc)


CAT NO. 3650 : STOPPERS, HOLLOW, HEXAGONAL

Cat No.	I/C Joint	Price/piece
36501	B-10 / B-12	
36502	B-14	
36503	B-19	
36504	B-24	
36505	B-29	
36506	B-34	
36507	B-45	
36508	B-55	



CAT NO. 3660 STOPPERS, SOLID, PENNY HEAD


36601	B-10 / B-12
36602	B-14
36603	B-19
36604	B-24
36605	B-29
36606	B-34



## ADAPTERS


CAT NO. 3700 : EXPANDER / REDUCER ADAPTER, INTERCHANGEABLE JOINTS,

	Joint Size	
	Outer / Inner Socket	Inner / Outer Cone
37001	B-19	B-14
37002	B-24	B-19
37003	B-24	B-14
37004	B-29	B-24
37005	B-34	B-24
37006	B-34	B-19
37007	B-24	B-40
37008	B-34	B-55



CAT NO. 3930 : TWO WAY ADAPTERS MULTIPLE ADAPTERS WITH TWO PARALLEL NECKS,


	Cone Size	Socket Size 1	Socket Size 2
39301	B-10	B-10	B-10
39302	B-14	B-14	B-14
39303	B-19	B-19	B-14
39304	B-19	B-14	B-14
39305	B-24	B-19	B-19
39306	B-24	B-24	B-19
39307	B-29	B-19	B-24
39308	B-29	B-24	B-19
39309	B-29	B-29	B-24
39310	B-34	B-19	B-24
39311	B-34	B-24	B-24
39312	B-34	B-29	B-29
39313	B-34	B-34	B-34
39314	B-40	B-24	B-19
39315	B-40	B-29	B-24
39316	B-40	B-34	B-24
39317	B-45	B-24	B-24
39318	B-45	B-29	B-24
39319	B-45	B-34	B-24
39320	B-50	B-24	B-24
39321	B-50	B-29	B-24
39322	B-50	B-34	B-24
39323	B-55	B-19	B-19
39324	B-55	B-24	B-24
39325	B-55	B-29	B-24
39326	B-55	B-34	B-24



BOROSILICATE

CAT NO. 3940 : THREE WAY ADAPTERS, MULTIPLE ADAPTERS WITH THREE NECKS, TWO PARALLEL NECKS, AND OTHER AT AN ANGLE

Cat No.	Cone	Socket Size1	Socket Size2	Socket Size3
39401	B-14	B-14	B-14	B-14
39402	B-19	B-14	B-14	B-14
39403	B-24	B-14	B-14	B-14
39404	B-24	B-19	B-19	B-19
39405	B-24	B-24	B-24	B-24
39406	B-29	B-19	B-19	B-19
39407	B-29	B-24	B-24	B-24
39408	B-29	B-29	B-29	B-29
39409	B-34	B-19	B-19	B-19
39410	B-34	B-24	B-24	B-24
39411	B-34	B-29	B-29	B-29
39412	B-34	B-34	B-34	B-34
39413	B-40	B-19	B-19	B-19
39414	B-40	B-24	B-24	B-24
39415	B-40	B-29	B-29	B-29
39416	B-40	B-34	B-34	B-34
39417	B-45	B-19	B-19	B-19
39418	B-45	B-24	B-24	B-24
39419	B-45	B-29	B-29	B-29
39420	B-45	B-34	B-34	B-34



CAT NO. 3950 : „Y“ ADAPTERS , MULTIPLE ADAPTERS WITH TWO PARALLEL NECKS, ONE VERTICAL & OTHER AT ANGLE

39501	B-14	B-10	B-14
39502	B-14	B-10	B-19
39503	B-19	B-14	B-19
39504	B-14	B-14	B-24
39505	B-19	B-14	B-24
39506	B-24	B-19	B-24
39507	B-19	B-19	B-29
39508	B-24	B-19	B-29
39509	B-29	B-19	B-29
395010	B-19	B-19	B-34
395011	B-24	B-19	B-34
395012	B-29	B-24	B-34
395013	B-34	B-24	B-34



CAT NO. 3960 : RECEIVER STRAIGHT ADAPTERS , ADAPTERS RECEIVER, STRAIGHT DELIVERY


Cat No.	Socket
39601	B-10
39602	B-14
39603	B-19
39604	B-24
39605	B-29
39606	B-34
39607	B-55



## RECEIVING BEND

CAT NO. 3970 : ADAPTER RECEIVER, BENDS SOCKET TO CONE


Cat No.	Cone Size	Socket Size
39701	B-19	B-19
39702	B-19	B-24
39703	B-19	B-34
39704	B-24	B-19
39705	B-24	B-24
39706	B-24	B-34
39707	B-34	B-24
39708	B-34	B-34
39709	B-55	B-34
397010	B-55	B-55



BOROSILICATE


CAT NO. 4000 : RECEIVING BEND ADAPTER, PLAIN BEND, SHORT

Cat No.	Socket Size	Price/Piece
40001	B-10	
40002	B-14	
40003	B-19	
40004	B-24	
40005	B-29	
40006	B-34	
40007	B-55	



CAT NO. 4010 : RECEIVING BEND ADAPTER, PLAIN BEND, LONG

Cat No.	Socket Size
40101	B-10
40102	B-14
40103	B-19
40104	B-24
40105	B-29
40106	B-34
40107	B-55




CAT NO. 3971 : „S“ BEND ADAPTER

39711	B-24	B-24
39712	B-34	B-34


CAT NO. 3980 : VACUUM RECEIVER, BEND WITH VACUUM CONNECTION SOCKET TO CONE

	Socket Size	Cone Size
39801	B 19	B 19
39802	B 19	B 24
39803	B 24	B 19
39804	B 24	B 24
39805	B 34	B 24
39806	B 34	B 34
39807	B 34	B 55
39808	B 55	B 55




CAT NO. 4080 : RECOVERY BEND CONE/CONE, SLOPING, CONES ON BOTH SIDE

Cat No.	Cone for Flask	Cone for Condenser
40801	B-19	B-19
40802	B-24	B-19
40803	B-24	B-24
40804	B-34	B-19
40805	B-34	B-24
40806	B-34	B-34
40807	B-55	B-24
40808	B-55	B-34
40809	B-55	B-55




CAT NO. 4090 : VERTICAL RECOVERY BEND, CONE/CONE, LENGTH APPX.225MM

40901	B-19	B-19
40902	B-24	B-19
40903	B-24	B-24
40904	B-34	B-24
40905	B-34	B-34



CAT NO. 4100 : PLAIN STILL HEAD, SLOPING RECOVERY WITH SOCKET FOR THERMOMETER POCKET


	Cone 1 for Flask	Socket for Therm. Pocket	Cone2 for Condenser
41002	B 24	B-19	B 19
41004	B 34	B-19	B 19
41005	B 34	B-19	B 24
41006	B 34	B-24	B 34



BOROSILICATE


CAT NO. 4110 : CLAISEN HEAD STILL HEAD, SLOPPING WITH 2 X THERMOMETER SOCKET

	Cone1 for flask	Socket for Therm. Pocket		Cone2 Condenser
		1	2	
41101	B-19	B14	B-14	B-19
41102	B-24	B-19	B-19	B-24
41103	B-34	B-24	B-24	B-24
41104	B-34	B-24	B24	B-34



CAT NO. 3990 : GAS VENTADAPTER CONE TO RUBBER TUBING STRAIGHT CONNECTION

	Cone Size
39901	B-10
39902	B-14
39903	B-19
39904	B-24
39905	B-29
39906	B-34
39907	B-55




CAT NO. 3991 : GAS VENT ADAPTER CONE TO RUBBER TUBING RIGHT ANGLE CONNECTION

39911	B-10
39912	B-14
39913	B-19
39914	B-24
39915	B-29
39916	B-34
39917	B-55




CAT NO. 4020 : ADAPTER, SOCKET TO CONE, WITH GLASS STOP-COCK

	Socket Size	Bore mm
40201	B-10	1
40202	B-14	1
40203	B-19	1.5
40204	B-24	1.5
40205	B-29	2
40206	B-34	2




CAT NO. 4030 : ADAPTER, SOCKET TO CONE, WITH PTFE SCREW COCK

	Socket Size
40301	B-14
40302	B-19
40303	B-24
40304	B-29
40305	B-34
40506	B-34



CAT NO. 4070 : CALCIUM CHLORIDE TUBE , DRYING TUBE (GUARD TUBE, BEND ANGLE),

40701	B-10
40702	B-14
40703	B-19
40704	B-24
40705	B-29
40706	B-34
40707	B-55



CAT NO. 4212 : CALCIUM CHLORIDE TUBE, U SHAPE WITH SIDE TUBE & INTERCHANGEABLE STOPPER,

Cat No.	Size (mm)
42121	100 x 12
42122	125 x 15
42123	150 x 18




BOROSILICATE

## THERMOMETER POCKET

CAT NO. 4120 : THERMOMETER, POCKET, SHORT TYPE, FOR STILL-HEAD

	Length (mm)	Cone Size
41201	100	B-14
41202	100	B-19
41203	100	B-24
41204	100	B-34



CAT NO. 4180 : THERMOMETER, POCKET, LONG TYPE, (PLEASE SPECIFY FLASK SIZE)


	Length (mm)	ForFlask Cap.	Cone Size1
41801	100	500	B 19 / B 24
41802	100	500	B 34
41803	150	1000	B 19 / B 24
41804	150	1000	B 34
41805	200	2000 to 5000	B 19
41808	200	2000 to 5000	B 24
41809	200	2000 to 5000	B 34
41810	280	10000	B 24
41811	280	10000	B 34
41812	345	20000	B 24
41813	345	20000	B 34



## SPLASH HEAD


CAT NO. 4130 : SPLASH HEAD, PEAR, SHAPE, SLOPING, WITH I/C JOINT

	Cone1 for Flask	Cone2 for Condenser
41301	B 19	B 19
41302	B 24	B 19
41303	B 24	B 24
41304	B 34	B 24
41305	B 34	B 34




CAT NO. 4140 : SPLASH HEAD, PEAR SHAPE, VERTICAL, WITH I/C JOINT

Cat No.	Cone1 for flask	Cone2 Condenser	Approximate Length in mm	Price/Piece
41401	B-19	B-19	250	
41402	B-24	B-24	250	
41403	B-34	B-24	250	
41404	B-34	B-34	250	



CAT NO. 4150 : SPLASH HEAD, STEAM DISTILLATION, PEAR SHAPE, SLOPING

	Cone1For Flask	Cone2 For Condenser
41501	B-19	B-19
41502	B-24	B-19
41503	B-24	B-24
41504	B-34	B-19
41505	B-34	B-24
41506	B-34	B-29
41507	B-34	B-34



CAT NO. 4160 : STRAIGHT SPLASH HEAD ADAPTER - SOCKET & CONE

	Cone For Flask	Socket for Condenser
41601	B-19	B-19
41602	B-24	B-19
41603	B-24	B-24
41604	B-34	B-19
41605	B-34	B-24
41606	B-34	B-34



BOROSILICATE

## SPARGER

CAT NO. 4170 : AIR LEAK TUBE/ STEAM/ GAS INLET TUBE, SPARGER,

	Length (mm)	For Flask Capacity (ml)	Cone Size
41701	50	50	B-10 / B-14 / B-19
41702	75	100	B-14 / B-19 / B-24
41703	85	250	B-14 / B-19 / B-24
41704	100	500	B-19 / B-24
41705	100	500	B-34
41706	150	1000	B-19 / B-24
41707	150	1000	B-34
41708	160	2000	B-19 / B-24
41709	160	2000	B-34
417010	180	3000	B-19 / B-24
417011	180	3000	B-34
417012	200	5000	B-19 / B-24
417013	200	5000	B-34
417014	280	10000	B-24
417015	280	10000	B-34
417016	345	20000	B-24
417017	345	20000	B-34



## MERCURY SEAL

CAT NO. 4190 : MERCURY SEAL GLASS,

Cat No.	Cone Size
41901	B-19
41902	B-24
41903	B-29
41904	B-34



NOTE - FOR PTFE MERCURY SEAL, PLEASE REFER TO PTFE - WARE SECTION - CAT NO. 6702 ON PAGE NO. 38

CAT NO. 4191 : THIELE'S MELTING POINT TUBE FOR PTFE-MERCURY SEAL

	Size (mm)
41911	18x150
41912	25x150



CAT NO. 4192 : MANOMETER "U" TUBE CAPILLARY WITH SCALE ON WOODEN BOARD WITHOUT MERCURY

	Capacity (mm)
41911	120-0-120
41912	250-0-250
41913	500-0-500
41914	0-1000



CAT NO. 4193 : MANOMETER SPARE "U" TUBE FOR MANOMETER (WITHOUT SCALE & WITHOUT MERCURY)

	Size (mm)
41931	250
41932	500
41933	1000



NOTE - PURE MERCURY AVAILABLE AT SPECIAL RATES ON REQUEST

## BUTTON STIRRING ROD

CAT NO.4200 : BUTTON STIRRING ROD (WITHOUT PTFE BLADE)

	Rod Dia (mm)	Rod Length (inch)
42001	6	300 (12")
42003	6	450 (18")
42005	7	375 (15")
42007	8	300 (12")
42009	8	450 (18")
420010	8	600 (24")



BOROSILICATE


CAT NO.4200 : BUTTON STIRRING ROD (WITHOUT PTFE BLADE)

	Rod Dia (mm)	Rod Length (inch)
420011	9	450 (18")
420012	9	600 (24")
420013	9	750 (30")
420014	10	450 (18")
420015	10	600 (24")
420016	10	750 (30")
420017	10	900 (36")
420018	11	450 (18")
420019	11	600 (24")
420020	11	750 (30")
420021	11	900 (36")
420022	12	600(24")
420023	12	750(30")



For PTFE blade, please refer page no. 38CAT NO. 4210 : CHROMATOGRAPHY COLUMN PLAIN, WITH GLASS STOPCOCK / PTFE

SCREW COCK,	Dia (mm)	Length (mm)
42101	10	150
42102	10	200
42103	10	300
42104	18	300
42105	25	300
42106	30	300
42107	18	450
42108	25	450
42109	30	450
421010	50	450
421011	25	600



CAT NO. 4211 : SPRAYER FOR CHROMATOGRAPHY WORK (ATOMISER SPRAYER FOR CHROMATOGRAPHY ANALYSIS), WITH RUBBER PUMP,

Cat No.	Conical Capacity (ml)	Price/Piece
42111	50	
42112	100	
42113	150	
42114	250	



4215 STALAGMOMETER

4216 WILLMOT BUBBLER

4217 ALBUNOMETER

POR

BOROSILICATE

## INDIAN GLASSWARE

CAT NO. 3040IN : INDIAN GLASS REAGENT BOTTLES, PLAIN, NARROW MOUTH, WITH GLASS STOPPER

Cat No. Capacity ml.

3040IN1	125 ml
3040IN2	250 ml
3040IN3	500 ml

CAT NO. 3050IN : INDIAN GLASS REAGENT BOTTLES, AMBER COLOUR, NARROW MOUTH, WITH GLASS STOPPER

Cat No. Capacity ml.

3050IN1	125 ml
3050IN2	250 ml
3050IN3	500 ml

CAT NO. 3051IN : INDIAN GLASS REAGENT BOTTLES, PLAIN, WIDE MOUTH, WITH GLASS STOPPER

Cat No. Capacity ml.

3051IN1	125 ml
3051IN2	250 ml
3051IN3	500 ml

CAT NO. 3052IN : INDIAN GLASS WINCHESTOR BOTTLES, WITH GLASS STOPPER

Cat No. Capacity ml.

3052IN1	3000 ml	POR
3052IN2	5000 ml	POR
3052IN3	10000 ml	POR

CAT NO. 3150PIN : INDIAN GLASS BURETTES, WITH PINCH CLIP (For Educational Purpose only)

Cat No. Capacity ml.

3150IN1	25 ml
3150IN2	50 ml

CAT NO. 3640IN : INDIAN GLASS VOLUMETRIC PIPETTES (For Educational Purpose only)

Cat No. Capacity ml.

3640IN1	5 ml
3640IN2	10 ml
3640IN3	25 ml

For Indian Glass Desiccators, please refer page no. 8

CAT NO. 3720IN : NEUTRAL GLASS TEST TUBES, MACHINE MADE - Min. Pack of 100 Nos.

Cat. No. Approximate Price/Pie

	O.D. x Length (mm)	O.D. x Length (Inch)
3720IN0	10 x 50	2"x3/8"
3720IN1	10 x 75	3"x3/8"
3720IN2	12 x 75	3"x1/2"
3720IN3	12 x 100	4"x1/2"
3720IN4	15 x 125	5"x5/8"

LAB. CHEMICALS - Special Rates on Request



**LAB. CHEMICALS OF "FINAR, S.D FINE CHEM, LOBA, MERCK, RENKEM" brands available at**

**good discounted rates**

INDIAN  
GLASSWARE,

## SPECIFIC GRAVITY HYDROMETERS, Gen. Range Sp. Gr. & BAUME Combined

Cat No.	SP. GR.	BE
10	1.000-2.000	0-70 (For Heavy Liquid)
20	0.700-1.000	10-70 (For Heavy Light Liquid)
30	1.000-2.000	0-70 (For Heavy Liquid bulb type)
40	1.000-1.500	0-50
50	1.500-2.000 & BE	
52	1.000-1.300 & BE	
54	1.300-1.600 & BE	
60	0-100% Alcoholometer Gay Lussac	
60A	Alcoholometer in step of 10% step (0-10% / 10-20% / etc.)	
70	1.000-1.040 Lactometer with jar	
72	1.000-1.040 Lactometer Only	
80	1.000-1.060 Urinometer with jar	

Range Finder Hydrometer Kit - Set of 25 - covering complete range from 0.600 - 2.000



## BATTERY HYDROMETERS

90	1.100--1.300 A2B (Big Size for Railway, Telephone)
110	1.100--1.300 S1 (Similar to EXIDE model)
130	BCI Temp. error correction meter
2160	ACID FILLER MEDIUM

Battery Service Kit - 5 Size Battery Hydrometers, 5 Size Acid Fillers & Basic Tool kit - POR



## TWADDLE HYDROMETERS, Cal. at 20°C, length 300 mm, L.C. = 0.5 TW

140	0-26 TW	No.1	160	170	72-104 TW	No.4
150	24-50 TW	No.2	160	180	104-138 TW	No.5
160	48-74 TW	No.3	160	190	136-174 TW	No.6

## SP. GR. HYDROMETERS - 50 Divisions, short range, length 300 mm, L.C. = 0.0005, ACCURACY = + - 1 DIV., Calibrated at 20°C

410	0.600-0.650	550	1.300-1.350
420	0.650-0.700	560	1.350-1.400
430	0.700-0.750	570	1.400-1.450
440	0.750-0.800	580	1.450-1.500
450	0.800-0.850	590	1.500-1.550
460	0.850-0.900	600	1.550-1.600
470	0.900-0.950	610	1.600-1.650
480	0.950-1.000	620	1.650-1.700
490	1.000-1.050	630	1.700-1.750
500	1.050-1.100	640	1.750-1.800
510	1.100-1.150	650	1.800-1.850
520	1.150-1.200	660	1.850-1.900
530	1.200-1.250	670	1.900-1.950
540	1.250-1.300	680	1.950-2.000



## SP. GR. HYDROMETERS - 200 divisions, short range, length 300 mm, L.C. = 0.002, ACCURACY = + - 1 DIV., Calibrated at 20°C

200	0.600-0.800	240	1.400-1.600
210	0.800-1.000	250	1.600-1.800
220	1.000-1.200	260	1.800-2.000
230	1.200-1.400		



265 Any Range As Above From 0.600-2.000 (Cat. no. 200 - 260) in 6"

## SP. GR. HYDROMETERS - 100 divisions, short range, length 300 mm, L.C. = 0.001, ACCURACY = + - 1 DIV., Calibrated at 20°C

270	0.600-0.700	340	1.300-1.400
280	0.700-0.800	350	1.400-1.500
300	0.900-1.000	370	1.600-1.700
310	1.000-1.100	380	1.700-1.800
320	1.100-1.200	390	1.800-1.900

405 Any Range As Above From 0.700-1.800 (Cat.no. 280-380) in 14" Size & L.C. 0.0005

HYDROMETERS

**BRIX HYDROMETERS, Cal.** at 20°C or 27.5°C,

Cat No.	Range	BX	Price	Cat. No.	Range	BX	Price/Piece
690	00-10	BX		750	60-70	BX	
700	10-20	BX		760	70-80	BX	
710	20-30	BX		770	80-90	BX	
720	30-40	BX		780	00-30	BX	
730	40-50	BX		790	30-60	BX	
740	50-60	BX		800	60-90	BX	

**BAUME HYDROMETERS, Cal.** at 20°C ACCURACY = + - 1 DIV.

810	00-30	BE		880	00-10	BE	
820	30-60	BE		890	10-20	BE	
830	00-40	BE		900	20-30	BE	
840	00-50	BE		910	30-40	BE	
850	00-20	BE		920	40-50	BE	
860	20-40	BE		930	50-60	BE	
870	40-60	BE		940	60-70	BE	

**THERMO - HYDROMETERS**

- 980 Sp. GR. 1.000-2.000 WITH built-in THERMOMETER
- 990 Sp. GR. short range 50 div. built in THERMOMETER (Item no. 410 to 680)
- 1000 BAUME (0.10, 10-20 etc.) built -- in THERMOMETER
- 1010 THERMOHYDROMETER WITH CORRECTION (ALL. EXCEPT BRIX)
- 1020 BRIX-THERMOHYDROMETER WITH CORRECTION, any range/temp  
*FOR BX 0-10, 10-20, etc TO 80-90, 0-30, 30-60, 60-90 AT 20°C OR 27.5°C*

**SIKES HYDROMETERS**

- 1030 SIKES ANY RANGE (0-20 A, 0-20, 20-40, 40-60, 60-80, 80-100)
- 1040 SIKES SET-6 Hydrometer, Charts, Jar, Thermometer in wooden box
- 1045 SIKES SET-1 Hydrometer (55-90), Charts, Jar, Thermometer in wooden box
- 1050 SOIL HYDROMETER 0.995 to 1.038 (As per ASTM 151 H)
- 1060 BARKOMETER 0-120 BK OR 0-90 BK

**PERCENTAGE % HYDROMETERS**

- 1080 CAUSTIC % in 30-35, 35-40, 40-45, 45-50 % any type
- 1090 CAUSTIC percentage meter 30 -- 50
- 1100 SULPHURIC 60-80 %, 80-98 %, 65-75 %
- 1110 HYDROCLORIC % METER 25-35 %
- 1120 NITRIC % 50-75 %, 75-100 %
- 1123 ACETIC ACID % 90-100 %
- 1125 LIQUOR AMMONIA % 0-10, 10-26 %
- 1127 HYDROGEN PEROXIDE % 30-50 %
- 1128 INSTANT % TESTING SYSTEM FOR ANY OF THE ABOVE ITEMS NO. 1080-1128
- 1130 SALINOMETER (BRINOMETER)
- 1132 CARTIER 10-44
- 1134 LATEXOMETER

**DENSITY HYDROMETER** IN gm/ml, CAL. AT 15°C AS PER I.S. 3104 : PART 1

CAT NO.	RANGE	With ISI	Without ISI	With ISI & Cal. Certificate
5520	0.650-0.700			
5540	0.750-0.800			
5560	0.850-0.900			
5580	0.950-1.000			

Density Hydrometer Kit - (all material in a case) - contains: **POR**  
 Density Hydrometer ISI mark M-50 SP - 3 ranges - with calibration certificate - 0.700 - 0.750 gm/ml; 0.750 - 0.800 gm/ml; 0.800 - 0.850 gm/ml - 1 each  
 Thermometer -10°C to 50°C (LC 0.25°C) with cal. certicate - 1 No; Water Paste & Oil Paste - 1 each;  
 Whatman Filter paper No. 2 (90 mm) - 1 pkt; Glass Measuring Cylinder 500 ml - 1 No.

RATES FOR ANY CUSTOMER SPECIFIED RANGE CAN BE OFFERED ON REQUEST - For Eg.:

- 0.780 to 0.800 (High Precision application)      0.500 to 0.600 (LPG Cylinder Filling)
- 1.150 to 1.250 (Precision Coverage)      0.980 to 1.120 (Flow Meter)
- 0.775 to 0.825 (Aviation Fuel)
- Sp. Gr. 2.000-2.100, 3.000-3.200, 2.500 - 3.000, 3.000 - 3.500, etc (for Bromine & other heavy liquids)

CALIBRATION CERTI. FOR HYDROMETER (Works Certi. with RRSL Traceability.)  
 CALIBRATION CERTIFICATE FOR HYDROMETER (RRSL Certi. with NPL Traceability.)



**HYDROMETERS**

## LABORATORY THERMOMETER - AMBER / OXFORD BRAND -

(MERCURY FILLED) Length 300mm, Accuracy= ± 1 DIV. Immersion: 76 mm, Made from Yellow German Glass Capillary

Cat No.	Range	DIV.	Price/ Piece	Cat No.	Range	DIV.
1145	0-50°C			1235	0-400°C	2/1
1155	0-110°C			1245	0-500°C	2/1
1165	0-150°C			1255	0-600°C	2/1
1175	0-200°C			1265	0-110°F	2/1
1185	0-250°C			1275	0-220°F	2/1
1195	0-300°C			1285	0-400°F	2/1
1205	0-360°C			1295	0-600°F	2/1
1215	0-50°C	1/2		1305	0-800°F	2/1
1225	0-110°C	1/2		1315	0-1000°F	2/1
1155T	0-110°C (Thick Capillary)			1145T	0-50°C (Thick Capillary)	
1165T	0-150°C (Thick Capillary)					



## THERMOMETER (Red Toluene Filled - Mercury Free) 300 mm Accuracy = ± 1 div.

(Superior Quality - Good Resistance to Column Break)

1325	0-50°C	1345	0-220°F
1336	0-110°C	1355	0-120°F
1338	0-150°C		

1360	ROOM (WALL) THERMOMETER DELUXE (-30 to +50 °C & °F)
1370	ROOM THERMOMETER STANDARD (PLASTIC SCREEN PRINT), ZEAL TYPE
1371	ROOM THERMOMETER (OFFSET PRINTED METAL PLATE) °C & °F
1380	WET & DRY AMBER
1390	WET & DRY ZEAL TYPE
1395	Max. - Min. Thermometer ZEAL TYPE



## LOW TEMPERATURE THERMOMETER (RED TOLUENE FILLED - Mercury free)

1405	-30 TO +30 °C	1435	-100 TO +50 °C
1415	-50 TO +50 °C	1445	-100 TO +100 °C
1425	-50 TO +100 °C		

## PRECISION THERMOMETERS (MERCURY FILLED) - L.C. - 1/5 or 1/10

1457	0-50 °C	450MM,	1465	0-50 °C	600MM,
1477	0-110 °C	450MM,	1480	0-110 °C	600MM,

## LONG-STEM THERMOMETERS (extra thick MERCURY & thick glass cap.)

	TEMP.	LENGTH			TEMP.	LENGTH	
		MM	FEET			MM	FEET
1530	0-110°C	450	1.5	1570	0-110°C	600	2.0
1540	0-150°C	450	1.5	1580	0-150°C	600	2.0
1550	0-250°C	450	1.5	1590	0-250°C	600	2.0
1560	0-360°C	450	1.5	1600	0-360°C	600	2.0

ZEAL, UK THERMOMETERS - All Ranges POR

ZEAL Type Mercury Filled Thermometers - 110°C / 250°C / 360°C

IP / ASTM / IS - Standard Thermometers POR

Mercury free (with green/blue spirit filled) Thermometers POR  
for temperature above 150°C

AQUARIUM THERMOMETER


CALIBRATION CERTI. FOR THERMOMETER (Works Certi. with RRSL Traceability)

CALIBRATION CERTI. FOR THERMOMETER (RRSL Certi. with NPL Traceability)

Calibration for thermometer upto 100°C

Calibration for thermometer above 100°C - 250°C

CALIBRATION CERTIFICATE BY NABL ACCREDITED LAB. POR



# THERMOMETERS

## THERMOMETERS WITH SPECIAL APPLICATIONS

1700	BRASS CASE INDUSTRIAL THERMOMETER ENCLOSED IN BRASS PIPE WITH STANDARD THREADING (B.S.P. 1/2" or 3/4" - ALL STRAIGHT TYPE) UPTO 300°C TEMP.	
1712	SIKKA TYPE with 1/2" BSP, 100°C (POWER HOUSE THERMOMETER)	
1715	WHIRLING HYGROMETER (SLING PSYCHROMETER) Zeal Type	
1716	WIRE CAGE INCLUSION THERMOMETER (32°F to 220°F & 0 to 110°C COMBINED)	
1719	OVEN (L-SHAPE) THERMOMETER 6" x 8", 8 x 8", 9 x 9" 300°C	
1719	THERMOMETER FOR IR MOISTURE BALANCE (L-SHAPE) 150°C	
1725	POCKET THERMOMETER (PLASTIC CASE) - 10 TO 50°C OR 14°F-120°F	
1376	WALL THERMOMETER 2" (50 MM) DIAL SIZE RANGE -20 TO 50°C	
1377	WALL THERMOMETER 4" (100 MM) DIAL SIZE RANGE -20 TO 50°C	
1730	COPPER CUP THERMOMETER C & F (BRINE OR DIPPING THERMOMETER)	
1731	TOBACCO BARN THERMOMETER - Colour coded	POR
1732	Deep freezer thermometer in plastic case - ILR Thermometer as per UNICEF / National Rural Health Mission (NRHM) specifications	
1733	DIAL THERMOMETER	POR
1734	VAPOUR PRESSURE THERMOMETER	POR
1735	SOIL THERMOMETER	POR
1736	Thermometer for Petroleum Testing -10°C to + 50°C (L.C. - 0.25°C)	

## DIGITAL THERMOMETERS

1741	DIGITAL ROOM THERMOMETER	
1742	DIGITAL THERMOMETER PEN TYPE (WITH SENSOR ROD) -50°C to 300°C	
1743	Digital Thermometer With Humidity % Meter - Thermo hygrometer - HTC 1	
1744	Digital Thermometer With Humidity % Meter - Thermo hygrometer - HTC 1 with works calibration certificate for both temp. & humidity (As per GMP Norms - for Pharma Indsutry)	
1745	THERMOMETER WITH HUMIDITY % METER WITH 24 HOUR MIN/ MAX RECORD	
1750	DIGITAL MULTI-STEM THERMOMETER WITH PROBE	
1751	DIGITAL LCD PROBE FREEZE THERMOMETER	
1752	INFRA RED (I.R.) THERMOMETER	POR

## DIGITAL & IMPORTED INSTRUMENTS

1746	pH Meter 0-14 Table Top with Electrode	
1747	pH Meter 0-14 Pen type - Pocket Model	
1748	TDS Meter Pen type - Pocket Model	
1753	Digital Stop Watch	
1754	Digital Timer	
1755	Brix Refractometer - ERMA make - 0-32 brix, 28-62 brix, 58-92 brix	
1756	Brix Thermohydrometer (GERMAN MAKE) - All ranges **	POR
1757	ZEAL LACTOMETER & Other Hydrometers	POR

Digital Analytical Weighing Balance, please refer to page no. 41

## CAT NO. : 7210 AGATE PESTLE-MORTAR, BLACK

Cat No.	Dia (inch)	
72101	2"	
72102	3"	
72103	4"	
72104	5"	
72105	6"	

Grey Coloured Agate Pestle Mortar Available POR  
For Porcelain Pestle Mortar, please refer page no. 37

CAT NO. : 10010 CHLOROSCOPE (Kit for Chlorine Determination in Water)

CAT NO. : 10020 WATER HARDNESS TESTING KIT

CAT NO. 10030 : WATER ANALYSIS KIT (with pH, mV, DO, Cond., TDS measurement) POR

AQUASOL / PRERNA LAB. WATER TESTING KITS POR

\*\* WORKS / RRSL (Next to NPL) Calibration Certificate available for German make Brix

Thermo hydrometer - Rates on Request



THERMOMETERS,  
DIGITAL INSTRUMENTS & AGATE-WARE

CAT NO. 4263 : GLASS ROD

Cat No.	Rod Dia (Mm)	Size (Inch)	Neutral Glass/Borosilicate Glass
42631	7	6"	
42632	8	8"	
42633	8	9"	
42634	8	10"	
42635	8	12"	

CAT NO. 4264 : POINTED GLASS ROD

			Neutral Glass	Borosilicate Glass
42641		6"		
42642		8"		
42643		9"		
42644		10"		
42645		12"		

CAT NO. 4265 : OLEUM BULB

42651	NEUTRAL GLASS	(100 x 1 Box)
42652	BOROSILICATE GLASS	(100 x 1 Box)

CAT NO. 4266 : FLAT TIP GLASS ROD

42661	6"
42662	8"
42663	9"
42664	10"
42665	12"

CAT NO. 4267 : "T" CONNECTION, T SHAPE

	TUBE DIA	SIZE (mm)
42671	8	50 x 50 x 50
42672	10	50 x 50 x 50
42673	12	50 x 50 x 50

CAT NO. 4268 : "Y" CONNECTION TUBE

42681	"Y" Connection	8 to 10 mm / 75mm
-------	----------------	-------------------

CAT NO. 4269 : DROPPER, NEUTRAL GLASS TUBE, WITH RUBBER TEAT

	SIZE (inch)
42691	6"
42692	8"

CAT NO. 4272 : ARSENIC APPARATUS, NEUTRAL GLASS as per B.P. specification

CAT NO. 4273 : ARSENIC APPARATUS, BOROSILICATE GLASS as per B.P. Spec.

CAT NO. 4274 : Glass Rods Dia. 2.5 mm - 5 mm - per kg

CAT NO. 4275 : BEND GLASS DROPPERS - Machine Made (2 ml to 20 ml) POR

CAT NO. 4276 : GAUGE GLASS TUBES FOR BOILERS

42751	1/2" (12 mm)
42752	3/4" (19 mm)

CAT NO. 4277 : DRUM PIPETTES

42761	Heavy
42764	Borosilicate Heavy

CAT NO. 4278 : SIGHT GLASS LEVEL INDICATOR POR

CAT NO. 4279 : GLASS TUBES FOR DT MACHINE

CAT NO. 4280 : DISSOLUTION BOWL POR



# MISC. GLASS ITEMS

## RUBBER GOODS

CAT NO. 6000 : RUBBER CORK, Extra Soft Rubber

Cat No.	Size
60001	1 & 2
60002	3 & 4
60003	5, 6 & 7
60004	8 & 9
60005	10 & 11
60006	12 & 13
60007	14 & 15
60008	16 & 17
60009	18 & 19
60010	20
60011	21 & 22



Rubber Cork with Hole - Charge Extra @ Rs 20/hole

CAT NO. 6010 : BELLOW FOR AUTO-BURETTE & SPRAYER

60101	SINGLE
60102	DOUBLE (with net and bladder)



CAT NO. 6020 : PRO-PIPETTE BULB

Cat No.	Size
60201	BIG
60202	SMALL



CAT NO. 6030 : RUBBER SLEEVE

60301	SMALL
60302	MEDIUM
60303	BIG



CAT NO. 6040 : RUBBER ADAPTER FOR FILTER FLASK

Cat No.	Capacity ml
60401	250
60402	500
60403	1000/ 2000
60403A	5000
60404	10000



CAT NO. 6050 : PRESSURE RUBBER TUBE - GREEN, Extra Soft Rubber

Cat No.	Size mm
60501	8 mm x 10 mtr
60502	9 mm x 10 mtr.
60503	10 mm x 10 mtr.
60505	ISI MARKED - 10 mtr. coil



CAT NO. 6060 : CONDENSER RUBBER TUBE - RED, Extra Soft Rubber

Cat No.	Size mm
60600	6 mm x 10 mtr.
60601	8 mm x 10 mtr.
60603	10 mm x 10 mtr.



CAT NO. 6070 : PIPETTE BULB, Extra Soft Rubber

Cat No.	Capacity ml
60701	5 & 10
60702	15
60703	20
60704	25
60705	50



CAT NO. 6080 : RUBBER PACK FOR GAUGE GLASS TUBE

Cat No.	Size
60801	H-12
60803	H-19



CAT NO. 6061 : SILICON RUBBER TUBING POR

CAT NO. 6062 : RUBBER TEAT FOR GLASS DROPPER

RUBBER GOODS

## PORCELAIN WARE

### CAT NO. 6200 : BUCHNER FUNNEL

	Size (Inch)	
62001	2"	For Filter Paper size 40 mm
62002	3"	For Filter Paper size 70 mm
62003	4"	For Filter Paper size 90 mm
62004	5"	For Filter Paper size 110 mm
62005	6"	For Filter Paper size 130 mm
62006	8"	For Filter Paper size 175 mm
62007	10"	For Filter Paper size 230 mm
62008	12"	For Filter Paper size 260 mm



### CAT NO. 6210 : MORTAR & PESTLE

Cat No.	Size (Inch)
62101	2"
62102	3"
62103	4"
62104	5"
62105	6"
62106	7"
62107	8"
62108	9"
62109	10"
621010	12"



### CAT NO. 6225 : COMBUSTION BOAT - KUMAR

POR

### CAT NO. 6230 : EVAPORATING DISH

	Size (Inch)
62301	1.5"
62302	2"
62303	3"
62304	4"
62305	5"
62306	6"
62307	8"



### CAT NO. 6240 : ONLY DESICCATOR PLATE

	Dessicator Size (Inch)	Plate size (mm)
62401	4"	95 mm
62402	5"	115 mm
62403	6"	140 mm
62404	8"	190 mm
62405	10"	230 mm



### CAT NO. 6250 : PORCELAIN CRUCIBLE

	Size (ml)	WITH LID	WITHOUT LID
62501	10		
62502	15		
62503	20		
62504	25		
62505	50		
62506	80		
62500	100		



For Silica Crucible (for high temperature heating) please refer page no. 43

### CAT NO. 6260 : CLAY PIPE TRIANGLES

	Size (mm)
62601	50
62603	75



PORCELAIN WARE

## FILTER PAPER & INDICATOR PAPER

CAT NO. 6600 : FILTER PAPER & INDICATOR PAPER

Price/Each

66001	Whatman Filter Paper Grade 1 46 x 57 cm sheet
66103	Filter Paper Ordinary 46x57: 1 Rim Kalpi Handmade
66104	Filter Paper Superior 46x57 : 100 Sheet Kalpi Handmade
66009	Filter Paper Grade 1 - 46 x 57 cm Sheet
66002	Spot Paper No.2 - 46x57 cm Sheet
66006	Butter Paper Sheet
66007	Blotting Paper Pink 46 x 57 cm Sheet
66008	Blotting Paper White 46 x 57 cm Sheet
66101	Tissue Paper Roll - Small
66102	Tissue Paper Roll - Big
66107	Aluminium Wrap
66007	Qualigens / Rankem / Merck pH Paper 2 - 10.5 (per dibbi)
66008	Qualigens pH Paper 1-14 (per dibbi)
66005	Qualigens Starch Iodide Paper (per dibbi)
66014	Qualigens Congo Red Paper (per dibbi)
66010	Parafilm Roll - 2" x 250 ft / 4" x 125 ft
66106	Merck TLC Plate : 25 Sheet Packet
66013	Whatman Grade 2 - 90 mm circles (for petrol pump)



CAT NO. 6630 : NYLON / MIXED ESTER CELLULOSE MEMBRANE FILTERS

66301 Membrane Filters 0.45 microns x 47 mm (Millipore or equivalent)

66302 Membrane Filters 0.22 microns x 47 mm (Millipore or equivalent)

Millipore Lab. Water Purification System (alongwith installation) available at very special rates



CAT NO. 6620 : FILTER PAPER LAB-1 (CIRCLES)

66202	90 mm
66203	110 mm
66204	125 mm
66205	150 mm

## PTFE WARE

CAT NO. 6700 : PTFE STUFFING BOX

Size (Cone)

67001	B-19
67002	B-24
67003	B-29
67004	B-34
67005	B-55



CAT NO. 6701 : PTFE LAB SEAL, FOR STIRRING BOX TO OBTAIN EFFECTIVE VACUUM

Size (Cone)

67011	B-24
67012	B-34



CAT NO. 6702 : PTFE MERCURY SEAL, WITH GLAND ALL PTFE FOR STIRRER ROD

67021 B-19/B-24/B-29

67022 B-34



CAT NO. 6703 : PTFE ADJUSTABLE CONE , FOR HOLDING THERMOMETER

67031 B-14/B-19/B-24

CAT NO. 6710 : PTFE STUFFING BOX WITH PULLEY

67101	B-19
67102	B-24
67103	B-34

CAT NO. 6720 : PTFE BLADE FOR BUTTON STIRRER

67201	B-19 (3 mm Thickness)
67202	B-24 (3 mm Thickness)

67204	B-55 (3 mm Thickness)
67205	B-34 (5 mm Thickness)
67206	B-55 (5 mm Thickness)



CAT NO. 6721 : PTFE BEAKER

POR

PTFE WARE, FILTER PAPERS

CAT NO. 6730 : PTFE MAGNETIC NEEDLE

Cat No.	Size (mm)	Price/Piece
67301	6 x 13	
67302	6 x 19	
67303	6 x 25	
67304	8 x 13	
67305	8 x 25	
67306	8 x 32	
67307	8 x 38	
67308	8 x 50	
67309	9 x 25	
673010	9 x 35	
673011	10 x 25	
673012	10 x 38	
673013	13 x 50	

Egg shaped, oval, cross head shaped, etc PTFE magnets available [POR](#)

CAT NO. 6740 : PTFE TAPE

CAT NO. 6750 : PTFE STOPPER

	Size
67501	B-10
67502	B-14
67503	B-19
67504	B-24
67505	B-29
67506	B-34

METAL WARE

CAT NO. 8000 : RETORT STAND / BURETTE STAND

	Size (Inch)	Rod Size	
80001	8" x 5"	24"	(Powder Coated)
80002	9" x 6"	30"	(Powder Coated)
80003	7" x 4"	24"	(Powder Coated)
80004	8" x 5"	24"	(Cast Iron)
80005	9" x 6"	24"	(Cast Iron)

CAT NO. 8001 : RETORT STAND / BURETTE STAND, POWDER COATED, COMPLETE WITH REGULAR 6" CLAMP & BOSSHEAD

	Size (Inch)	Rod Size
80011	8" x 5"	24"
80012	9" x 6"	30"

CAT NO. 8010 : BOSS HEAD

80101	12 mm
80102	16 mm

CAT NO. 8020 : INDUSTRIAL BOSS HEAD

80201	19 mm
-------	-------

CAT NO. 8021 : CLAMPS WITH BOSS HEAD

	Clamps	Size (Inch)
80211	2 Finger	10"
80212	3 Finger	10"
80213	4 Finger	10"
80214	2 Finger	16"
80215	3 Finger	16"
80216	4 Finger	16"

CAT NO. 8050 : FISHER CLAMP FOR BURETTE

80502	Single Powder Coated
80504	Double Powder Coated

CAT NO. 8051 : UNIVERSAL CLAMP ONLY - 2 finger - 6" length  
(Low Cost - Ideal for Educational Purpose)

CAT NO. 8230 : PINCH CLIP

82301	Simple
82302	Hoffman 12 mm iron



CATNO. 8060 : NICKLE CRUCIBLE - 15 ml, 25 ml, 50 ml, 100 ml POR

CAT NO. 8254 : PLATINUM CRUCIBLE POR

CAT NO. 8080 : LABORATORY JACK

Size (Inch)

80801 5" x 6"

80802 8" x 8"

80803 10" x 10"

80804 12" x 12"

80805 5" x 6" (S.S.)

CAT NO. 8100 : VISCOSITY FLOW CUP

Size

81001 B-4 Without Stand

81002 B-6 Without Stand

81003 B-8 Without Stand

81004 B-4 With Stand

81005 B-6 With Stand

81006 B-8 With Stand

CAT NO. 8110 : CORK BORER SET

81101 3

81102 6

81103 12

CAT NO. 8120 : SPATULA - S.S.

Size

81201 6"

81202 8"

81203 10"

81204 12"

CAT NO. 8200 : CRUCIBLE TONG HEAVY (S.S.)

Size (Inch)

82001 6"

82002 8"

82003 10"

82004 12"

82005 14"

82006 18"

82007 24"

CAT NO. 8210 : CRUCIBLE TONG ORDINARY (Iron)

Size (Inch)

82101 6"

82102 8"

CAT NO. 8220 : TONG

Cat No. Size (Inch)

82201 Beaker Tong

82203 Flask Tong

CAT NO. 8255 : INNOCULATION WIRE LOOP WITH HOLDER

82551 Platinum Wire (Educational purpose)

82552 Platinum Wire (Superior)

82553 Nichrome Wire with holder (Superior)

CAT NO. 8253 : DIAMOND MARKER

CATNO. 8257 : TESTSIEVES - JAYANT/SIMILAR POR

CATNO. 8258 : S.S. SCOOP POR

CATNO. 8259 : S.S. SAMPLER POR

CATNO. 8261 : S.S. TRAY POR

CATNO. 8262 : ENAMEL TRAY POR



# METAL WARE

CAT NO. 8130 : WIRE GAUZE

Cat No.	Size (Inch)	Price/Piece
81301	6" x 6" Double Size asbestos	
	8" x 8", 10" x 10", 12" x 12" available	POR



CAT NO. 8140 : TRIPOD STAND

		Simple	Heavy
81401	8" x 4"		
81402	8" x 5"		



CAT NO. 8150 : RETORT RING

		Powder Coated
81501	2"	
81502	2.5"	
81503	3"	
81504	4"	
81505	5"	
81506	6"	



CAT NO. 8160 : FORCEPS, S.S. - POINTED / BLUNT

81601	6"
81602	8"
81603	10"
81604	12"



CAT NO. 8170 : TEST TUBE HOLDER

81701	Routine
81702	Superior



CAT NO. 8180 : BURNER

81801	Bunsen Burner Simple
81802	Bunsen Burner without Stop-Cock
81803	Bunsen Burner with Stop-Cock
81804	Meker Burner with stop cock



CAT NO. 8185 : SPIRIT LAMP

81851	Spirit Lamp - S.S.
81851	Spirit Lamp - Glass



CAT NO. 8190 : ANALYTICAL WEIGHT BOX

	Size
81901	Class-A 100 gm [Certified by Amber with RRSL Traceability]
81902	Class-A 200 GM [Certified by Amber with RRSL Traceability]
81903	Class-A 100 gm [Certified by RRSL (Govt. Lab.) with NPL Traceability]
81904	Class-A 200 GM [Certified by RRSL (Govt. Lab.) with NPL Traceability]
81905	Class-B 100 GM
81906	Class-B 200 GM
81907	Fractional ROUND
81908	Fractional SPECIAL
81909	Class-A 200 gm S.S. [Certified by Amber with RRSL Traceability]

Digital Analytical Weighing Balance - Cap. 500 gm, LC. 0.010 gm (10 mg)



CAT NO. 8240 : BRUSHES

82401	Test Tube Brush
82401S	Test Tube Brush Superior
82402	Burette Brush
82403	Bottle Brush
82404	Flask Brush



CAT NO. 8256 : PETRI DISH - ALUMINIUM

82561	PETRI DISH 3"
82562	PETRI DISH 4"

CAT NO. 8252 : NESSLER TUBE STAND

82521	6 Tube Cap. Of Cylinders 50 ml / 100ml
82522	12 Tube Cap. Of Cylinders 50 ml / 100 ml

METAL WARE

## PLASTICWARE

### PLASTIC BEAKERS, PP

Cat No. Capacity (ml)

7000 100

7020 500

7040 2000



### PLASTIC BURETTE PMMA/ TPX

7050 25

7055 50



### DROPPING BOTTLES, LDPE

7070 60

7080 120



### PLASTIC REAGENT BOTTLES WITH SCREW CAP, HDPE

7090 125 RAB NARROW

7100 250 RAB NARROW

7110 500 RAB NARROW

7120 1000 RAB NARROW

7130 125 RAB WIDE

7140 250 RAB WIDE

7150 500 RAB WIDE

7160 1000 RAB WIDE




### WASH BOTTLES, LDPE

7170 250 ml

7180 500 ml

7190 1000 ml



### PLASTIC CLAMPS AND STANDS, PP

7210 SINGLE FISHERCLAMP, PP

7220 DOUBLE FISHER CLAMP, PP

7250 24X16 CM RETORT STAND SIDE HOLE



### PLASTIC FUNNELS, PP

7310 50 FUNNEL LONG STEM, PP

7320 62 FUNNEL LONG STEM, PP

7330 75 FUNNEL LONG STEM, PP

7340 100 FUNNEL LONG STEM, PP

7350 70 BUCHNER FUNNEL, PP

7360 110 BUCHNER FUNNEL, PP



### TEST TUBE BASKETS, PP

Size (cm)

7440 14x12x11 TEST TUBE BASKET, PP

7450 16X16X16 TEST TUBE BASKET, PP



### PLASTIC TEST TUBE STANDS AND PIPETTE STANDS

TUBES

7460 6 TEST TUBE STAND FIXED

7470 24 STAND FOR MICRO CENTRIFUGE TUBES

7480 31 TEST TUBE STAND FOR 13 MM TUBES

7485 31 TEST TUBE STAND FOR 16 MM TUBES

7490 20 TEST TUBE STAND FOR 20 MM TUBES

7500 12 TEST TUBE STAND FOR 25 MM TUBES

7510 28 Pipettes PIPETTE STAND VERTICAL

7520 12 Pipettes PIPETTE STAND HORIZONTAL



For S.S. & Aluminium Test Tube Stands, please refer page no. 20

PLASTIC WARE

## PLASTIC MEASURING CYLINDERS, MEASURING JUGS, ETC.

Cat No.	Capacity (ml)		Price/Piece
7530	10	MEASURING CYLINDER, PP	
7540	25	MEASURING CYLINDER, PP	
7550	50	MEASURING CYLINDER, PP	
7560	100	MEASURING CYLINDER, PP (Double height)	
7570	250	MEASURING CYLINDER, PP	
7580	500	MEASURING CYLINDER, PP	
7590	1000	MEASURING CYLINDER, PP	
7595	2000	MEASURING CYLINDER, PP	
7605	250	MEASURING JUG, PP	
7600	500	MEASURING JUG, PP	
7610	1000	MEASURING JUG, PP	
7620	2000	MEASURING JUG, PP	
7625	5000	MEASURING JUG, PP	
7630	250	SEPARATORY FUNNEL, PP	
7640	500	SEPARATORY FUNNEL, PP	
7650	150 mm	DESICCATOR PLAIN	
7660	200 mm	DESICCATOR PLAIN	
7670	150 mm	DESICCATOR VACCUM	
7680	200 mm	DESICCATOR VACCUM	



## SILICA CRUCIBLE

CAT NO. 8270 : SILICA CRUCIBLE VITROSIL TYPE (Without lid)

	Size ml
82700	15
82701	25
82702	50
82703	80
82704	100



CAT NO. 8300 : SILICON GREASE

83001	50 GM Amber	
83002	500 GM Amber	
83003	50 GM Metroark	POR

**PATHOLOGY LAB. / MEDICAL LAB. ITEMS**  
**SLIDES, COVER SLIPS & SLIDE ACCESSORIES**

Cat No.	Cap. / Size	Rate/each
7395	MICROSCOPE SLIDES - Pkt. of 50 Nos.	
7396	COVER SLIP 22 mm x 22 mm - Pkt of 10 gms	
7397	COVER SLIP 22 mm x 50 mm	
7398	COVER SLIP - English glass	POR
7400	COPLIN JAR, Plastic for 10 slides	
7410	SLIDE BOX, Plastic for 25 slides	
7420	SLIDE BOX, Plastic for 50 slides	
7430	SLIDE BOX, Plastic for 100 slides	
7431	SLIDE DRYING TRAY, Aluminium, for 24 slides	
7432	SLIDE DRYING TRAY, Aluminium, for 48 slides	



**PATHOLOGY LAB. ITEMS**

7700	Cuvette 12x55 Colorimeter	
7705	Glass Pasteur Pipette with rubber teat	
7710	Square Tube	
7711	HB Pipette	
7712	RBC Pipette	
7713	WBC Pipette	
7714	Wintrobe Tube	
7715	Westergren ESR Tube	
7716	Stand for Westergren ESR Tube (for 6 tubes)	
7717	Neubar Chamber - Improved	POR
7718	Haemometer Kit	POR
7718	Haemocytometer Kit	POR
7720	Esrite Pipette Plain	
7730	Esrite Kit E-5	
7810	RIA VIALS (PS) 12X75 mm (MOQ - 500 Nos.)	
7830	PASTEUR PIPETTE (PP) 3 ml (MOQ - 500 Nos.)	
7840	URINE CONTAINER 30 ml - Non Sterile (MOQ - 100 Nos.)	
7841	URINE CONTAINER 30 ml - Sterile (MOQ - 100 Nos.)	
7842	URINE CONTAINER 50 ml - Non Sterile (MOQ - 100 Nos.)	
7843	URINE CONTAINER 50 ml - Sterile (MOQ - 100 Nos.)	
7844	SPUTUM CONTAINER - with spoon fitted	
7870	MICRO TIPS YELLOW/WHITE 2-200 ul (MOQ - 1000 Nos.)	
7880	MICRO TIPS BLUE/WHITE 200-1000 ul (MOQ - 1000 Nos.)	
7890	PETRI DISH 90 mm - Plain - Non Sterile (MOQ - 100 Nos.)	
7891	PETRI DISH 90 mm - Plain - Sterile (MOQ - 100 Nos.)	
7892	PETRI DISH 90 mm - Two Compartment - Non Sterile (MOQ - 100 Nos.)	
7893	PETRI DISH 90 mm - Two Compartment - Sterile (MOQ - 100 Nos.)	
7894	PETRI DISH 100 mm - Plain - Non Sterile (MOQ - 100 Nos.)	
7895	PETRI DISH 100 mm - Plain - Sterile (MOQ - 100 Nos.)	
7896	Tissue Embedding Rings / Tissue Processing Cassettes	
7897	Plastic CENTRIFUGE TUBE CONICAL 15 ml - Non Sterile	POR
7898	Plastic CENTRIFUGE TUBE CONICAL 50 ml - Non Sterile	POR
7899	MICRO CENTRIFUGE TUBE 0.5 ml / 1 ml / 2 ml - Non Sterile	POR
7899	Disposable Serological Pipettes - All sizes	POR
Sterile Centrifuge Tube available		POR



**BOROSILICATE TEST TUBE UNIFORM DIA, MACHINE MADE, WITH BUTYL RUBBER**

7900	12 X 75 MM
7910	12 X 100 MM

**INSTRUMENTS FOR PATHOLOGY LAB. - POR**

- Micro-pipettes - Fixed and Variable - Thermo Scientific Finpipette & Other brands
- Pathological / Medical Microscope - Labomed & Other ISI brands
- Dissecting Microscope & Student Microscope
- Centrifuge Machine - 6 tubes
- Bottle Top Dispenser
- Colorimeter
- Sample Cup for Analyzers - Hitachi / Beckman / Eliza /etc

PATHOLOGY & MEDICAL LAB. ITEMS

For borosilicate & neutral test tubes, please refer page no. 18 & 30 respectively.  
 For Urinometer, please refer page no. 31  
 (MOQ - Min. Order Qty)


**LAB INSTRUMENTS:-**



**LAB CHEMICALS :-**



**LABORATORY GLASSWARE:-**



**PLASTIC WARE:-**



**FILTER PAPER:-**



