
H·FLOR Resilient Flooring

STAGE FOR LIFE

With a wide variety of natural wood and stone abstract looks in numerous format and installation options, HFLOR offers a multitude of design and installation capabilites, enabling expansive expression and creativity.

LOCALLY STOCKED

HFLOR is locally stocked as listed below, and we remain readily available to assist you.



CERTIFICATION













PROJECT CODE: NEKB-HFLOR | OFFER VALID 06/24/24 - 09/30/24

Product		Туре	Thickness	Wear Layer	Size	Box (Pallet)	SQFT (Box)	SQFT (Pallet)	Price
					6" x 48"	72	19.7	1,418	\$3.19 / sqft
PRESTG		Plank	6.0 mm	20 mil	9" x 60"	56	29.98	1,679	\$3.19 / sqft
	Click	Tile	-		12" x 24"	72	20.19	1,454	\$3.19 / sqft
PRESTG Artistry		Plank	6.0 mm	20 mil	9" x 60"	56	29.98	1,679	\$3.19 / sqft
		Tile			12" x 24"	72	20.19	1,454	\$3.19 / sqft
PRESTG XL		Plank	6.0 mm	20 mil	9" x 60"	56	29.98	1,679	\$3.19 / sqft

^{*}Orders can be sent to orders.counterpro@gmail.com.



HFLOR MOLDINGS

Designed for HFLOR, the PRESTG Molding collection complements a wide range of styles and

Molding (94" long)	Price (Piece)		
Slim Trim (3-in-1; Reducer, T-Molding, Endcap)	\$43.07		
VersaEdge	\$50.13		
Quarter Round (Moi Proof)	\$20.16		



H·FLOR Resilient Flooring

FEATURES & BENEFITS



Stone Shield Exceptional anti-scratch performance



Excellent Resistance to WaterNo swelling, no distortion, no deformation



Reduces prep time and ensures smooth installation (no "telegraphing")



5Gi Locking System







Shortened installation time and ensures flush joints



Excellent Stability and Underfoot Comfort thanks to IXPE Foam Layer



Sound Reduction by 21 dB ISO 717-2:2013



Top-of-class Sound Reduction IIC Rating: 64 (ASTM E90)



2024 SUMMER PROMOTION COLOR INDEX



7981 Nordic Hickory PRESTG XL | Plank



7982 Natural Hickory PRESTG XL | Plank



7983 Timbered Hickory PRESTG XL | Plank



7984 Vanila Oak PRESTG XL | Plank



7985 Natural Oak PRESTG XL | Plank



7986 Blonde Oak PRESTG XL | Plank



7987 Chocolate Oak PRESTG XL | Plank



7988 Stone Mountain Oak PRESTG XL | Plank



7989 Weathered Oak PRESTG XL | Plank



7990 European Oak PRESTG XL | Plank



7991 Wheat Oak PRESTG XL I Plank



7992 Smoked Oak PRESTG XL | Plank



6930 Icicle Marble PRESTG | Tile



6931 Silvery Moon PRESTG | Tile



6932 Taupe Marble PRESTG | Tile



6933 Carbon Black PRESTG | Tile



7913 Caramel Spectrum PRESTG | Plank



7914 Midnight Mocha PRESTG | Plank

H·FLOR Resilient Flooring

FEATURES &



Stone Shield Exceptional anti-scratch performance



Excellent Resistance to Water No swelling, no distortion, no deforma-tion

TransferGuard



Reduces prep time and ensures smooth installation (no "telegraphing")

5Gi Locking System



Shortened installation time and ensures flush joints

Maximized Coherence by Applying 5Gi



Shortened installation time and ensures flush joints



Excellent Stability and Underfoot Comfort thanks to IXPE Foam Layer



Sound Reduction by 21 dB ISO 717-2:2013



Top-of-class Sound Reduction IIC Rating: 64 (ASTM E90)

Please feel free to contact us for further information.



2024 SUMMER PROMOTION COLOR INDEX



7939 Desert Palm PRESTG | Plank



7940 Mystic Sepia PRESTG | Plank



7941 Toffeenut Sand PRESTG | Plank



7942 Ash Umber PRESTG | Plank



PRESTG | Plank *Available only with 6" x 48"



7902 Sunkissed Marigold PRESTG | Plank *Available only with 6" x 48"



7911 Tuscan Mushroom PRESTG | Plank *Available only with 6" x 48"



7936 Hazy Lilac Oak PRESTG | Plank *Available only with 6" x 48"



7937 Omoi Brown PRESTG I Plank *Available only with 6" x 48"



7938 Saddle Oak PRESTG I Plank *Available only with 6" x 48"



7970 Cashmere Granite PRESTG Artistry | Tile



7971 Surrey Stone PRESTG Artistry | Tile



7972 Boathouse Stone PRESTG Artistry | Tile



7973 Arctic Grey PRESTG Artistry | Tile



7974 Highland Granite PRESTG Artistry | Tile



7975 Volcanic Granite PRESTG Artistry | Tile



7960 Concrete Wood PRESTG Artistry | Plank



7961 Urban Sahara PRESTG Artistry | Plank

H-FLOR Resilient Flooring

FEATURES & BENEFITS



Stone Shield
Exceptional anti-scratch performance



Excellent Resistance to Water

No swelling, no distortion, no deformation



i ransiei Guard

Reduces prep time and ensures smooth installation (no "telegraphing")



5Gi Locking System

Shortened installation time and ensures flush joints



Maximized Coherence by Applying 5Gi

Shortened installation time and ensures flush joints



Excellent Stability and Underfoot Comfort thanks to IXPE Foam Layer



Sound Reduction by 21 dB



Please feel free to contact us for further information.



2024 SUMMER PROMOTION COLOR INDEX







7963 Modern Conifer PRESTG Artistry | Plank



7964 American Oak PRESTG Artistry | Plank



7965 Industrial Heritage PRESTG Artistry | Plank

