


Client Information:	License #: OCM-AUCC-22-000084	Sample Information:
B30F Enterprises		2212KSTNY0017.0072
Timothy Moshier		Sampled Received: 12/19/2022
676 Baldwin Rd, Fulton NY 13069		Report Created: 12/28/2022
tim.moshier@icloud.com		Report Expires: 12/28/2023
3153999991		Batch Size (g): 8459.64
Cinderella XX		

Cannabinoid	LOQ (%)	Mass (%)	Mass (mg/ml)
CBDV (ug/ml)	0.10	ND	ND
CBDa	0.10	ND	ND
CBGa	0.10	0.30	3.04
CBG	0.10	ND	ND
CBD	0.10	ND	ND
THCV	0.10	ND	ND
CBN	0.10	ND	ND
d9-THC	0.10	1.84	18.36
d8-THC	0.10	ND	ND
d10-THC	0.10	ND	ND
CBC	0.10	0.14	1.44
THCa	0.10	13.24	132.41

Cannabinoid	LOQ (%)	Mass (%)	Mass (mg/ml)
Total THC	0.10	13.46	134.58
Total CBD	0.10	ND	ND
Total THC+CBD	0.10	13.53	135.27

Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight **using** moisture content. Unless otherwise stated all QC passed.

Sampling Date:	N/A	Time:	N/A
Location:	N/A	SOP:	N/A
Sample tested as received			



Analyzed Date: 221226	Analyzed Time: 13:40	ND= Not Detected
Total THC= THCa*0.877 +d9-THC +d8-THC +d10THC	Total CBD=CBDa*0.877+CBD.	LOQ=Limit of Quantitation.
1809 Vestal Pkwy East, Vestal NY 13850 (607)301-0884		Kelly Greenland, PhD
www.KeystoneStateTesting.com		Kelly Greenland
ISO17025:2017 A2LA Cert#4405.01		Lab Director -OCMPPL-2022-00007
This product has been tested by KST using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. KST makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.		

Client Information: B30F Enterprises Timothy Moshier 676 Baldwin Rd, Fulton NY 13069 tim.moshier@icloud.com 3153999991	License #: OCM-AUCC-22-000084	Sample Information: 2212KSTNY0017.0072 Sampled Received: 12/19/2022 Report Created: 12/28/2022 Report Expires: 12/28/2023 Batch Size (g): 8459.64
--	-------------------------------	---

Cinderella XX

Microbe	LOQ (cfu/g)	Result (cfu/g)
<i>STEC</i>	5	ND
<i>Salmonella</i>	5	ND
<i>Aspergillus</i>	5	Presumptive Positive
Total Aerobic Bacteria	5	>300,000
Total Yeasts and Molds	5	>300,000

Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed.

Analysis Date: 230106 Time: 13:40

Physical Chemistry	Limit	Result
Moisture Content	5-15%	0:43
Water Activity	0.65	0.3413
Mammalian Excreta	1 mg/lb	ND
Stems greater than 3mm	2%	ND
Foreign Matter	5%	ND

Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Analysis Date: 230104 Time: 16:45

Mycotoxin	LOQ (ug/g)	Limit (ug/g)	Result (ug/g)
Aflatoxin B1	0.005	0.020	0.000
Aflatoxin B2	0.005	0.020	0.000
Aflatoxin G1	0.005	0.020	0.000
Aflatoxin G2	0.005	0.020	0.000
Ochratoxin A	0.005	0.020	0.000
Total Aflatoxins	0.005	0.020	0.000


Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Analysis Date: 221229 Time: 17:10

Heavy Metal	Limit (ug/g)	LOQ (ug/g)	Result (ug/g)
Arsenic (As)	0.2	0.005	ND
Antimony (Sb)	2	0.005	ND
Cadmium (Cd)	0.3	0.005	ND
Copper (Cu)	30	0.005	16.2
Chromium (Cr)	110	0.005	ND
Nickel (Ni)	2	0.005	0.35
Lead (Pb)	0.5	0.005	ND
Mercury (Hg)	0.1	0.005	ND

Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

Analysis Date: 1/8/2023 Time: 15:30

ND = Not Detected	NT= Not Tested	TNTC = Too Numerous To Count.	LOQ=Limit of Quantitation.
1809 Vestal Pkwy East, Vestal NY 13850 (607)301-0884 www.KeystoneStateTesting.com			Kelly Greenland, PhD Kelly Greenland Lab Director -OCMPPCL-2022-00007
ISO17025:2017 A2LA Cert#4405.01			
This product has been tested by KST using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. KST makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.			

Client Information:	License #: OCM-AUCC-22-000084	Sample Information:
B30F Enterprises		2212KSTNY0017.0072
Timothy Moshier		Sampled Received: 12/19/2022
676 Baldwin Rd, Fulton NY 13069		Report Created: 12/28/2022
tim.moshier@icloud.com		Report Expires: 12/28/2023
3153999991		Batch Size (g): 8459.64
Cinderella XX		

Terpene	LOQ (%)	Result (%)
α-Pinene	0.1	ND
Camphene	0.1	ND
Sabinene	0.1	ND
β-Myrcene	0.1	ND
β-Pinene	0.1	ND
p-Mentha-1,5-diene	0.1	ND
3-Carene	0.1	ND
α-Terpinene	0.1	ND
trans-Ocimene	0.1	ND
R(+)-Limonene	0.1	ND
cis-Ocimene	0.1	ND
Eucalyptol	0.1	ND
γ-Terpinene	0.1	ND
Terpinolene	0.1	ND
Sabinene Hydrate	0.1	ND
Linalool	0.1	ND
Fenchone	0.1	ND
Endo-Fenchyl Alcohol	0.1	ND
Isopulegol	0.1	ND
(1R)-(+)-Camphor	0.1	ND
(+)-Borneol	0.1	ND

Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Terpene	LOQ (%)	Result (%)
Menthol	0.1	ND
Borneol	0.1	ND
α-Terpineol	0.1	ND
γ-Terpineol	0.1	ND
Nerol	0.1	ND
Geraniol	0.1	ND
Pulegone	0.1	ND
Geranyl Acetate	0.1	ND
α-Cedrene	0.1	ND
trans-Caryophyllene	0.1	0.4
α-Humulene	0.1	0.2
α-Farnesene	0.1	0.2
cis-β-Farnesene	0.1	ND
Valencene	0.1	ND
cis-Nerolidol	0.1	ND
trans-Nerolidol	0.1	ND
Guaiol	0.1	ND
(-)-Caryophyllene Oxide	0.1	ND
(+)-Cedrol	0.1	ND
(-)-α-Bisabolol	0.1	ND


TOTAL TERPENES	0.7 %
-----------------------	--------------

Analyzed Date: 230103	Analyzed Time: 22:50
ND = Not Detected	NT= Not Tested
TNTC = Too Numerous To Count.	LOQ=Limit of Quantitation.
1809 Vestal Pkwy East, Vestal NY 13850 (607)301-0884	Kelly Greenland, PhD
www.KeystoneStateTesting.com	Kelly Greenland
ISO17025:2017 A2LA Cert#4405.01	Lab Director -OCMPCL-2022-00007
<p>This product has been tested by KST using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. KST makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.</p>	

Client Information:	License #: OCM-AUCC-22-000084	Sample Information:
B30F Enterprises		2212KSTNY0017.0072
Timothy Moshier		Sampled Received: 12/19/2022
676 Baldwin Rd, Fulton NY 13069		Report Created: 12/28/2022
tim.moshier@icloud.com		Report Expires: 12/28/2023
3153999991		Batch Size (g): 8459.64
Cinderella XX		

Solvent	Limit (ug/g)	LOQ (ug/g)	Result (ug/g)	Solvent	Limit (ug/g)	LOQ (ug/g)	Result (ug/g)
n-Propane	5000	125.0	ND	n-Hexane	290	10.0	ND
Isobutane	2500	62.5	ND	Ethyl Acetate	5000	125.0	ND
Butane	2500	62.5	ND	2-Butanol	5000	125.0	ND
Neopentane	1666.67	16.7	ND	Tetrahydrofuran	720	125.0	ND
Methanol	3000	125.0	ND	Cyclohexane	3880	125.0	ND
Ethylene Oxide	50	125.0	ND	Isopropyl Acetate	5000	125.0	ND
Isopentane	1666.67	16.7	ND	Benzene	2	0.5	ND
n-Pentane	1666.67	16.7	ND	1,4-Dioxane	380	125.0	ND
Ethanol	5000	125.0	ND	2-Ethoxyethanol	160	125.0	ND
Ethyl Ether	5000	125.0	ND	Ethylene Glycol	620	125.0	ND
Acetone	5000	125.0	ND	Toluene	890	125.0	ND
Isopropyl Alcohol	5000	125.0	ND	Ethylbenzene		12.5	ND
Acetonitrile	410	125.0	ND	p&m-Xylene	1446.7	25.0	ND
Methylene Chloride	600	125.0	ND	o-Xylene	723.3	12.5	ND
3-Methylpentane		10.0	ND	Cumene	70	125.0	ND

Residual Solvents tested by GCMS using P-NY170.
Unless otherwise stated, all QC passed.

Analyzed Date: 0	Analyzed Time: 0:00
ND = Not Detected	NT= Not Tested
TNTC = Too Numerous To Count.	LOQ=Limit of Quantitation.
1809 Vestal Pkwy East, Vestal NY 13850 (607)301-0884	Kelly Greenland, PhD
www.KeystoneStateTesting.com	Kelly Greenland
ISO17025:2017 A2LA Cert#4405.01	Lab Director -OCMPCL-2022-00007
	
This product has been tested by KST using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. KST makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.	

Client Information: B30F Enterprises Timothy Moshier 676 Baldwin Rd, Fulton NY 13069 tim.moshier@icloud.com 3153999991	License #: OCM-AUCC-22-000084	Sample Information: 2212KSTNY0017.0072 Sampled Received: 12/19/2022 Report Created: 12/28/2022 Report Expires: 12/28/2023 Batch Size (g): 8459.64
--	--------------------------------------	---

Cinderella XX

Pesticide	Limit (ppm)	LOQ (ppm)	Result (ppm)	Pesticide	Limit (ppm)	LOQ (ppm)	Result (ppm)
Daminozide	1.0	0.00	ND	Spinetoram Total	1.0	0.00	ND
Acephate	0.4	0.00	ND	Propiconazole	0.4	0.00	ND
Oxamyl	1.0	0.00	ND	Acequinocyl-POS343	2.0	0.00	ND
Fonicamid	1.0	0.00	ND	Clofentezine	0.2	0.00	ND
Methomyl	0.4	0.00	ND	Trifloxystrobin	0.2	0.00	ND
Thiamethoxam	0.2	0.00	ND	Fenhexamid	1.0	0.00	ND
Imidacloprid	0.4	0.00	ND	Prallethrin	0.2	0.00	ND
Dimethoate	0.2	0.00	ND	Piperonyl Butoxide	2.0	0.00	ND
Acetamiprid	0.2	0.00	ND	Hexythiazox	1.0	0.00	ND
Thiacloprid	0.2	0.00	ND	Etoxazole	0.2	0.00	ND
Aldicarb	0.4	0.00	ND	Fenpyroximate	0.4	0.00	ND
Imazalil	0.2	0.00	ND	AbamectinB1a	0.5	0.00	ND
Dichlorvos	1.0	0.00	ND	Permethrins Total	0.2	0.00	ND
Propoxur (Baygon)	0.2	0.00	ND	Etofenprox	0.4	0.00	ND
Carbofuran	0.2	0.00	ND	Mevinphos I	1.0	0.00	ND
Carbaryl	0.2	0.00	ND	Metalaxyl	0.2	0.00	ND
Spiroxamine	0.2	0.00	ND	Phosmet	0.2	0.00	ND
Naled	0.5	0.00	ND	Boscalid	0.4	0.00	ND
Chloantraniliprole	0.2	0.00	ND	Paclobutrazol	0.4	0.00	ND
Azoxystrobin	0.2	0.00	ND	Ethoprophos	0.2	0.00	ND
Fludioxonil	0.4	0.00	ND	Kresoxim methyl	0.4	0.00	ND
Diazinon	0.2	0.00	ND	Coumaphos	1.0	0.00	ND
Spiromefesin	0.2	0.00	ND	Pyridaben	0.2	0.00	ND
Methiocarb	0.2	0.00	ND	Pyrethrins Total	1.0	0.00	ND
Malathion	0.2	0.00	ND	Chlorpyrifos	0.2	0.00	ND
Myclobutanil	0.2	0.00	ND	Cyfluthrin	1.0	0.00	ND
Dimethomorph	1.0	0.00	ND	Cypermethrin	1.0	0.00	ND
Bifenazate	0.2	0.00	ND	Bifenthrin	0.2	0.00	ND
Spirotetramat	0.2	0.00	ND	Fipronil	0.4	0.00	ND
Fenoxycarb	0.2	0.00	ND	Indole-3-butyric acid	1.0	0.20	ND
Tebuconazole	0.4	0.00	ND	Azadiractin	1.0	0.20	ND
Spinosyn Total	0.2	0.00	ND				

Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

Analyzed Date: 221229	Analyzed Time: 17:00
------------------------------	-----------------------------

ND = Not Detected NT= Not Tested TNTC = Too Numerous To Count. LOQ=Limit of Quantitation.

1809 Vestal Pkwy East, Vestal NY 13850 | (607)301-0884

www.KeystoneStateTesting.com

ISO17025:2017 A2LA Cert#4405.01



Kelly Greenland, PhD

Kelly Greenland

Lab Director -OCMPCL-2022-00007

This product has been tested by KST using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. KST makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.