
9/12/2024

Subcontractor driver booklet QLD



Wei Li QLS GROUP

QLS Subcontractor driver booklet

TABLE OF CONTENTS

WELCOME	2
CONDITIONS OF ENTRY	3
GILMORE SHED 1 TRAFFIC MANAGEMENT	4
EUCALYPT CT SHED 2 TRAFFIC MANAGEMENT	5
DOCKING/TRAFFIC LIGHT SYSTEM	6
CHAIN OF RESPONSIBILITY	7
RISK BASED CATEGORISATION OF OFFENCES	8,9
QLS RULES	10,11
INSTRUCTIONS	12
BEFORE YOU START	
START OF THE DAY	
DELIVERY	14,15,16
SECOND DOUBLE RUN HIT	17
PICKUP JOBS	18
BRIGHTSIDE COLLECTION PROCESS	19
WARRANTY CHANGE OVER	20
KOGAN PREMIUM SERVICE	21
GRILL KING DELIVERY	22
BACK TO DEPOT	23
DRIVER'S RESPONSIBILITES	24
ACCIDENT PROCEDURES	25
CODE OF CONDUCT	26
FATIGUE MANAGEMENT	27-28
MANUAL HANDING GUIDELINES	29-30
UNLOADING/DELIVERY TECHNICAL	31
LOADING REQUIREMENT/ RESTRAINT	32-33
RADARO SOP	34-37
FREQUENTLY ASKED QUESTIONS&PROCEDURE	



QLS Subcontractor driver booklet

Welcome

Congratulations on your appointment to **QLS Group** as a **Professional Subcontractor**.

Our subcontractors are a vital asset to **QLS**. Without quality subcontractors we can never hope to achieve all of our transportation requirements.

As our subcontractor, your actions and behaviour will reflect the values and worth of this company. If you do the wrong thing in relation to customers or to the general public it reflects badly on this company. Similarly, the reverse is also true.

It is becoming increasingly more important that each of us understands and performs in accordance with our responsibilities. This not only includes you as our subcontractor or subcontracting driver, but also Managers and staff of **QLS**, including myself.

As a company and as an industry we are all moving towards documenting these responsibilities. This ensures everyone is aware of and understands their particular responsibilities. It helps both of us cover our due diligence under Chain of Responsibility legislation.

This Handbook is intended to provide you with information about **QLS's** details of the workplace and vehicle facilities, and answer some of the most common questions asked.

Please read this handbook carefully, and if you have any queries discuss them with your point of contact at QLS, or alternatively a member of our **Driver** Management and Compliance Team.

I trust you make a smooth transition into **QLS** and hope our association will be mutually beneficial.




QLS Subcontractor driver booklet Conditions of Entry

	SPEED LIMIT:
(10)	The site speed limit is strictly 10 Kph.
	ACCESS AROUND the SITE:
DEDECADANCE	Walkways are to be used when moving through the site between operational
KEEP TO MARKED WALKWAY	areas. Walkways are painted yellow.
	ACCESS to OPERATIONAL AREAS:
	Many operational areas are OFF LIMITS to unauthorised personnel. These
AUTHORISED PERSONNEL ONLY	include the Poly Workshop area, Warehouses, and the Truck Wash Bay.
	FORKLIFTS and other Vehicles:
	Beware of forklifts and Heavy Vehicles and observe vehicle movements on site.
BEWARE OF VEHICLES	Stop and look before crossing doorways and designated vehicle areas. Ensure
	that drivers and operators can see you.
NOTICE	DRUG and ALCOHOL-FREE WORKPLACE:
NO ALCOHOL	All QLS owned or controlled sites are drug and alcohol-free zones. All persons,
OR DRUGS ALLOWED ON THESE PREMISES	including but not limited to; employees, subcontractors, service providers and
ON THESE PREMISES	visitors are subject to QLS Drug and Alcohol Policy.
(2)	SMOKING:
SMOKING IN	All QLS owned and controlled sites are Non-Smoking sites. A designated
DESIGNATED AREAS ONLY	smoking area has been provided and is located outside the lunchroom both
NO	shed. Smoking will only be permitted in this. PARKING:
NO STANDING	
ANY	DO NOT PARK vehicles in clearways, across driveways, pedestrian crossings,
TIME	doorways or gateways. Park in appropriate designated areas only. Any vehicles that are damaged while parked in non-designated areas will not be the
	responsibility of QLS
	PERSONAL PROTECTION EQUIPMENT (PPE):
	High Visibility clothing/vest and sturdy enclosed leather work boots MUST be
HIGH VISIBILITY	worn at all times while in operational areas.
MUST BE WORN IN THIS AREA	
SAFETY	INCIDENT REPORTING:
REPORT ALL ACCIDENTS	Report all "Near Misses" and incidents/injuries to Reception or the head of the
NO MATTER HOW SMALL TO YOUR SUPERVISOR	operational area that you are in as soon as possible. Compliance officers are on
TO TOOK SUPERVISOR	site during operational hours.
EVACUATION PROCEDURE	EVACUATION AREA'S:
WHEN ALARM SOUNDS. LEAVE IMMEDIATELY BY THE NEAREST EXIT.	In the case of an emergency, please follow the direction of the QLS
2 PROCEED IN AN ORDERLY MANNER TO ASSEMBLY POINT. 2 REMAIN AT ASSEMBLY POINT	Representative to the emergency assembly areas. Assembly areas are located
3 UNTIL ALL-CLEAR IS GIVEN.	Gilmore roadside entry gate.



QLS Subcontractor driver booklet


Gilmore traffic management plan (Shed 1)





QLS Subcontractor driver booklet

Eucalypt Ct traffic management plan (Shed 2)



QLS Subcontractor driver booklet

Docking/Traffic light system

The docking area is controlled by a traffic light system of GREEN (for go) and RED (to stop) that operates for the truck bay and the docking platform.

The system is set up so that a GREEN light cannot be operating for both the truck bay and the docking bay at the same time. If one area is GREEN the other area will indicate RED.

For example, if a truck has a GREEN light it indicates it is safe/approved to reverse into the docking bay and a RED light will display on the docking bay to indicate that no work should be undertaken while the truck is reversing.

- Vehicle to reverse onto nominated dock once directed
- Driver to remove keys from ignition and give to unpack/Load crew to hang on respective dock hook
- Driver to place chock under wheel. The wheel chock is linked to the Traffic Light System. The driver or places the wheel chock under the rear wheel on the driver's side of the vehicle. The external dock light should then change to 'red'. The chock indicator will illuminate to indicate that the truck is secured. Always remember to check for hazards and traffic movement when applying the chock to the vehicle
- Unpack/Load crew to press lock button and confirm traffic lights have switched to green inside red outside
- Raise traffic control gate
- Dock leveller to be inserted
- Loading or Unloading can commence
- Upon completion of Loading or Unloading Dock leveller is removed, traffic control gate is lowered and unlock button pushed
- Keys can now be handed to driver for departure

Delivery Truck drivers:

- Will ensure that the speed limit of 10 kilometers per hour is maintained while on site.
- Must wear a high visibility vest when not in their vehicle. :
- Park their vehicles in dedicated parking areas or where otherwise instructed.
- All vehicles must be left securely including brakes applied, vehicle in gear etc.
- Keys must be removed from vehicle
- Driver to place Global Wheel Chock device on the rear wheel (driver's side) of vehicle
- Driver to go to and remain in designated area when unloading/loading occurs unless otherwise instructed until loading/unloading completed.
- When loading/unloading completed, driver to return to vehicle and remove Global Wheel Chock from rear wheel before departing loading dock

N.B.: Drivers to be aware of other vehicle movement and general environment especially when alighting from (and returning to) the vehicle and when placing/removing the Global Wheel Chock in the loading dock.

The Global Wheel Chock system is linked to the docking Traffic Light system.



QLS Subcontractor driver booklet

Chain of Responsibility

A key compliance requirement of all freight businesses is that of Chain of Responsibility
The aim of COR is to make sure everyone in the supply chain shares responsibility for ensuring breaches of the
HVNL do not occur. Under COR laws if you are named as a party in the chain of responsibility and you exercise
(or have the capability of exercising) control or influence over any transport task, you have a responsibility to
ensure the HVNL is complied with.

Chain of Responsibility governs the following specific elements:

- Speed
- Mass
- Fatigue
- Load Restraint, and
- Dimensions
- Vehicle standards

The law recognises that multiple parties may be responsible for offences committed by the drivers and operators of heavy vehicles. A person may be a party in the supply chain in more than one way. For example they may have duties as the employer, the operator and the consigner of goods. All parties within chain have a primary duty of care and responsibility of obligation to eliminate or minimise potential harm or loss (risk) by doing all that is reasonably practicable to ensure safety. As a party in the supply chain, the best way to do this is to have safety management systems and controls in place, such as business practices, training, procedures and review processes that:

- identify, assess, evaluate, and control risk
- manage compliance with speed, fatigue, mass, dimension, loading and vehicle standards requirements
- through identified best practice
- involve regular reporting, including to executive officers
- document or record actions taken to manage safety.

Legal liability applies to all parties for their actions or inactions.

Who are the parties in the supply chain?

The parties in the Chain of Responsibility are defined by job function and **not** job title. In other words, if your job title says Administration Officer, but you have some form of control over a driver's fatigue or driving hours, then you are legally defined under the CoR legislation as a scheduler. Parties included in CoR for a heavy vehicle are:

- an employer of a driver
- a prime contractor for a vehicle if the vehicles driver is self-employed
- an operator of the vehicle
- a scheduler for the vehicle
- a loading manager for any goods in the vehicle
- a loader and/or unloader of a vehicle
- a consignor of any goods for transport by the vehicle
- a consignee of any goods in the vehicle
- a loader and/or unloader of any goods in the vehicle.

In a prosecution, the courts may consider the actions of each party in the supply chain. This includes what measures those parties have in place to prevent breaches of the HVNL occurring. Each party in the chain must demonstrate to the Court that acted as far as reasonably practicable to prevent the contravention. Ignorance IS NOT a defence.



QLS Subcontractor driver booklet

Risk Based Categorisation of offences

Under the Heavy Vehicle National Law (HVNL), fatigue management, mass, dimension and loading and speed compliance offences are categorised according to the risk they present. The categorisation recognises the potential damage to road infrastructure and that risk to people's safety increases with the severity of the offence.

These categories are:

- Minor breach risk of someone gaining a minor unfair commercial advantage over those who operate legally, but no risk to safety or infrastructure.
- Substantial breach risk of damage to infrastructure, increasing traffic congestion and unfair competition. It may also involve some risk to safety, although not an appreciable risk.
- Severe breach appreciable risk to safety, more severe risk to infrastructure, greater risk of traffic congestion or a greater level of unfair competition.
- Critical breach contravention of fatigue regulated maximum work time and/or minimum rest time which would adversely affect the driver's ability to drive safely.

Fatigue management and speed offence risk categories range from 'minor' to 'substantial', 'severe', and 'critical'.

Mass, dimension and loading offence risk categories range from 'minor' to 'substantial' and 'severe'.

Risk categories also determine what powers an authorised officer may use on the road, and the level of penalty that may apply



QLS Subcontractor driver booklet

Risk Based Categorisation of offences cont...

Classification	Fatigue	Mass	Speed	Length	Dimensions Height	Width	Load restraint
MINOR	≤ ¾ hour over work time or under required rest time	≤ 5% above legal limit	≤ 10kph above posted limit	≤ 350 mm over permitted length	≤ 45mm over permitted height	≤ 40mm over permitted width	The load has not become displaced or unsecured; The load becoming displaced or unsecured is not imminent; and No serious risk of harm to public safety, the environment, road infrastructure or public amenity.
				e driver - Spec			
SUBSTANTIAL	¼ - 1¼ hours over work time or under required rest time	5% - 20% above legal limit	11kph - 15kph above posted limit	350 mm - 600mm over permitted length	45mm - 300mm over permitted height	40mm - 79mm over permitted width	The load has become displaced or unsecured or the load becoming displaced or unsecured is imminent; and No serious risk of harm to public safety, the environment, road infrastructure or public amenity. The load concerned has not become displaced or unsecured or the load's becoming displaced or unsecured is not imminent and The load is likely to become displaced or unsecured; and There would be a serious risk of harm to public safety, the environment, road infrastructure or public amenity if it did
							become displaced.
	On	the spot fine	es issued to th	ne driver - Spec	eding fines also	incur demerit	Contractor register in processing in
Severe	1¼ - 1½ hours over work time or under required rest time	21% + above legal limit	16kph - 25kph above posted limit	601mm + over permitted length	301mm + over permitted height	80mm + over permitted width	The load has become displaced or unsecured or the load becoming displaced or unsecured is imminent; and There would be a serious risk of harm to public safety, the environment, road infrastructure or public amenity if it did become displaced.
	(K	Court appea		num court imp			000
Critical	1½ hours + over work time or under required rest time		Speeding 26kph + above posted limit	fines also incu	ir dement poir	nt	



QLS Subcontractor driver booklet QLS Rules

DRESS / PERSONAL APPEARANCE

Personal appearance and dress is a matter of common sense and personal taste. Important guidelines in determining the appropriate dress and appearance are:

- the work being done;
- the public that is being dealt with; and
- the general standards of neatness, tidiness, cleanliness and safety.

Specific site or customer requirements may require the wearing of additional personal protective equipment (eg. safety vests, overalls, ear protect, hard hats, safety glasses etc.).

Suitable shoes or boots are to be worn at all times.

Singlets and thongs are strictly prohibited.

SMOKING

In accordance with community health standards, non-smoking areas at **QLS** and customer locations are defined and must be adhered to. Smoking is forbidden within buildings, offices and **QLS** vehicles. This rule applies to all **QLS** personnel and visitors on site.

No **QLS** personnel, subcontractors are to smoke in the premises of customers unless a designated area is provided.

BREAKDOWN OR UNABLE TO MEET SCHEDULE

In the event of delays that will impact the schedule, the Subcontractor is to contact the Operations Manager that dispatched the load as soon as possible during business hours.

BEHAVIOUR

QLS business is confidential and no personnel are to discuss company business with any person outside of the organisation. Failure to comply with this condition may lead to termination of contract following an appropriate investigation.

Due to occupational health and safety requirements, skylarking or horseplay is not permitted.

Whilst accepting the transport industry is a robust industry, fighting or abusive behaviour will not be tolerated and may lead to termination of contract.

Abusive or threatening language or behaviour towards other personnel or customers and their staff will not be tolerated. This is considered an act of **gross/wilful misconduct**, and may lead to immediate termination of contract following an appropriate investigation.

Swearing is not permitted in front of other personnel or customers. This reflects badly on the image of **QLS**. Disciplinary action will be taken against offenders.

COURTESY

QLS's customers, other road users and the general public, judge the company by their personnel's actions.

As **QLS's** subcontractors share the roads with the general public, and its customer's satisfaction helps to secure jobs, **QLS** require all subcontractors to show courtesy at all times. Without exception, subcontractors must:



Specialists in White and Brown Goods

WAREHOUSING | LOGISTICS | DISTRIBUTION

QLS Subcontractor driver booklet

- not get involved in any disputes with customers;
- report any disputes to Management as soon as possible;
- drive in a courteous manner at all times;
- never engage in any form of on or off road action that could be deemed as "aggressive" or "road rage".

VEHICLE CLEANLINESS / SAFETY

While engaged as a subcontractors for **QLS**, you are inadvertently representing our business. As such it is expected that your vehicle will be kept in as clean a state as practical; weather permitting.

Cleanliness of the vehicle can also have an impact on safety.

Windows, mirrors and headlamps should be kept clean, as this can affect visibility.

The interior of the cabin should also be kept clean and free of clutter. Unsecured objects in the cabin can cause serious injury if the vehicle is involved in an accident or rollover.

DRIVER'S LICENCE

It is a nationwide law that drivers must hold a current and valid driving license issued in the state of domicile of the driver for any vehicle they may operate.

Mobile Phones

Use of Mobile phones/Ipod/Ear Buds/Head phones/Electronic devices are not permitted to used whilst in operational areas.

THEFT

Any act of theft from **QLS** or any customer will be reported to the appropriate law enforcement authority for action. This is considered an act of **gross/wilful misconduct** and may lead to immediate termination of contract following an appropriate investigation.

SEAT BELTS

It is a requirement of the law that seat belts must be worn at all times by drivers and passengers. It is also the duty of care under the OH&S Act by all **QLS** personnel, and subcontractors to do all in their power to protect themselves or minimise their risk of injury. Should an accident occur resulting in injuries sustained due to failing to wear a seat belt, they may not be covered by Workers Compensation.

All fines associated with seat belts will be the person's responsibility.

CHILDREN / VISITORS

All visitors are to report to the office upon arrival at **QLS** premises.

Children visiting any **QLS** work site must always remain in the care of a parent or guardian.

Children and visitors must comply with company and customer site policies at all times.

REPORTING FOR DUTY

Drivers must report for work physically fit in order to perform the job properly.

In the event of illness or undue fatigue, your drivers should not be permitted to work. Ample notice must be given to QLS to permit arrangements for a substitute driver to be arranged.

Punctuality is regarded as extremely important as lateness seriously affects operational movements and schedules. Contractors who continually report for work late will be counselled, and may be withdrawn from subsequent use.

If a driver is late or expects to be late, they must contact operations to advise this.



QLS Subcontractor driver booklet

Instruction - before you start

Obtain contractor registration link from QLS

Contractor owners:

- Register your business via the link provided by QLS.
- Upload required documents. (follow registration instructions)
- Complete required inductions. (follow registration instructions)
- Provide debtor details to QLS account team (business back account details)

Contractor employees:

- Obtain contractor employee registration link from owner or QLS.
- Register your personal details via the link provided.
- Upload required documents. (follow registration instructions)
- Complete required inductions. (follow registration instructions)

Understand safety rule:

- Hi-Vis shirt/ vest must be worn at all times whilst on site.
- Ensure 10 km/Ph speed limit is adhered to through the QLS site.
- Follow directions of the forklift operator when driving to loading / unloading area.

Contractor/s failing to comply may have payments reduced.

^{*}Only approved contractors/contractor employees are permitted to work for QLS



QLS Subcontractor driver booklet

Instruction - Start of the day

1.Get your manifest paperwork from letterboxes next to transport office



- 2. Check your license and insurance up to date.
- 3. Check your truck roadworthy, tailgate working & clean.
- 4. Ensure you are fit for work and not under the influence of alcohol or drugs
- 5. Check all the essential equipment on your truck. Load restraint, Manual handing Equipment, Pen, blankets, and Radaro phone/ICS Mobile.

6.Complete driver checklist form. (Your name/REGO/Manifest)




	over tracella de grafia de la como 1900 de 1800.	
	DDE DEDARTURE CUECUC	100
	PRE-DEPARTURE CHECKS	
		COMPLETE
1. Check Vehicle For Damage.		
2. Check Lights & Indicators Wo	rking Condition.	
3. Check Tyers For Damage, Tre	ad Wear & Inflation.	
4. Check Load Security / Restrai	nt.	
5. Check Manual Handeling Equ	pment (Trolley & Dolly)	
6. Check Your Paperwork Is Cor	ect.	
7. Check Jobs Uploaded On Rad		
IF CHI	CKS REVEAL A PROBLEM CONTA	CT!
MOONSTAR DRIVERS	ADAM	0410 562 705
	MICK	0409 256 873
OTHER DRIVERS	ROBERT	0400 698 284



QLS Subcontractor driver booklet

Instruction - Delivery

- 1. Press "Start" on the **first job** of Radaro when you are **leaving depot** (check attachment Radaro SOP for details)
- 2. Ensure freight **secure** and **tidy** on each delivery.
- 3. Ensure customer **signed POD** paperwork if delivered.
- 4. Ensure customer write down the reason if freight being rejected.
- 5. Write down arrival time if store close.
- 6. Use **dolly** we provided to delivery **85**" **above** TVs.





QLS Subcontractor driver booklet

Instruction – Delivery

1. Park your truck safely at or near delivery address / loading dock.




2. Check you have all your consignment/s for this delivery.



1. Review the consignment/s and consolidate consignment numbers, carton quantities, stock type, customer name.

(E.g., 5 x 55inc Hisense TV's, 3 x TCL 42inc Tv's, 2 x Hisense Fridges.)





Specialists in White and Brown Goods

WAREHOUSING | LOGISTICS | DISTRIBUTION

QLS Subcontractor driver booklet

2. To ensure

- Stock labels match customer name, Consignment/s, and quantities.
- Stock labels match carton description



3. Begin to unload stock

- 4. Give consignment/s, customer copy and POD copy to customer/Store person to check and sign POD copy. Completed job on Radaro, upload relate photos for evidence.
- Received in Good Order & Condition

 Signature

 Print Name:

 Date: 7.1

 Please refer to cur website for our standard operating Terms & Conditions

 WWW.qlslogistics.c.

5. If any issues arise, stock damage, customer/ store rejection etc.

Contact Transport office for instructions.

Metro: 0417354147 Country: 0438632623

6. **Important note:**

Downsize & apply restraint to the remain of the load ready for transit, file signed POD's for return. Depart for next delivery.





QLS Subcontractor driver booklet

Instruction - 2nd Run

- 1. Call Office **0417354147** half hour before back to depot.
- 2. Confirmed your second run manifest and loading bay/dock.
- 3. Return your first Run manifest paperwork and empty your truck.
- 4. Your 2ND Run loading area in your designated park.
- 5. Dock vehicle as per docking procedure.







QLS Subcontractor driver booklet

Instruction – Standard RA pickup

- 1. RA CN/POD is **Pink paper with** label.
- 2. Standard TV collections
 MUST BE
 BOXED, only exception is
 Brightside refer to process.
- 3. Check the unit matched the RA paperwork and label unit.
- 4. Complete POD makes notes of damage at the point of pickup
- 5. **DO NOT** collect part RA.
- 6. **DO NOT** collect any RA without paperwork.







QLS Subcontractor driver booklet

Instruction - Brightside collection process

Blankets are provided by QLS and are to be used around the Brightside units to avoid damage whilst in transit.

When collecting a return

- Inspect the unit
- If damaged, send photos to transport phone via SMS and note on the POD
- If the label has been put on the screen by the store, send a photo to transport phone via SMS and note on POD
- Record in Radaro when completing the job
- Complete and sign the Brightside Collection Checklist on the POD
- The store **MUST** sign and date the POD
- QLS label is to be put on the back of the unit, **DO NOT** put the label on the front of the unit
- Wrap the unit in blankets
- Store the unit in the truck so it will NOT be damaged
- Record in Radaro when completing the job
- Return to QLS

Does this unit conta if Circled ups the services.	in damage	Υ	1	N
if Circled yes - has p		Υ	1	N
 Has this unit be wra 		Y	1	N
 Does this unit included if circled yes - pleas 	le accessories e note	Υ	1	N
**************************************	, market			10.10
Driver	Signature			



QLS Subcontractor driver booklet

Instruction - Warranty Change Over

You will be received 2 PODS for WCO Job.
 White color for delivery.
 Yellow color with label for picks up.

If NO faulty unit available you MUST contact Transport office for Further instructions. (Do not delivery new unit)



- 2. **New unit is to be unpacked** and installed by drivers, including if requested.
 - Putting TV on Stan/Legs.
 - Placing white goods in Cavity.
 - Plugging the unit in.




- 3. The Faulty unit is to be re-boxed in the new unit's packaging and returned. Make sure it fully secured.
 - Ask customer sign both delivery and picks up POD for evidence.



- 4. Place picks up's label onto the packaging and take photos. The photos must be clearly showing the faulty unit goes into new unit's packaging with picks up label.
 - If driver comes across a damaged faulty unit, the driver is to take photos of the damage.



5. Upload photos through Radaro with POD photos.






QLS Subcontractor driver booklet

Instruction - Kogan premium service

- 1. You will be received 1 extra checklist with SCRAP label.
- 2. Delivery the new unit into customer premises.
- 3. Unpack the new unit, remove packaging.
- 4. Remove the old unit if customer doesn't want to keep it, place the SCRAP label onto old unit.
- 5. Filled out the checklist box on POD and sign.
- 6. Bring back the old unit and packaging to depot.
- 7. **DO NOT** collect without paperwork.





QLS Subcontractor driver booklet

Instruction – Grill King delivery

- Grill King is STD only, no unboxing is undertaken by delivery team/driver.
- No units are returned without express authority from Grill King.

Delivery without issue:

- 1. Check unit model and quantities match to POD, delivery unit to front door.
- 2. Take photo and upload to Radaro where available.
- 3. Have customer sign POD, Radaro job close off where available.

Customer rejected by reasons:

- 1. If unit damage or in questions, take photos of the unit (damage side etc.) and upload to Radaro.
- 2. Have customer sign POD, instructed customer to report directly to Gill King without removing the item, failed job on Radaro.
- 3. If customer refused to sign POD, driver noted customer has refused to sign and mark down reasons.

No one home:

- 1. Take photo of front door and upload to Radaro where available.
- 2. Mark down arrival time and reasons on POD, failed job on Radaro where available.



If customer refused to sign

E.g."customer refused to sign due to box damage

Mark down reason & take photos



QLS Subcontractor driver booklet

Instruction - Back to depot

- 1. Return RA's & Poly bags to shed 2 before 6 PM.
- 2. Return RA's & Poly bags to shed 1 after 6 PM.
- 3. Park truck to designated area in shed 1.
- 4. Lower tailgate & place all rejected or undelivered new stock onto tail gate.
- 5. Make way to fleet & advise stock to be signed off as received.
- 6. Manifest to be placed in letterbox.
- 7. See fleet staff for next run or confirm finish for day.

*Driver must maintain the 3M exclusion distance from the operating machine when forklifts are being used to unload stock returns from the truck.





QLS Subcontractor driver booklet

Driver's responsibilities

TRAFFIC RULES & REGULATIONS

All traffic rules and regulations laid down by the responsible authorities must be obeyed.

If a driver is charged with any driving offence they must report this to Management as per the 'Communication Procedures'. Failure to do so may result in termination of contract.

CLEANLINESS

The outside of the unit (weather permitting) is to be washed/cleaned once per week, as **QLS** image is important.

Drivers must keep the interior of their vehicle clean and tidy. Interior cleanliness is extremely important especially in the interests of safety.

SHORT DELIVERIES & DAMAGED FREIGHT

Short deliveries and damaged freight are the responsibility of the subcontractor in respect to documenting all relevant details.

All Short Deliveries and Damaged Freight are to be reported to Operations immediately for further instruction

All claims for short deliveries and damages must be double-checked by the driver. If the driver does not agree, they must not sign any documents.

Subcontractors must not argue or cause any conflict with the customers.

DOCUMENTATION

All required documentation must be completed by the subcontractor, and all documents and records must be kept clean and in good order.

Incomplete and/or damaged documents may be returned to the subcontractor for further attention.

ALL DOCUMENTATION IS TO BE RETURNED TO Fleet office shed 1, including but not limited to:

- SIGNED POD's with DATES and TIMES of DELIVERY
- Driver checklist
- WORK DIARY page copies if requested for auditing purposes.
- Any other documentation related to the task carried out on our behalf.

All queries regarding to paperwork, including but not limited to signatory requirements are to be directed to the relevant Operations manager at QLS. Subcontractors must never leave a client site without all required and signed documentation.

Failure to submit all required documentation may result in delays in payment for services.

UNSAFE HAZARDS & INCIDENTS

QLS requires subcontractors to report to Management all potentially unsafe situations or hazards that should arise, whether an injury occurs or not.

QLS will immediately, or as soon as practical to, rectify and make safe any reported hazard.



QLS Subcontractor driver booklet

Accident procedures

In the event of an accident while contracted to QLS, the driver must contact QLS primary contact for accidents – **Bruce Simmons (0407661109)** as soon as possible.

Should a subcontractor be involved in an accident, the first important thing is for them to remain calm, and where possible, provide support to any injured party.

All contractors should have emergency and/or accident procedures in place which should be followed by the contractor's driver.

In the unlikely event of an accident while under contract with **QLS**, contractors will be required to:

- Contact QLS as soon as practicable to advise of the incident
- Provide relevant details of the freight on board for passing on to the Vendor including but not limited to:
- 1) Consignment/manifest number.
- 2) Product details.
- 3) Number of pallets/cartons damaged.
- 4) Supply as many images as possible of the scene and damaged freight
- Communicate the recovery process to the relevant Operations Manager of QLS;
- Complete and internal investigation into the cause of the accident and provide a copy the results and corrective action/s to QLS
- **Vehicle recovery:** the contractor is responsible for securing the scene, arranging and supervising the recovery of the vehicle and the clean-up of the accident area; and
- **Vehicle towing:** the contractor is responsible for arranging salvage/tow operators and/or repairers at the scene; and
- **Cost recovery:** the contractor is responsible for all costs associated with towing, recovery, clean-up of the accident site and recompense for the damaged freight.

Drivers found to be unlicensed or suspended at the time of an accident, are doing so without the authority or approval of QLS and will be deemed to be liable for all damages/expenses incurred.

Accident report form/QR-code need to be done



QLS Subcontractor driver booklet

Code of conduct

DRIVER & VEHICLE PRESENTATION

- Vehicles must be maintained in a clean and good condition free from contaminants
- Drivers appearance must be clean and presentable at all times

ROAD LAWS

Subcontractors must comply with all road laws and be considerate of others by:

- Being professional at all times
- Being fit for duty
- Observing speed limits and seat belt laws
- Observing Fatigue regulations
- Observing drug and alcohol laws
- Travelling a safe distance from other vehicles
- Travelling in the left lane unless overtaking
- Avoid use of engine brakes in a built up area
- Obeying all other laws

Driver distraction is a risk and to reduce this risk the driver shall:

- Avoid the use of mobile phones, two way radios or other forms of communication when the vehicle is moving
- Fully prepare for any journey to avoid being distracted when driving

SITE PROCEDURES

- All subcontractors must comply with all site procedures, policies and signage while
 on any QLS Management site or the site of any customer of QLS Management. This
 may include random drug testing, post incident testing or if suspected of being
 impaired.
- Subcontractors must be polite and courteous to customers and their employees.
 They are not to become involved in any verbal or physical altercation, but refer back to the relevant QLS manager

FREIGHT SECURITY

- Subcontractors must ensure that all loads are appropriately secured for safe travel in accordance to the current version of the NTC Load Restraint Guide or better.
- Load security is to be checked regularly during transit to ensure that it continues to comply for the duration of the journey.



QLS Subcontractor driver booklet

Fatigue Management

Driver fatigue or drowsy driving is a safety hazard for the road transport industry. The main causes of fatigue are not enough sleep, driving at night (when you should be asleep) and working or being awake for a long time. It is important to be aware of the signs of fatigue.

Fatigue-regulated heavy vehicles

National heavy vehicle driver fatigue laws apply to fatigue-regulated heavy vehicles, which are:

- a vehicle with a Gross Vehicle Mass (GVM) of over 12t
- a combination when the total of the GVM is over 12t
- buses with a GVM over 4.5t fitted to carry more than 12 adults (including the driver)
- a truck, or a combination including a truck, with a GVM of over 12t with a machine or implement attached.

At the heart of the laws for fatigue management is a primary duty - a driver must not drive a fatigue-regulated heavy vehicle on a road while impaired by fatigue

Standard hours

Work and rest hour requirements under standard hours. Standard hours apply to all drivers who do not have accreditation for fatigue management.

Solo drivers

TIME	WORK	REST
In any period of	A driver must not work for more than a maximum of	And must have the rest of that period off work with at least a minimum rest break of
5 ½ hours	5 ¼ hours work time	15 continuous minutes rest time
8 hours	7 ½ hours work time	30 minutes rest time in blocks of 15 continuous minutes
11 hours	10 hours work time	60 minutes rest time in blocks of 15 continuous minutes
24 hours	12 hours work time	7 continuous hours stationary rest time*
7 days	72 hours work time	24 continuous hours stationary rest time
14 days	144 hours work time	2 x night rest breaks** and 2 x night rest breaks taken on consecutive day

^{*}Stationary rest time is the time a driver spends out of a heavy vehicle or in an approved sleeper berth of a stationary heavy vehicle. #Night rest breaks are 7 continuous hours stationary rest time taken between the hours of 10pm on a day and 8am on the next day (using the time zone of the base of the driver) or a 24 continuous hours stationary rest break

The above Regulations for Standard Hours Solo Drivers can be simplified into the following guideline. Work 5 hours take a 30-minute break, work 5 hours take a 30-minute break, work 2 more hours and you are at the maximum allowable working hours per day.

Or in any 24-hour period a driver can only work 13 hours with 2 x 30-minute breaks. Follow this guide and you will always be compliant with the Standard Hours Solo Driver Regulations



QLS Subcontractor driver booklet

Fatigue Management

Daily work and rest hours planner

Daily work and rest hours planner—Standard hours (solo drivers)	ndard n	onrs (so	lo arivers	2)								
If you start work at:	12:00	12:15	12:30	12:45	1:00	1:15	1:30	1:45	2:00	2:15	2:30	2:45
you must take at least a 15 minute break before:	5:30	5:45	00:9	6:15	6:30	6:45	7:00	7:15	7:30	7:45	8:00	8:15
and at least another 15 minute break before:	8:00	8:15	8:30	8:45	00:6	9:15	9:30	9:45	10:00	10:15	10:30	10:45
and at least another 30 minute break before:	11:00	11:15	11:30	11:45	12:00	12:15	12:30	12:45	1:00	1:15	1:30	1:45
If you start work at:	3:00	3:15	3:30	3:45	4:00	4:15	4:30	4:45	9:00	5:15	5:30	5:45
you must take at least a 15 minute break before:	8:30	8:45	00:6	9:15	9:30	9:45	10:00	10:15	10:30	10:45	11:00	11:15
and at least another 15 minute break before:	11:00	11:15	11:30	11:45	12:00	12:15	12:30	12:45	1:00	1:15	1:30	1:45
and at least another 30 minute break before:	2:00	2:15	2:30	2:45	3:00	3:15	3:30	3:45	4:00	4:15	4:30	4:45
If you start work at:	00:9	6:15	08:9	6:45	7:00	7:15	7:30	7:45	8:00	8:15	8:30	8:45
you must take at least a 15 minute break before:	11:30	11:45	12:00	12:15	12:30	12:45	1:00	1:15	1:30	1:45	2:00	2:15
and at least another 15 minute break before:	2:00	2:15	2:30	2:45	3:00	3:15	3:30	3:45	4:00	4:15	4:30	4:45
and at least another 30 minute break before:	2:00	5:15	5:30	5:45	00:9	6:15	6:30	6:45	7:00	7:15	7:30	7:45
If you start work at:	9:00	9:15	9:30	9:45	10:00	10:15	10:30	10:45	11:00	11:15	11:30	11:45
you must take at least a 15 minute break before:	2:30	2:45	3:00	3:15	3:30	3:45	4:00	4:15	4:30	4:45	2:00	5:15
and at least another 15 minute break before:	2:00	5:15	08:3	5:45	00:9	6:15	6:30	6:45	7:00	7:15	7:30	7:45
and at least another 30 minute break before:	8:00	8:15	08:30	8:45	00:6	9:15	9:30	9:45	10:00	10:15	10:30	10:45





QLS Subcontractor driver booklet

Manual handing guidelines

Trolley selection:

TYPE OF ERGONOMICALLY DESIGNED TROLLEY	MAXIMUM LBA LOAD (KG)	MAXIMUM TRANSPORT DISTANCE (M)	MAXIMUM FREQUENCY OF USE IN 8H SHIFT	NUMBER OF PERSONS TO HANDLE TROLLEY
Two – Wheel hand truck	100	100	200	1 2 if poor visibility
Two - Wheel hand truck	200	35	50	2
Three – Wheel hand truck	RL	400	200	1 2 if poor visibility
Four - Wheel hand trolley or Five - Wheel hand trolley or Six - Wheel hand trolley	RL	400	200	1 2 if poor visibility 2 if long item
Hand pallet jack		35	200	1 2 if poor visibility
Electric pallet jack	RL	100	400	1
Electric walkie stacker	RL	100	400	1
Forklift	RL	400	400	1
Powered ride-on pallet mover	RL	400	400	1



QLS Subcontractor driver booklet

Manual handing guidelines

Team lifting:

The capacity of the team in a team lift is less than the sum of the individual capacities of the members of the team.

Heavy items such as Oven/washing machine MUST use M/H equipment provided and use of 2 man lift as required.

If items are deemed to be loaded in an unsafe manner, contact transport office for further instruction.

(DO NOT attempt to manual handle if unsafe to do so.)

Team lifting occurs when more than one person is involved during the lift.

- Use team lifting and carrying where other solutions are inappropriate.
- Remember that the combined strength of the team is less than the sum of individual strengths.
- Select team members of similar height and strength.
- Assign a leader to the team.
- Determine a set of commands to be used such as lift, walk, stop, down. Make sure that everyone knows what to do when they hear the command.
- Follow the commands given by the team leader.
- Practise team lifting and carrying together before attempting the task.





Specialists in White and Brown Goods

WAREHOUSING | LOGISTICS | DISTRIBUTION

QLS Subcontractor driver booklet

Unloading/Delivery technical

Using hand trolley:














Using Foldia:





QLS Subcontractor driver booklet

Loading requirement/restraint

What are loading requirements?

Under the HVNL, a load on a heavy vehicle must:

- not be placed in a way that makes the vehicle unstable or unsafe
- be secured so it's unlikely to fall or be dislodged from the vehicle
- be restrained:
- -using an appropriate method of restraint
- -in a way that meets the loading performance standards contained in the Heavy Vehicle (Mass, Dimension and Loading) National Regulation (Regulation)

Why are loading requirements important?

Poorly loaded or inadequately restrained loads may cause injuries and fatalities when:

- heavy objects fall from vehicles onto other vehicles or pedestrians
- drivers swerve to avoid falling or fallen items from vehicles
- spillage on roads from vehicles causes other vehicles to skid and lose control
- unrestrained loads crash into vehicle cabins during emergency braking
- vehicles overturn when loads shift during cornering

How to load safely

the responsible person(s) should:

- choose a suitable vehicle for your load type and size
- position the load correctly on the vehicle to maintain adequate stability, steering and braking
- use a suitable load restraint system with equipment of adequate strength and in serviceable condition

Assessing loading requirements

Poorly loaded or inadequately restrained loads may cause injuries and fatalities when:

- heavy objects fall from vehicles onto other vehicles or pedestrians
- drivers swerve to avoid falling or fallen items from vehicles
- spillage on roads from vehicles causes other vehicles to skid and lose control
- unrestrained loads crash into vehicle cabins during emergency braking
- vehicles overturn when loads shift during cornering

Driver responsibilities

Before starting and throughout a journey, drivers should ensure that they:

- do not drive on a road when the heavy vehicle or its load does not comply with the loading requirements for that vehicle
- carry out periodic checks to ensure the load hasn't shifted and is still secure.

Check at every drop ensure it meet requirement !!!

Operator responsibilities

- an appropriate vehicle is used to transport the load and the load is positioned on the vehicle in a way to maintain stability
- they do not permit a vehicle to be driven on a road if it or its load does not comply with the loading requirements for that vehicle
- any load restraint system used meets the performance standards contained in the Regulation
- load restraint equipment used to restrain any load is appropriate, fit for purpose and in good condition



QLS Subcontractor driver booklet

Loading requirement/restraint *Remember downsize & security load by every drop




If you don't downsize & restraint, it will end up like






WAREHOUSING | LOGISTICS | DISTRIBUTION QLS Subcontractor driver booklet Radaro Standard Operating Procedure






QLS Subcontractor driver booklet

On board





QLS Subcontractor driver booklet






QLS Subcontractor driver booklet

Finish trip


Once you have completed all your jobs, you will see no more active jobs listed.

Keep Radaro online until you are back to the depot or home.

Click" Working" on the top when you are back to depot or home to end your shift.



ONLY DO THIS AT THE END OF YOUR WORKDAY, i.e., return to the yard or returned home.





QLS Subcontractor driver booklet

Driver frequently asked question & procedures

No one is home.

Call the customer on the number provided and leave a message.

"Hi it's Jake from QLS I have your TV for delivery and am at your property now."

"Please call 0417354147 urgently, as I will have to move on in 15 minutes and your delivery will need to be re-scheduled for another day"

Wait 10 minutes, contact the office for instructions.

• I'm on my own and the customer has stairs or steps (more than 4)

Is the item light/small enough to deliver safely?

Can you deliver somewhere downstairs?

Can the customer safely assist?

YES, deliver the item.

NO, advise the customer.

"You are unable to safely deliver the item and it will need to be re-scheduled on another truck with a jockey/helper.

The office will be in contact with you to advise when the next available 2 man truck is in your area. Or you can call 041734147(Metro) 0438632623(Country) directly for more information & options."

2 man job & the customer wants/needs to help.

Customer must not help, driver has to contact transport office for instruction

• I can't find the item on my truck?

Contact the office for instructions.

Do Not Fail the Job on Radaro before receiving instructions.

• The item/carton on my truck is damaged.

Contact the office for instructions.

Do Not Fail the Job on Radaro before receiving instructions.

My RADARO has No Jobs.

Contact the office for instructions.

• I am unable to work. Sick or running late to start work.

As soon as possible you <u>must</u> contact your manager ASAP Leve a message if no answer regardless of time of day.

• I need to organise a day off.

Under the independent contractor agreement the contractors is responsible to ensure they have a relief driver available to maintain their vehicles availability for work.

QLS understands this is not always possible and in these cases.

QLS will do its best to accommodate and independent contractor requests for planned time off it may not always be possible.

The earlier the notice the better.

Contact number:

Metro fleet – 041734147 Country fleet – 0438632623 Office – 0731712444

Transport Manager – Benn Bergan 0439635949



QLS Subcontractor driver booklet

Sub-contractor compliance statement

QLS Management recognises its duty of care under National State and Territory Chain of Responsibility, Transport Industry and OH&S legislation for the management of subcontractor road transport operators. Legislation places several obligations on prime contractors to manage sub-contractor activities. The online Induction on WHSM has been designed to provide road transport sub-contractors with a guideline for meeting the minimum standards expected for an approved QLS Management road transport subcontractor.

The online induction can also be used to assist transport operators in understanding and fulfilling their obligations under the Heavy Vehicle National Law 2012 and general WH&S / OH&S laws. QLS Management road transport sub-contractors need to review and complete the online process in line with their own company policies and procedures, provide responses to each applicable section and, where instructed, provide documented evidence of compliance.

Sub-contractor Acknowledgement:	
I / We the undersigned, representingin the online induction, truthful and accurate inforthe online induction.	
I / we have also provided current copies of docum the requirements of the organisation under the Ch WH&S legislation.	•
The company representative signing below also accontracted works in accordance with the Code of Requirements as outlined in the QLS sub-contracted	Conduct and Sub-contractor Service
Responsible person's name:	
Responsible person's title:	
Signature:	Date:
Witness name:	
Witness Signature:	Date: