

Aerial Map



Boundary Center: 44° 52' 29.51, -97° 3' 45.41


10-116N-52W
Codington County
South Dakota



12/23/2025


Field borders provided by Farm Service Agency as of 5/21/2008.

Northwest Quarter Section 10, Township 116 North, Range 52 West of the 5th P.M., Codington County, South Dakota.



Cell: (605) 880-3108 • Phone: (605) 878-2007
808 South Maple • Watertown, SD 57201
macklandsurveying@gmail.com

Marty Mack
Registered Land Surveyor
Certified Federal Surveyor




Marty W. Mack
Registered Land Surveyor

South Half of the Southwest Quarter Section 3, Township
116 North, Range 52 West of the 5th P.M., Codington
County, South Dakota.

29th Street East

S 1/2 SW 1/4



79.40 Acres

Gas Main

High Pressure Gas Main

OH Electric

Metal Tower

SW Sec 3

Power Pole (Typ.)

Metal Tower

OH Electric

125'
Transmission Line
Easement

OH Electric

20th Avenue South

High Pressure Gas Main

U.S. I-29




Marty Mack
Registered Land Surveyor
Certified Federal Surveyor

Cell: (605) 880-3108 • Phone: (605) 878-2007
808 South Maple • Watertown, SD 57201
macklandsurveying@gmail.com




Soils Map



©2025 AgriData, Inc.

Soils data provided by USDA and NRCS.



State: **South Dakota**
 County: **Codington**
 Location: **10-116N-52W**
 Township: **Sheridan**
 Acres: **238.24**
 Date: **12/23/2025**

Maps Provided By: **surety**
 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2025 www.AgriDataInc.com



Area Symbol: SD029, Soil Area Version: 29

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Productivity Index	*n NCCPI Soybeans
Z142B	Barnes-Buse-Svea loams, 1 to 6 percent slopes	62.32	26.2%		Ile	79	63
Z192B	Vienna-Brookings complex, 1 to 6 percent slopes	54.65	22.9%		Ile	86	68
Z142C	Barnes-Buse-Svea loams, 2 to 9 percent slopes	40.69	17.1%		IIle	68	64
Z162A	La Prairie loam, coteau, 0 to 2 percent slopes, occasionally flooded	22.23	9.3%		Is	93	67
Z153A	Lamoure-Rauville silty clay loams, channeled, 0 to 2 percent slopes, frequently flooded	17.60	7.4%		VIw	13	18
Z117A	Mckranz-Badger silty clay loams, 0 to 2 percent slopes	16.98	7.1%		IIs	80	54
Z167A	Renwash loam, 0 to 2 percent slopes, rarely flooded	9.48	4.0%		IIIs	47	21
Z192A	Vienna-Brookings complex, 0 to 2 percent slopes	5.50	2.3%		Is	90	69
J143A	Kranzburg-Brookings silty clay loams, 0 to 2 percent slopes	4.18	1.8%		Is	93	70
Z217A	McKranz silty clay loam, 0 to 2 percent slopes	4.11	1.7%		IIs	75	56
Z140F	Buse-Langhei complex, coteau, 15 to 40 percent slopes	0.50	0.2%		VIIle	19	12
Weighted Average					2.38	74.3	*n 59.1

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.