



*for Life...*



**searle**

**interphar**

# ABOUT US



Scott-Edil group of companies is dedicated to quality healthcare since the last two decades. We have four regulatory approved world class manufacturing facilities that are designed to maximize productivity for us and quality for you.

We are currently approved in about twenty countries and are continuously expanding. We supply in a variety of dosage forms including dry powder injections, eye/ear drops, tablets, capsules, oral liquids, external preparations and sachets.

We have a separate dedicated state of the art facilities for cephalosporins and penicillins.

We are WHO-GMP ISO 9001:2008 certified in all our companies. We offer more than 700 products across various therapeutic segments including antibiotics, analgesics, anti-hypertensives, anti-diabetics and vitamin supplements.

## Contact us

Mr. Raghav Mittal  
+91 7087480268, +91 9871578068  
Email: [raghav@scott-edil.com](mailto:raghav@scott-edil.com)

Mr. Raman Deep Nagpal  
+91 9805517824  
Email: [searleinterphar@scott-edil.com](mailto:searleinterphar@scott-edil.com)

Ph. No: 0172-5151200, 201

Website: [www.scott-edil.com](http://www.scott-edil.com)



# From the Managing Director's Desk...

Our vision at Scott-Edil is to be a leading pharmaceutical company in India and become a significant global player by providing high quality, affordable and innovative solutions in medicine and treatment.

Our target is to enhance business growth by enabling engagement and performance. We will continue to deliver, develop and successfully market pharmaceutical products to prevent, diagnose and cure diseases. We have redefined ourselves to grow to the next level and have hence built a solid foundation for the company's long term development. While we shall have a disciplined and systematic approach to growth. We shall also ensure there is considerable respect to all aspects of compliance and regulatory requirements.



Our aim is to build a tomorrow where we have wiped disease. We shall aim higher, move faster and perform better with each day. Our goals indeed have a stretch but are within reach based on our capabilities. Our team will never let you down. We will dauntlessly venture into the promising future of pharmaceuticals and your company will always be vigilant. We are looking to streamline all processes and improve transparency.

As we surge ahead, your belief in Scott-Edil's potential shall take Scott-Edil forward towards emerging as a truly global and innovative pharmaceutical company.

Thanks & Regards

A handwritten signature in black ink, appearing to be 'S. Singh', written in a cursive style.

(Scott-Edil Group)



**SCOTT EDIL PHARMACIA LIMITED**  
BADDI, HIMACHAL PRADESH

Scott Edil Pharmacia Ltd

**W.H.O. APPROVED GENERAL FACILITY**



**SCOTT EDIL PHARMACIA LIMITED UNIT-II**  
BADDI, HIMACHAL PRADESH

Scott-Edil

# STRIVING FOR BETTER HEALTH

CORPORATE OFFICE : 28/6 INDUSTRIAL  
AREA, PHASE 2, CHANDIGARH 160 002

## MANUFACTURING PLANTS :

### 1. Scott-Edil Pharmacia Ltd.

56, E.P.I.P., Phase-I, Jharmajri, Baddi, Distt. Solan-173 205 (HP), INDIA

### 2. Scott-Edil Pharmacia Ltd. Unit-II

21-22, E.P.I.P., Phase-I, Jharmajri, Baddi, Distt. Solan - 173 205 (HP), INDIA

### 3. Scott-Edil Advance Research Laboratories & Education Ltd

Hill Top, Industrial Area, Bhatoli Kalan Baddi-173 205

### 4. B.M. Pharmaceuticals

47-48, Industrial Area, Phase-II, Chandigarh - 160 002



**Scott-Edil Advance Research  
Laboratories & Education Ltd**

BADDI, HIMACHAL PRADESH

**USFDA UKMHRA Compliant  
dedicated Cephalosporin  
formulation facility**

# CERTIFICATIONS BY



- (Afghanistan)



- (Bolivia)



- (Cambodia)



- (Cote D'ivoire Ghana)



- (Dominican Republic)



- (Ecuador)



- (Iran)



- (Iraq)



- (Kenya)



- (Libya)



- (Libya)



- (Mali)



- (Mozambique)



- (Nigeria)



- (Papua New Guinea)



- (Philippines)



- (Sri Lanka)



- (Syria)



- (Tanzania)



- (Thailand)




- (Yemen)

<b>A.GENERIC SALTS</b>			
<b>1. ALBENDAZOLE:-</b>			
I.EXYT 400 TAB	03		
II.EXYT DROP	43		
<b>2. ATENOLOL WITH COMBINATION:-</b>			
I.AMLOTIS AT TAB	11		
<b>3. ATORVASTATIN:-</b>			
I.LIPISAFE-10 TAB	14		
II.LIPISAFE-20 TAB	14		
<b>4. AZITHROMYCIN &amp; COMPOSITION:-</b>			
I.AZIPHAR-250 TAB	01		
II.AZIPHAR-500 TAB	01		
III.AZITHROMB-250 TAB	58		
IV.AZITHROMB-500 TAB	58		
V.AZITIS-250 TAB	01		
VI.AZITIS-500 TAB	01		
VII.AZIPHAR 100MG/200MG DROP	42		
<b>5. AMOXICILLIN &amp; COMBINATION:-</b>			
I.MOXVID 125 DT TAB	12		
II.MOXVID 250 DT TAB	11		
III.NOVAMENTIN 375 TAB	05		
IV.NOVAMENTIN 625 TAB	06		
V.NOVAMENTIN 1 GM TAB	06		
VI.AMDICLOX CAP	27		
VII.MOXVID 250 CAP	24		
VIII.MOXVID 500 CAP	24		
IX.MOXVID 30 ML/ 60 ML SYP	45		
X.NOVAMENTIN DRY SYP	46		
XI.NOVAMENTIN-300 INJ	37		
XII.NOVAMENTIN-600 INJ	37		
XIII.NOVAMENTIN 1.2GM INJ	37		
<b>6. ACECLOFENAC &amp; COMBINATION:-</b>			
I.PRESTIFLAM TAB	09		
II.PRESTIFLAM-MR TAB	09		
III.PRESTIFLAM-S TAB	09		
IV.PRESTIFLAM-SP TAB	09		
V.THIOPAIN TAB	13		
VI.ZUMO SUSP	45		
VII.PRESTIFLAM OINT	54		
<b>7. AMPICILLIN &amp; COMBINATION:-</b>			
I.AMPILON-250 CAP	23		
II.AMPILON-500 CAP	23		
III.AMPILON-C CAP	23		
IV.AMPILON-D CAP	23		
V.AMPILON INJ.	31		
VI.AMPILON -C INJ.	31		
<b>8. AMBROXOL &amp; COMBINATION:-</b>			
I.AMBRODOZ -LCZ	59		
<b>9. ARTESUNATE:-</b>			
I. FALCINOVA INJ	31		
<b>10. ALLOPURINOL</b>			
I.ZYLOTIS 100MG	12		
II.ZYLOTIS 300MG	12		
<b>11. ALPHA AMYLASE:-</b>			
I.NUTRIZYME SYP	56		
<b>12. ALPHA BETA ARTEETHER:-</b>			
I. ARTEFAR INJ	32		
<b>13. AMIKACIN WITH COMBINATION:-</b>			
I.MIKADIL 100 INJ	33		
II.MIKADIL-500 INJ	33		
III.MIKASCOT 100	33		
IV.MIKASCOT 500	33		
<b>14. ANTIBACTERIAL:-</b>			
I.GLOWSHINE SOAP	62		
<b>15. BISACODYL:-</b>			
I.DULAX TAB	02		
<b>16. BETAHISTINE HYDROCHLORIDE</b>			
I.VERTIHIST-8MG TAB	21		
II.VERTIHIST-16MG TAB	21		
<b>17. BETAMETHSONE &amp; COMBINATION :-</b>			
I.DUOSALIC OINT	53		
<b>18. BECLOMETHASONE &amp; COMBINATION:-</b>			
I.BETMET-CG OINT	53		
II.BETMET-N OINT	53		
III.CANDIZOLE-B OINT	53		
IV.PILE CLEAR OINT	54		
V.QUICKDERM OINT	55		
VI.FUSISCOT-B OINT	60		
<b>19. CALCIUM &amp; COMBINATION:-</b>			
I.CALDIMAX TAB	21		
II.CALDIMAX K2 TAB	21		
III.CALDIMAX-D3 SYP	44		
IV.CALDIMAX-B12 SYP	44		
<b>20. CEFIXIME &amp; COMBINATION:-</b>			
I.CEF-O 100 TAB	01		
II.CEF-O 200 TAB	01		
III.FOTAZ-OF TAB	04		
IV.FOTAZ-O-100 TAB	04		
V.FOTAZ-O-200 TAB	04		
VI.FOTAZ-O-50 TAB	03		
VII.FOTAZ- CV TAB	21		
VIII.FOTAZ-HD 200 CAP	27		
IX.FOTAZ- OF 30ML SUSP	59		
X.FOTAZ CV DRY SYP	46		
XI.FOTAZ- OF DRY SYP	46		
XII.FOTAZ-O DRY SYP	46		
<b>21. CEFPODOXIME:-</b>			
I.FERPOD 200MG TAB	03		
II.FERPOD 100 DT TAB	03		
III.FERPOD 30ML DRY SYP	45		
IV.FERPOD CV DRY SYP	45		
<b>22. CEPHALEXIN:-</b>			
I.NEXPORIN-125 DT TAB	08		
II.NEXPORIN-250 DT TAB	08		
III.NEXPORIN 250MG CAP	24		
IV.NEXPORIN 500MG CAP	24		
V.NEXPORIN DRY SYP	47		
<b>23. CEFADROXIL:-</b>			
I.DROXYFAR 500 TAB	03		
<b>24. CETRIZINE &amp; COMBINATION:-</b>			
I.CETIFAR TAB	11		
II.CETIFAR COLD TAB	11		
III.CETIFAR SYRUP	46		
IV.CETIFAR PLUS SYRUP	46		
<b>25. CHOLECALCIFEROL:-</b>			
I.CALDEE 3 CAP	28		
II.CALDEE-D3 DROP	59		
<b>26. CHLORAMPHENICOL:-</b>			
I.POLMYCETIN 250 CAP	24		
II.POLMYCETIN 500 CAP	24		
III.POLMYCETIN SYP	43		
IV.POLMYCETIN INJ	34		
V.POLMYCETIN-DX E/E DROP	51		
<b>27. CHLORPHENIRAMINE &amp; COMBINATION:-</b>			
I.KUFDOZ SYP	41		
<b>28. CIPROFLOXACIN &amp; COMPOSITION:-</b>			
I.CIFBAX 250 TAB	01		
II.CIFBAX 500 TAB	01		
III.CIFRATAB-250 TAB	02		
IV.CIFRATAB-500 TAB	02		
V.CIFRATAB-TZ TAB	02		
VI.CIFBAX EYE DROP	49		
VII.CIFBAX-DX EYE DROP	49		
VIII.CIFBAX-B EYE DROP	49		
<b>29. CLOPIDOGREL AND COMBINATION:-</b>			
II.ANTICLOT 75 TAB	13		
III.ANTICLOT AP 75 TAB	13		
<b>30.CINNARIZINE &amp; COMBINATION:-</b>			
I.STUZINE TAB	20		
II.STUZINE-D TAB	20		
<b>31. CEFUROXIME AXETIL</b>			
I.ZETUM-250 TAB	07		
II.ZETUM-500 TAB	07		
III.ZETUM 1.5 GM INJ	35		
IV.ZETUM 750 MG INJ	35		
<b>32. CYPROHEPTADINE &amp; COMBINATION:-</b>			
I.APPETIME DROP	47		
II.APPETIME SYP	57		
<b>33. CEFOTAXIME:-</b>			
I.FOTAZ 1GM INJ	32		
II.FOTAZ 250 MG INJ			
<b>34 CEFTAZIDIME :-</b>			
I.MAGNAZID 1 GM INJ	32		
II.MAGNAZID 250 MG INJ	32		
<b>35. CEFOPERAZONE WITH SULBACTUM:-</b>			
I.MAGNAZONE 1GM INJ	33		
II.MAGNAZONE SB 1 GM INJ	33		
III.MAGNAZONE SB 1.5 GM INJ	33		
<b>36. CEFTRIAZONE OR/ &amp; COMBINATION:-</b>			
I.MONOSCOT-1 GM INJ	34		
II.MONOSCOT-250 INJ	34		
III.MONOSCOT-500 INJ	34		
IV.MONOSCOT-SB 1.5 MG INJ	34		
V.MONOSCOT TZ 1.125 INJ	34		
<b>37. CHOLECALCIFEROL:-</b>			
I.ORTHOMAX D6 INJ	39		
<b>38. CHLORAMPHENICOL WITH COMBINATION:-</b>			
I.OTIBID EAR DROP	51		
<b>39. CARBOXYMETHYLCELLULOSE WITH COMBINATION:-</b>			
I. REFRESH EYE DROP	51		
<b>40. CLOTRIMAZOLE &amp; COMBINATION:-</b>			
I.ITCH CUTTER OINT	22		
<b>41. CLINDAMYCIN WITH COMBINATION:</b>			
I.CLINDASIL OINT	52		
II.CLINDASIL-A OINT	52		
<b>42. CLOBETASOL WITH COMBINATION:-</b>			
I.CLOBENEX-GM OINT	53		
<b>43.0CHOLINE SALICYLATE WITH COMBINATION:-</b>			
I.NOSORE GEL	55		
<b>44. DOXYLAMINE WITH COMBINATION:-</b>			
I.DOXIVOM PLUS TAB	03		
<b>45. DOXOFYLLINE:-</b>			
I.DOXOFYL 400 TAB	19		
<b>46. DROTAVERINE WITH COMBINATION:-</b>			
I.DROTIPHAR-M TAB	10		
<b>47. DICLOFENAC SODIUM &amp; COMBINATION</b>			
I.PAINDOZ TAB	12		

I.TRIGESIC-MR TAB	05	GERAGEN 20ML INJ	35	<b>84. LIDOCAINE:-</b>	
II.VOLIGESIC-S TAB	11	II.GERAGEN 30 ML INJ	35	I.LIGOCAIN OINT	55
III.VOLIGESIC MR TAB	10	III.GERAGEN 2 ML INJ	36	<b>85. LINEZOLID:-</b>	
IV.VOLIGESIC PLUS TAB	11	IV.GERO E/E DROP	49	I.LINEZO 600 TAB	10
V.VOLIGESIC PLUS TAB (BI-LAYER)	10	V.GERAGEN-D E/E DROP	49	<b>86. LULICONAZOLE:-</b>	
VI.VOLIGESIC-SP TAB	11	<b>68. GLICLAZIDE WITH COMBINATION:-</b>		I.LULITOP CREAM 10GM	61
VII.AQUAGESIC INJ.	32	I.GLIZY-M TAB	17	II. LULITOP CREAM 20GM	61
VIII.VOLIGESIC 3ML INJ	38	<b>69. GLIMEPIRIDE OR/ &amp;COMBINATION:-</b>		<b>87. MEFENAMIC ACID &amp; COMBINATION:-</b>	
IX.VOLIGESIC OINT	54	I.GLYCIMET-PG1TAB	02	I.BRALSPAS PLUS TAB	07
X.VOLIGESIC-PLUS OINT	22	IIGLYCIMET-PG2 TAB	02	II.CYCLOSPAS SYP	42
<b>48. DOXYCYCLIN HYROCHLORIDE:-</b>		III.GPRIDE 1 TAB	17	<b>88. MEGALDRATE AND COMBINATION:-</b>	
I.DOXYSCOT CAP	25	IV.GPRIDE 2 TAB	17	I.ACICURE TAB	62
<b>49. DICYCLOMINE &amp; COMBINATION:-</b>		V.GPRIDE-M1 TAB	17	II.ACICURE ANTACID SYP	62
I.KIDSPAS DROP	48	VI.GPRIDE-M2 TAB	17	<b>89. METFORMIN HYDROCHLORIDE:-</b>	
II.BRALSPAS INJ	35	<b>70. GUAIPHENESIN &amp; COMBINATION:-</b>		I.GLYCIMET-500 SR TAB	17
<b>50. DIMETHICONE WITH COMBINATION :-</b>		I.KUFDOZ-AM SYP	41	II.GLYCIMET-1000 SR TAB	17
I.ACICURE SYP	60	IIKUFDOZ-X SYP	41	<b>90. MECOBALAMIN &amp; COMBINATION:-</b>	
<b>51. DISODIUM HYDROGEN CITRATE:-</b>		<b>71. GAMMA BENZENE WITH</b>		I.MECOFAR TAB	05
I.ALKATIS SYP	43	<b>CETRIMIDE:-</b>		II.MECOFAR-G TAB	05
II.MEGACITRAL SYP	44	ANTISCAB LOTION	54	III.MECOFAR-OD TAB	05
<b>52. DIPHENHYDRAMINE:-</b>		<b>72. HYDROCORTISONE :-</b>		IV.MECOFAR PLUS CAP	25
I.CHEERDRYL SYP	45	I.HYCORLIN INJ	35	V.PG LITE-M CAP	26
<b>53. DIASTASE WITH PEPSIN:-</b>		<b>73. HYDROXYPROGESTERONE</b>		<b>91. METHYLPREDNISOLONE:-</b>	
I.DIGESTOZYME SYP	44	<b>CAPROATE:-</b>		I.METHYCORT-4 TAB	10
<b>54. DEXAMETHASONE:-</b>		I.PREGSAFE-250 INJ	38	II.METHYCORT 1 GM INJ	36
I.DEXADRAN 2 ML/ INJ	37	II.PREGSAFE-500 INJ	38	<b>92. MONTELUKAST &amp; COMBINATION:-</b>	
II.DEXADRAN 10 ML INJ	37	<b>74. HEPARIN SODIUM WITH</b>		I.LEVOMONT FX TAB	14
III.DEXADRAN 20 ML INJ	37	<b>COMBINATION:-</b>		II.LEVOMONT LC TAB	14
IV.DEXADRAN 30 ML INJ	37	I.THROMBOSCOT OINT	60	III. LEVOMONT LC SYP	47
<b>55. DEXTROMETHORPHAN:-</b>		<b>75. ITROCONZOLE &amp; COMBINATION:-</b>		<b>93. MULTIVITAMINS:-</b>	
I.KUFDOZ-DX SYP	41	I.ITROZOL-100/200 CAP	25	I.AFTER 40 TAB	17
II.KUFDOZ-4 KID SYP	60	II.ITROZOLE PLUS CAP	58	II.LYCOTIS PLUS TAB	24
III.KUFRID 100ML SYP	59	III.ITROZOL GEL	60	III.LIKCEE TAB	20
<b>56. DEFLAZACORT:-</b>		<b>76. IBUPROFEN &amp; COMBINATION:-</b>		IV.NUTRICH EXTRA CAP	25
I.DEZACORT 6 TAB	20	I.CHILDREN'S COMBIPAIN SYP	42	V.CALDIMAX SG CAP	28
<b>57. ERYTHROMYCIN:-</b>		<b>77. KETOCONAZOLE &amp; COMBINATION:-</b>		VI.CALDEE 3 CAP	28
I.ERYCIL OINT	53	I.KETOSCOT SOAP	62	VII.LYCOPIN RED CAP	28
<b>58. ETORICOXIB:-</b>		II.DERMISCOT-K5 OINT	61	VIII.LYCOPIN RED GL CAP	30
I.ETORINEX-90 TAB	05	III.KETOPHAR CREAM	61	IX.NUTRICH CAP	27
II.ETORINEX-120 TAB	05	IV.KETOPHAR-B CREAM	61	X.NUTRIFERROL CAP	30
<b>59. ELEMENTAL IRON:-</b>		<b>78. LACTULOSE:-</b>		XI.NUTRIPOWER CAP	29
I.FEPHAR-Z CAP	23	I.LACTOFAR-100ML/ 200 ML SYP	44	XII.MULTITASQUE CAP	29
II.FEM RED DROP	48	<b>79. LIGNOCAINE &amp; COMBINATION:-</b>		XIII.RENUTRA 40 CAP	27
<b>60. ETAMSYLATE:-</b>		I.LIGOCAIN 30 ML INJ	37	XIV.BECOPLEX DROP	57
I.ETHAM INJ.	38	II.LIGOCAIN-ADR INJ	37	XV.NUTRIPOWER DROP	48
<b>61. FEXOFENADINE:-</b>		<b>LEVOFLOXACIN &amp; COMBINATION:-</b>		XVI.NUTRIGLOW DROP	59
I.ELTEGRA 180 TAB	12	I.LEVONA 500 MG TAB	15	XVII.NUTRIZYME DROP	48
II.ELTEGRA 120 TAB	12	II.LEVOTAB 250 MG TAB	04	XVIII.VI-MINERAL DROP	59
III.ELTEGRA SYP	41	III.LEVOTAB 500 MG TAB	04	XIX.LYCOPIN RED SYP	47
<b>62. FEBUXOSTAT:-</b>		IV.LEVOTAB 750 MG TAB	04	XX.BECOPLEX SYP	57
I.FEBUPHAR-40/80 TAB	15	<b>80. LEVOCETIRIZINE &amp; COMBINATION:-</b>		XXI.MALTORANGE SYP	56
<b>63. FOLIC ACID &amp; COMBINATION:-</b>		I.LEVOCETRAL TAB	13	XXII.MEGAFERROL 450GM	57
I.FEM RED XT TAB	19	II.LEVOCETRAL-AM TAB	13	XXIII.NUTRIACTIVE SYP	56
II.FOLIMAX TAB	18	III.LEVOCETRAL SYP	47	XXIV.NUTRIGAIN SYP	56
<b>64. FLUCONAZOLE:-</b>		IV.KUFDOZ TOTAL TAB	60	XXV.NUTRIGLOW SYP	56
I.FLUTIS-150 TAB	03	<b>81. LOSARTAN POTASSIUM &amp;</b>		XXVI.NUTRIPHAR SYP	57
II.ZOLECON 200MG TAB	03	<b>COMBINATION:-</b>		XXVII.NUTRIPOWER SYP	56
<b>65. FLUCINOLONE ACETONIDE WITH</b>		I.LOSASCOT TAB	58	XXVIII.COMBIKIT-12 INJ	40
<b>COMBINATION:-</b>		II.LOSASCOT-H TAB	58	XXIX.INCREMAX 10 ML INJ	36
I.CIFBAX FC OINT	53	<b>82. LOPERAMIDE:-</b>		XXX.VITANOV KIT INJ	40
<b>66. FRADIOMYCIN SULPHATE :-</b>		I.MEGALOP CAP	23	<b>94. METHYLCOBALAMIN WITH</b>	
I.SOFRANEX OINT	54	<b>83. LACTOBACILLUS ACIDOPHILUS &amp;</b>		<b>COMBINATION:-</b>	
<b>67. GENTAMICIN WITH COMBINATION:-</b>		<b>COMBINATION:-</b>		I.MECOFAR INJ	37
I.GERAGEN 10 ML INJ	35	I.DUOBIOTIC CAP	26	II.MECOFAR PLUS INJ	37



<b>95. MEROPENAM:-</b>		VIII.KUFDOZ BABY SYP	45	<b>128. SILVER SULFADIAZINE WITH COMBINATION:-</b>	
I.MEROMAX 1 GM INJ	32	IX.POLYMOL SUSP	43	I.BURNIL OINT	55
<b>96. METHYLERGOMETRINE MALEATE:-</b>		X.POLYMOL DS SUSP	43	<b>129. Testosterone:-</b>	
I.METHIPHAR INJ	38	XI.POLYMOL PLUS SYP	43	i.Sustaviron 250mg Inj	31
<b>97. MOXIFLOXACIN:-</b>		XII.POLYMOL INJ	37	ii. Testanate Depot 250mg Inj	39
I.MOXIFAR EYE DROP	51	<b>110. PANTOPRAZOLE &amp; COMBINATION:-</b>		<b>130. Telmisartan &amp; Combination:-</b>	
<b>98. MOMETASONE &amp; COMBINATION :-</b>		I.PATROVA-40 TAB	19	I.Telmisafe-40 Tab	15
I.ELOCORT OINT	54	II.PATROVA-D TAB	19	II.Telmisafe-80 Tab	15
II.GLOSHINE OINT	52	III.PATROVA DSR CAP	26	III.Telmisafe-H Tab	15
III.MELOTIS-HT OINT	53	IV.PATROVA INJ	40	<b>131. Tenecliptin &amp; Combination:-</b>	
<b>99. MUPIROCIN:-</b>		V.PUNTO IV INJ	40	I.Telniscot-20 Tab	21
I. FERBACT OINT	55	<b>111. PIROXIACM &amp; COMBINATION:-</b>		II.Telniscot-M 500/1000mg Tab	05
<b>100. MICONAZOLE WITH FLUCINOLONE:-</b>		I.PIRONEX TAB	09	<b>132.Terbutaline &amp; Combination:-</b>	
I.MICOSIL-FC OINT	54	II.PIRONEX 2 ML INJ	37	i.Kufdoz-BR Syp	41
<b>101. NANDROLONE:-</b>		<b>112. PROCHLORPERAZINE MALEATE &amp; COMBINATION:-</b>		<b>133.Terbinafine:-</b>	
I.DURADEC-100 INJ	39	I.PROMETIL – MD TAB	15	i.Terbiscot Cream	60
II.DURADEC-25 INJ	39	II.PROMETIL – PLUS TAB	58	<b>134. Tramadol:-</b>	
III.DURADEC-50 INJ	39	<b>113. PHENYLEPHRINE &amp; COMBINATION:-</b>		I.Trampoo Tab	10
<b>102. NIMESULIDE &amp; COMBINATION:-</b>		I.TRICOLD DROP	48	II.Tramafar Cap	26
I.NIMAX TAB	08	II.TRICOLD PLUS DROP	48	III.Tramafar Inj	38
II.NIMAX-MD TAB	08	III.TRICOLD SYP	41	<b>135. Tranexamic acid &amp; combination:-</b>	
III.NIMPOO TAB	09	IV.TRICOLD PLUS SYP	41	I.Tranex 500mg Tab	19
IV.TRICOLD ACTIVE TAB	61	<b>114. PIPERACILLIN WITH TAZOBACTUM:-</b>		ii.Tranex MF Tab	19
V.ZUMO TAB	11	I.TAZOMAX 4.5GM INJ	35	iii.Tranex 500mg inj	36
<b>103. NORFLOXACIN &amp; COMBINATION:-</b>		<b>115. PERMETHRIN:-</b>		<b>136. Triamcinolone:-</b>	
I.NORBAX-400 TAB	08	I.ANTISCAB SOAP	62	i.Tramicort Inj	39
II.NORBAX-TZ TAB	08	II.PERFACT OINT	52	<b>137. Tobramycin With Combination:-</b>	
III.NORBAX M SYP	42	<b>116. PARADICHLOROBENZENE &amp; COMBINATION:-</b>		i.Tovid 10 ml E/E Drop	51
<b>104. NEEM OIL WITH ALOE VERA:-</b>		I.WAX CARE 10 ML E/E DROP	51	ii.Tovid D E/E Drop	51
I.NEEMSCOT SOAP	62	<b>117. POVIDONE &amp; COMBINATION:-</b>		<b>138. Tamsulosin With Combination:-</b>	
<b>105. OFLOXACIN AND COMBINATION:-</b>		I.POVIMAX 15 GM/ 20 GM OINT	52	i.Tamsutab-D Tab	58
I.OFRIVID 200 TAB	16	II.POVIMAX-M OINT	52	<b>139. Ursodeoxycholic Acid</b>	
II.OFRIVID 400 TAB	16	<b>118. POTASSIUM NITRATE WITH COMBINATION:-</b>		I.Udifast 150 Tab	15
III.OFRIVID OR TAB	16	I. SENSOCHK-F (ORAL GEL)	55	II.Udifast 300 Tab	15
IV.OFRIVID RED 200 MG TAB	16	<b>119. PREDNISLONE:-</b>		<b>140. Voglibose</b>	
V.ZANOTAB 200 TAB	07	I.WYPRED 5 18		I.Volibose 0.2 Tab	13
VI.ZANOTAB-OR TAB	07	<b>120. RABEPRAZOLE &amp; COMBINATION:-</b>		II.Volibose 0.3 Tab	13
VII.OFRIVID SUSP	43	I.MEGARAB-20 TAB	19	III.Volibose GM Tab	21
VIII.OFRIVID-M SUSP	43	II.MEGARAB-D TAB	19	<b>141. Xylometazoline With Benzalkonium Chloride:-</b>	
IX.OFRIVID OR SUSP	42	III.MEGARAB-DSR CAP	25	i.Nasovid Nasal Drop	50
X.OFRIVID E/E DROP	49	IV.MEGARAB-LSR CAP	26	ii.Nasovid Nasal Spray	50
XI.OFRIVID DX E/E DROP	49	<b>121. ROXYTHROMYCIN:-</b>			
XII.OFRIVID-B E/E DROP	49	I.ROXIFAR-150 TAB	07		
XIII.PUNCHDERM OINT	54	<b>122. ROZUVASTATIN CALCIUM:-</b>			
<b>106. ONDANSETRON HYDROCHLORIDE:-</b>		I.ROZASCOT-10 TAB	14		
I.VOMINO-MD TAB	13	II.ROZASCOT-20 TAB	14		
II. VOMINO 30 ML SYP	42	<b>123. RANITIDINE:-</b>			
III. VOMINO INJ	39	I.RANIPHAR INJ	39		
<b>107. ORISTATI:-</b>		<b>124. SILDENAFIL:-</b>			
CUT FAT 60 MG CAP	27	I.KAMAGNI-50 TAB	62		
II.CUT FAT 120 MG CAP	27	II.KAMAGNI-100 TAB	62		
<b>108. OMEPRAZOLE &amp; COMBINATION:-</b>		III.VIGROSE BLUE 100 TAB	15		
I.OCICURE 20MG CAP	25	<b>125. SODIUM VALPROATE:-</b>			
II.OCICURE-D CAP	25	I.MIGRID CRONO 200 MG TAB	18		
III.OCICURE-IV INJ	40	II.MIGRID CRONO 300MG TAB	18		
<b>109. PARACETAMOL &amp; COMBINATION:-</b>		III.MIGRID CRONO 500MG TAB	18		
I.BRALSPAS TAB	07	<b>126. SODIUM PICOSULFATE:-</b>			
II.COLDACIN ADVANCE TAB	21	I.PICLIX SYP	45		
III.COLDACIN EXTRA ADVANCE TAB	20	<b>127. SUCRALFATE:-</b>			
IV.COMBIPAIN TAB	07	I.SUCRAPHAR 200 ML SYP	44		
V.POLYMOL 500 TAB	09				
VI.POLYMOL EXTRA TAB	09				
VII.POLYMOL-KID DROP	47				



**Aziphar-250**  
10x1x6 Tabs (Alu-Alu)  
Each strip in mono carton

Each Film coated tablet contains:  
Azithromycin Dihydrate I.P. eq. to Azithromycin Anhydrous 250 mg

**Indications :** Upper & Lower RTIs, SSTIs, Urogenital Infections, Gonorrhoea



**Aziphar-500**  
10x1x3 Tabs (Alu-Alu)  
Each strip in mono carton

Each Film coated tablet contains:  
Azithromycin dihydrate I.P. eq. to Azithromycin Anhydrous 500 mg

**Indications :** Upper & Lower RTIs, SSTIs, Urogenital Infections, Gonorrhoea



**Azitis-250**  
20x1x6 Tabs (Blister)  
Each strip in mono carton

Each film coated tablet contains:  
Azithromycin (as Dihydrate) IP eqv. to Azithromycin (anhydrous) 250mg


**Indications :** Upper & Lower RTIs, SSTIs, Urogenital Infections, Gonorrhoea



**Azitis-500**  
20x1x3 Tabs (Blister)  
Each strip in mono carton

Each film coated tablet contains:  
Azithromycin (as Dihydrate) IP eqv. to Azithromycin (anhydrous) 500mg

**Indications :** Upper & Lower RTIs, SSTIs, Urogenital Infections, Gonorrhoea



**Cef-O 100**  
10x10 Tabs (Alu Alu)

Each uncoated dispersible tablet contains :  
Cefixime (as Trihydrate) I.P. eqv. to Anhydrous Cefixime 100 mg

**Indications :** Upper Respiratory Tract Infections (URTI) , Lower Respiratory Tract Infection , Urinary Tract Infections



**Cef-O 200**  
10x10 Tabs (Alu Alu)

Each uncoated dispersible tablet contains:  
Cefixime (as trihydrate) IP eq. to anhydrous Cefixime 200 mg

**Indications :** Upper Respiratory Tract Infections (URTI) , Lower Respiratory Tract Infection , Urinary Tract Infections



**Cifbax-250**  
20x10 Tabs (Blister)

Each film coated tablet contains:  
Ciprofloxacin Hydrochloride IP eq. to Ciprofloxacin 250 mg

**Indications :** LRTI/URTI, STDs, Post Surgical Prophylaxis, Nosocomial infections



**Cifbax-500**  
20x10 Tabs (Blister)

Each film coated tablet contains:  
Ciprofloxacin Hydrochloride IP eq. to Ciprofloxacin 500 mg

**Indications :** LRTI/URTI, STDs, Post Surgical Prophylaxis, Nosocomial infections



Tablets



**Cifratap-250**

4x5x10 Tabs (Blister)

Each film coated tablet contains :  
Cipfloxacin Hydrochloride I.P.  
eq. to Cipfloxacin 250 mg

**Indications :** LRTI/URTI, STDs,  
Post Surgical Prophylaxis,  
Nosocomial infections



**Cifratap-500**

10x2x10 Tabs  
(Alu Alu/Blister)

Each film coated tablet contains :  
Cipfloxacin Hydrochloride IP  
eq. to Cipfloxacin 500 mg

**Indications :** LRTI/URTI, STDs,  
Post Surgical Prophylaxis,  
Nosocomial infections



**Cifratap-TZ**

10x10 Tabs (Blister)

Each film coated tablet contains :  
Cipfloxacin HCl I.P.  
eq. to Cipfloxacin 500 mg  
Tinidazole I.P. 600 mg

**Indications :**  
Acute Diarrhoea or Dysentery due to  
Bacterial Protozoal or Mixed Infections



**Glycimet-PG 1**

10x10 Tabs (Blister)

Each uncoated bilayered tablet contains:  
Glimepiride IP 1 mg  
Pioglitazone Hydrochloride IP  
equivalent to Pioglitazone 15 mg  
Metformin Hydrochloride IP 500 mg  
(in extended release form)



**Dulax**

4x5x10 Tabs (Blister)

Each enteric coated tablet contains :  
Bisacodyl IP 5 mg

**Indications :**  
Laxative , short-term  
basis to treat constipation, bowel  
movement



**Glycimet-PG 2**

10x10 Tabs (Blister)

Each uncoated bilayered tablet contains:  
Glimepiride IP 2 mg  
Pioglitazone Hydrochloride IP  
equivalent to Pioglitazone 15 mg  
Metformin Hydrochloride IP 500 mg  
(in extended release form)




## Droxyfar-500

10x10 Tabs (Strip)

Each uncoated tablet contains :  
Cefadroxil I.P.  
eqv. to Anhydrous  
Cefadroxil 500 mg

### Indications :

Urinary tract infections, Skin and skin structure infections, Pharyngitis and/or tonsillitis, Impetigo




## Exyt-400

10x10x1 Tabs (Alu Alu)

Each uncoated chewable tablet  
contains:  
Albendazole IP 400 mg

**Indications :** For the treatment of  
parenchymal neurocysticercosis ,  
treatment of cystic hydatid disease  
of the liver, lung, and peritoneum




## Ferpod-100 DT

1x6 tabs (Alu Alu)

Each strip in mono carton

Each dispersible tablet  
contains:  
Cefpodoxime Proxetil IP 100 mg

**Indications :**  
RTI, UTI, Skin and skin  
structure infections



## Ferpod-200

10X1x10 tabs (Alu Alu)

Each strip in mono carton

Each film coated tablet  
contains:  
Cefpodoxime Proxetil IP  
eq. to Cefpodoxime 200 mg

**Indications :**  
RTI, UTI, Skin and skin  
structure infections



## Flutis-150

3x10x1 Tabs (Alu Alu)  
30x1 Tabs (Mono Carton)

Each uncoated tablet contains:  
Fluconazole IP 150 mg

**Indications :** Coccidioidomycosis,  
Invasive candidiasis, Mucosal  
candidiasis including oropharyngeal,  
oesophageal candidiasis,  
candiduria and chronic  
mucocutaneous candidiasis



## Zolecon-200

30 x1x1 Tabs (Blister)  
Each strip in mono carton

Each uncoated tablet  
contains:  
Fluconazole IP 200 mg  
Excipients q.s.




## Doxivom Plus

2x15 Tabs (Blister)

Each enteric coated tablet  
contains:  
Doxylamine  
Succinate USP 10 mg  
Pyridoxine  
Hydrochloride IP 10 mg  
Folic Acid IP 2.5 mg  
Appropriate overages of  
vitamins added.

**Indications :** Management of nausea  
and vomiting of pregnancy or morning  
sickness



## Fotaz-O-50

10x1x10 Tabs (Alu Alu)  
Each strip in mono carton

Each uncoated dispersible  
tablet contains:  
Cefixime (as trihydrate) IP  
eq. to Cefixime 50 mg

**Indications :**  
Nosocomial Infections, Respiratory  
Tract Infections, Urinary Tract  
Infections, Gonococcal Infections






Tablets



**Fotaz-O-100**  
10x1x10 Tabs (Alu Alu)  
Each strip in mono carton

Each uncoated dispersible tablet contains :  
Cefixime IP (as trihydrate)  
eq. to Cefixime anhydrous 100 mg


**Indications :** Nosocomial Infections  
Respiratory Tract Infections  
Urinary Tract Infections  
Gonococcal Infections



**Fotaz-O-200**  
10x1x10 Tabs (Alu Alu)  
Each strip in mono carton

Each uncoated dispersible tablet contains :  
Cefixime IP (as trihydrate)  
eq. to Cefixime anhydrous 200 mg


**Indications :** Nosocomial Infections  
Respiratory Tract Infections  
Urinary Tract Infections  
Gonococcal Infections



**Fotaz-OF**  
1x10 Tabs (Alu Alu)  
Each strip in mono carton

Each film coated tablet contains :  
Cefixime IP (As Trihydrate)  
Eqvt. to anhydrous Cefixime 200 mg  
Ofloxacin IP 200 mg

**Indications :** Pneumonia, Gastrointestinal Infections, Respiratory, Bronchitis



**Levotab 250**  
20x1x5 tabs (Blister)  
Each strip in mono carton

Each film coated tablet contains:  
Levofloxacin Hemihydrate IP  
eq. to Levofloxacin 250mg

**Indications :** Community-Acquired Pneumonia, Uncomplicated Skin and Skin Structure Infections  
Uncomplicated and complicated Urinary Tract Infections



**Levotab-500**  
20x1x5 tabs (Blister)  
Each strip in mono carton

Each film coated tablet contains:  
Levofloxacin Hemihydrate IP  
eq. to Levofloxacin 500mg

**Indications :** Community-Acquired Pneumonia, Uncomplicated Skin and Skin Structure Infections  
Uncomplicated and complicated Urinary Tract Infections



**Levotab-750**  
10x10 tabs (Blister)

Each film coated tablet contains:  
Levofloxacin Hemihydrate IP  
eq. to Levofloxacin 250mg  
Ornidazole IP 500mg

**Indications :** Mixed infections caused by bacteria and protozoa, GIT infection, Acute diarrhea of mixed origin





### Etorinex-90

10x10 Tabs (Blister)

Each film coated tablet contains :  
Etoricoxib 90 mg

**Indications :**  
Arthritis, Spondylitis,  
Post Surgical Pain Management &  
Acute Low Back Pain



### Etorinex-120

10x10 Tabs (Blister)

Each film coated tablet contains :  
Etoricoxib 120 mg

**Indications :**  
Arthritis, Spondylitis,  
Post Surgical Pain Management &  
Acute Low Back Pain



### Mecofar

1x10 Tabs (Alu Alu)  
Each strip in mono carton

Each film coated tablet contains :  
Mecobalamin 500 mcg

**Indications :** Peripheral/Diabetic  
neuropathy, Neuralgia, Trigeminal  
Neuralgia, Occipital Neuralgia



### Mecofar-OD

25x2x10 Tabs (Alu Alu)

Each film coated tablet contains :  
Mecobalamin 1500 mcg

**Indications :**  
Peripheral/Diabetic  
neuropathy, Neuralgia, Trigeminal  
Neuralgia, Occipital Neuralgia



### Mecofar-G

10x1x10 Tabs (Alu Alu)  
Each strip in mono carton

Each film coated tablet contains:  
Gabapentin USP 300 mg  
Mecobalamin 500 mcg

**Indications :** Cancer Pain, Neuropathic  
Pain, Diabetic Neuropathy,  
Post Herpetic Neuralgia



### Telniscot-M 500/1000

10x10 Tabs

**Composition :**  
Each uncoated bilayered tablet contains:  
Teneligliptin Hydrobromide Hydrate  
equivalent to Teneligliptin 20 mg  
Metformin Hydrochloride IP 500/1000mg  
(As Extended Release)  
Excipients q.s.



### Trigesic-MR

10x10 Tabs

Each film coated tablet contains :  
Diclofenac Sodium IP 50 mg  
Tramadol Hydrochloride IP 37.5 mg  
Chlorzoxazone USP 250 mg  
Excipients q.s.



### Novamentin-375

10x1x6 Tabs (Strip)  
Each strip in mono carton

Each film coated tablet contains :  
Amoxicillin Trihydrate IP  
eq. to Amoxicillin 250 mg  
Potassium Clavulanate Diluted IP  
eq. to Clavulanic Acid 125 mg

**Indications :**  
Upper & Lower RTI, Sinusitis,  
Acute Otitis Media,  
Surgical Prophylaxis



searle

interphar



Tablets

# Novamentin 625 /1G

Each film coated tablet contains:  
Amoxicillin Trihydrate I.P. eq. to Amoxicillin 500 mg  
Potassium Clavulanate diluted I.P. eq. to Clavulanic Acid 125 mg  
10x1x6 Tabs (Strip/Alu Alu)  
Each strip in mono carton



**Indications :**  
Upper & Lower RTI, Sinusitis,  
Acute Otitis Media,  
Surgical Prophylaxis

Each film coated tablet contains :  
Amoxicillin Trihydrate IP 875 mg  
eq. to Amoxicillin  
Potassium Clavulanate Diluted IP  
eq. to Clavulanic Acid 125 mg  
10x10 Tabs (Alu Alu)



**Indications :**  
Upper & Lower RTI, Sinusitis,  
Acute Otitis Media,  
Surgical Prophylaxis





### Roxifar

4x5x10 Tabs (Blister)

Each film coated tablet contains:  
Roxithromycin I.P. 150 mg

**Indications :**  
Pneumonia,  
Acute Bronchitis,  
Sinusitis tonsillitis



### Combipain

20x15 Tabs (Blister)

Each uncoated tablet contains :  
Ibuprofen I.P. 400 mg  
Paracetamol I.P. 325 mg

**Indications :**  
Frozen Shoulder,  
Sprains & Strains, Sports Injuries,  
Low Back Pain



### Zanutab-OR

10x10 Tabs (Blister)

Each film coated tablet contains :  
Ofloxacin IP 200 mg  
Ornidazole IP 500 mg

**Indications :** G I T Infections, Acute  
Diarrhoea of Mixed Origin,  
Gynaecological Infections,  
Dental Infections



### Zanutab-200

4x5x10 Tabs (Blister)

Each film coated tablet contains :  
Ofloxacin I.P. 200 mg

**Indications :**  
Community Acquired Pneumonia ,  
Uncomplicated Skin & Skin Structure  
Infections, Uncomplicated Urethral &  
Cervical Infections, Gonorrhoea,  
Mixed Infections of The Urethra & Cervix



### Zetum-250

10x1x4 Tabs (Alu Alu)  
Each strip in mono carton

Each film coated tablet contains:  
Cefuroxime Axetil IP  
equivalent to  
Cefuroxime 250 mg

**Indications :**  
Respiratory Tract Infections, Urinary  
Tract Infections, Skin & Soft Tissue  
Infections, Post Surgical Infections



### Zetum-500

10x1x4 Tabs (Alu Alu)  
Each strip in mono carton

Each film coated tablet contains:  
Cefuroxime Axetil IP  
equivalent to  
Cefuroxime 500 mg

**Indications :**  
Respiratory Tract Infections, Urinary  
Tract Infections, Skin & Soft Tissue  
Infections, Post Surgical Infections



### Bralpas

4x5x10 Tabs (Blister)

Each uncoated tablet contains :  
Dicyclamine  
Hydrochloride I.P. 20 mg  
Paracetamol I.P. 325 mg

**Indications :** GI / Renal / Biliary Colic  
Irritable Bowel Syndrome,  
Spasmodic Dysmenorrhoea



### Bralpas Plus

4x5x10 Tabs (Blister)

Each uncoated tablet contains:  
Mefenamic Acid IP 250 mg  
Dicyclamine HCl IP 10 mg

**Indications :**  
Used to treat pain, including menstrual pain. Used for curing intestinal  
hyper motility Muscle spasms and cramping in the gastrointestinal





Tablets




**Norbax-TZ**

20x10 Tabs (Blister)

Each film coated tablet contains :  
 Norfloxacin I.P. 400 mg  
 Tinidazole I.P. 600 mg  
 (with Betacyclodextrin)

**Indications :**  
 Urinary tract infections, both uncomplicated (cystitis) and complicated urinary tract infections, sexually transmitted diseases (gonorrhoea), genital infection, prostate infection (prostatitis), infections of the stomach or intestines (travelers' diarrhea) and eye infection



**Norbax-400**

5x6x10 Tabs (Blister)

Each film coated tablet contains:  
 Norfloxacin IP 400 mg

**Indications :**  
 Urinary tract infections, both uncomplicated (cystitis) and complicated urinary tract infections, sexually transmitted diseases (gonorrhoea), genital infection, prostate infection (prostatitis), infections of the stomach or intestines (travelers' diarrhea) and eye infection



**Nexporin-125 DT**

20x10 Tabs (Strip)

Each uncoated dispersible tablet contains :  
 Cephalexin I.P. eq. to  
 Anhydrous Cephalexin 125 mg

**Indications :**  
 Respiratory Tract Infections, Urinary Tract Infections, Skin & Soft Tissue Infections, Post Surgical Infections



**Nexporin-250 DT**

20x10 Tabs (Strip)

Each uncoated dispersible tablet contains :  
 Cephalexin I.P. eq. to  
 Anhydrous Cephalexin 250 mg

**Indications :**  
 Respiratory Tract Infections, Urinary Tract Infections, Skin & Soft Tissue Infections, Post Surgical Infections




**Nimax**

10x5x10 Tabs (Blister)

Each uncoated tablet contains :  
 Nimesulide BP 100 mg

**Indications :**  
 Low Back Pain /  
 Ankylosing Spondylitis,  
 Antipyretic




**Nimax-MD**

10x5x10 Tabs (Blister)

Each uncoated dispersible tablet contains:  
 Nimesulide BP 100 mg

**Indications :**  
 Low Back Pain /  
 Ankylosing Spondylitis,  
 Antipyretic





## Nimpoor

20x10 Tabs (Alu-Alu)  
25X2X10 Tabs (Blister)

Each uncoated tablet contains:  
Nimesulide B.P. 100 mg  
Paracetamol I.P. 325 mg

**Indications :**  
Osteoarthritis / Rheumatoid Arthritis, Musculo-skeletal Injuries,  
Tendonitis & Bursitis, Low Back Pain/Ankylosing Spondylitis



## Pironex

20x10 Tabs (Blister)

Each dispersible uncoated  
tablet contains:  
Piroxicam IP 20 mg  
In a flavoured base

**Indications :**  
Rheumatoid arthritis,  
osteoarthritis, ankylosing  
spondylitis/ low back pain, acute gout,  
periarthopathy of the shoulder,  
dysmenorrheal, postoperative pain



## Polymol

20x15 Tabs (Blister)

Each uncoated tablet contains :  
Paracetamol I.P. 500mg

**Indications :**  
For symptomatic relief  
from mild to moderate pain



## Polymol Xtra

6x5x10 Tabs (Blister)

Each uncoated tablet contains :  
Paracetamol I.P. 650mg

**Indications :**  
For symptomatic relief  
from mild to moderate pain



## Prestiflam

20x10 Tabs (Alu-Alu/Blister)

Each film coated tablet  
contains :  
Aceclofenac I.P. 100 mg  
Paracetamol I.P. 325 mg

**Indications :**  
Arthritis, Ankylosing Spondylitis  
Lower Back Pain, Post-episiotomy Pain



## Prestiflam-S

20x10 Tabs (Alu Alu)

Each film coated tablet  
contains :  
Aceclofenac I.P. 100 mg  
Serratiopeptidase 15 mg  
(as 30000 Serratiopeptidase  
units)

**Indications :** Inflammatory/traumatic  
Swellings, Post Surgical Swelling,  
Arthritis, Ankylosing Spondylitis



## Prestiflam-MR

20x10 Tabs (Alu Alu/Blister)

Each film coated tablet  
contains :  
Aceclofenac I.P. 100 mg  
Paracetamol I.P. 325 mg  
Chlorzoxazone USP 250 mg

**Indications :** Musculo-skeletal Spasm,  
Low Back Pain, Painful Shoulder,  
Sports Injuries



## Prestiflam-SP

20x10 Tabs (Alu-Alu)

Each film coated tablet  
contains :  
Aceclofenac I.P. 100 mg  
Paracetamol I.P. 325 mg  
Serratiopeptidase 15 mg  
(as 30000 Serratiopeptidase  
units)

**Indications :** Inflammatory/traumatic  
Swellings, Post Surgical Swelling,  
Arthritis, Ankylosing Spondylitis





Tablets



**Drotiphar-M**

10x10 Tabs (Blister)

Each film coated tablet contains :  
Drotaverine Hydrochloride (Dihydro-Ethaverine Chloride) 80 mg  
Mefenamic Acid IP 250 mg

**Indications :** Used to treat pain caused by smooth muscle spasms, treatment of renal colic, biliary colic, intestinal colic, dysmenorrhea, and postsurgical uterine spasm




**Linezo-600**

10x1x4 Tabs (Strip)

Each film coated tablet contains :  
Linezolid IP 600mg

**Indications :** skin and skin structure infections, including diabetic foot infections



**Trampoo**

10x2x10 Tabs (Blister)

Each film coated tablet contains :  
Tramadol Hydrochloride BP 37.5 mg  
Paracetamol I.P. 325 mg

**Indications :** Post Operative Pain, Dental Pain, Osteoarthritis Flair Pain, Chronic Lower Back Pain, Cervical Spondylitis



**Methycort-4**

20x10 Tabs (Alu Alu)

Each uncoated tablet contains :  
Methylprednisolone I.P. 4 mg

**Indications :** Collagen diseases/arthritis, Systemic lupus erythematosus, Systemic dermatomyositis (polymyositis), Respiratory diseases, Malignant lymphoma, Crohn's disease, Tuberculous meningitis



**Voligesic Plus**

(Bi-Layer)  
25x2x10 Tabs (Blister)

Each uncoated bilayered tablet contains:  
Diclofenac Potassium BP 50 mg  
Paracetamol IP 325 mg  
Excipients q.s.

**Indications :** Tooth Extraction, Pericoronitis, Ligament Tear, Mild to moderate pain



**Voligesic MR**

20x10 Tabs (Alu Alu/Blister)

Each uncoated tablet contains :  
Diclofenac Sodium I.P. 50 mg  
Paracetamol I.P. 325 mg  
Chlorzoxazone USP 250 mg

**Indications :** Musculo-skeletal Spasm, Low Back Pain, Painful Shoulder, Sports Injuries






## Voligesic Plus

10x2x10 Tabs (Blister)

Each uncoated tablet contains :  
 Diclofenac Sodium I.P. 50 mg  
 Paracetamol I.P. 325 mg  
 Excipients q.s.

**Indications :**  
 Tooth Extraction, Pericoronitis,  
 Ligament Tear, Mild to moderate pain



## Voligesic-S

20x10 Tabs (Alu Alu/Blister)

Each film coated tablet contains :  
 Diclofenac Potassium BP 50 mg  
 Serratiopeptidase 10 mg  
 (As enteric coated 20,000 Serratiopeptidase units)

**Indications :**  
 Operation & Traumatic Injury Inflammation in Sinusitis, Epididymitis  
 Pericoronitis of the Wisdom tooth



## Voligesic-SP

10x10 Tabs (Alu Alu)

Each film coated tablet contains :  
 Diclofenac Potassium B.P. 50mg  
 Serratiopeptidase 10 mg  
 (As enteric coated 20,000 Serratiopeptidase units)  
 Paracetamol I.P. 325 mg

**Indications :** Post Surgical / Traumatic  
 Injury Sprains & Strains, Ligament Tear,  
 Fibrositis & Tendinitis



## Zumo

10x2x10 Tabs (Blister)

Each uncoated tablet contains :  
 Nimesulide BP 100 mg  
 Paracetamol IP 325 mg  
 Colour : Sunset Yellow FCF

**Indications :** Osteoarthritis /  
 Rheumatoid Arthritis, Musculo-skeletal  
 Injuries, Tendonitis & Bursitis  
 Low Back Pain/Ankylosing Spondylitis




## Cetifar

10x5x10 Tabs (Blister)

Each film coated tablet contains:  
 Cetirizine Hydrochloride IP 10 mg

**Indications :**  
 Hay fever, Allergic Rhinitis such as  
 sneezing, rhinorrhoea, itching, nasal  
 congestion and lacrimation



## Cetifar Cold

10x2x10 Tabs (Blister)

Each uncoated tablet contains :  
 Cetirizine Hydrochloride IP 5 mg  
 Phenylephrine Hydrochloride IP 5 mg  
 Paracetamol IP 325 mg

**Indications :** Allergic rhinitis,  
 common cold, sinusitis and fever



## Amlotis-AT

10x14 Tabs (Blister)

Each uncoated tablet contains :  
 Atenolol IP 50 mg  
 Amlodipine Besylate IP eq. to Amlodipine 5 mg

**Indications :**  
 Hypertension and Angina Pectoris associated with Hypertension



## Moxvid Kid 250 DT

20x15 Tabs (Blister)

Each uncoated dispersible tablet contains :  
 Amoxicillin Trihydrate I.P. eqv. to Amoxicillin 250 mg

**Indications :** Acute otitis media, acute sinusitis and bacterial pharyngitis,  
 Infections of the lower respiratory tract, chronic bronchitis



Tablets



**Moxvid Kid-125 DT**  
20x15 Tabs (Strip)

Each uncoated dispersible tablet contains :  
Amoxicillin Trihydrate I.P.  
eqv. to Amoxicillin 125 mg

**Indications :**

Infections of the upper respiratory tract, Acute otitis media, acute sinusitis and bacterial pharyngitis., Infections of the lower respiratory tract ,chronic bronchitis, community-acquired pneumonia, Infections of the lower urinary tract



**PainDoz (Bi-layer)**  
25x2x10 Tabs

Each uncoated tablet contains :  
Diclofenac Sodium IP 50 mg  
Paracetamol IP 500 mg  
Chlorpheniramine Maleate IP 4 mg  
Magnesium Trisilicate IP 100 mg



**Zylotis-100**  
10x10 Tabs (Alu Alu)

Each uncoated tablet contains :  
Allopurinol IP 100 mg

**Indications :**

Prophylactic management of gout and other conditions of excess body urate, Calcium renal lithiasis




**Zylotis-300**  
10x10 Tabs (Alu Alu)

Each uncoated tablet contains :  
Allopurinol IP 300 mg

**Indications :**

Prophylactic management of gout and other conditions of excess body urate, Calcium renal lithiasis



**Eltegra-120**  
10x1x10 Tabs (Blister)  
Each strip in mono carton

Each film coated tablet contains:  
Fexofenadine Hydrochloride IP 120 mg

**Indications :**

Relief of symptoms associated with seasonal allergic rhinitis, chronic idiopathic urticaria




**Eltegra-180**  
10x1x10 Tabs (Blister)

Each film coated tablet contains:  
Fexofenadine Hydrochloride IP 180 mg

**Indications :**

Relief of symptoms associated with seasonal allergic rhinitis, chronic idiopathic urticaria





### Vomino-MD

20x10 Tabs (Alu Alu)

Each uncoated tablet contains :  
Ondansetron Hydrochloride IP  
eqvt. to Ondansetron 4 mg

**Indications :** Nausea and vomiting induced by cytotoxic chemotherapy and radiotherapy, and for the prevention and treatment of post-operative nausea and vomiting (PONV)



### Levocetral

20x10 Tabs (Alu Alu)  
30x10 Tabs (Blister)

Each film coated tablet contains :  
Levocetirizine Hydrochloride IP 5 mg

**Indications :** Allergic respiratory problems, Bronchitis, Sinusitis and Chronic obstructive pulmonary disorder



### Thiopain

10x1x10 tabs (Blister)  
Each strip in mono carton

Each film-coated tablet contains :  
Aceclofenac IP 100 mg  
Thiocolchicoside IP 4mg  
Excipients q.s.



### Levocetral-AM

20x10 Tabs (Alu Alu)

Each film coated tablet contains :  
Levocetirizine Dihydrochloride IP 5 mg  
Ambroxol Hydrochloride IP 60 mg

**Indications :** Allergic respiratory problems, Bronchitis, Sinusitis and Chronic obstructive pulmonary disorder



### Volibose 0.3mg

10x10 Tabs (Blister)

Each uncoated tablet contains :  
Voglibose 0.3 mg

**Indications :**  
Diabetes mellitus, Postprandial hyperglycemia



### Volibose 0.2mg

10x10 Tabs (Blister)

Each uncoated tablet contains :  
Voglibose 0.2 mg

**Indications :**  
Diabetes mellitus, Postprandial hyperglycemia




### Anticlot-75

10x10 Tabs (Strip)

Each film coated tablet contains :  
Clopidogrel Bisulfate USP  
eq. to Clopidogrel 75 mg

**Indications :**  
Cerebrovascular Disease,  
Coronary Artery Disease,  
Peripheral Arterial Disease



### Anticlot AP-75

10x10 Tabs (Strip)

Each uncoated bilayered tablet contains :  
Clopidogrel Bisulfate USP  
eq. to Clopidogrel 75 mg  
Aspirin I.P. 75 mg

**Indications :**  
Peripheral/Arterial Disease,  
Atherosclerosis, Myocardial Infarction





Tablets




**Lipisafe-10**

10x10 tabs (Alu Alu )

Each film coated tablet contains:  
Atorvastatin Calcium IP 10mg

**Indications :**  
Indicated in hypercholesterolemia, arteriosclerosis, Lowers risk of myocardial infarction



**Lipisafe-20**

10x10 tabs (Alu Alu )

Each film coated tablet contains:  
Atorvastatin Calcium IP 20mg

**Indications :**  
Indicated in hypercholesterolemia, arteriosclerosis, Lowers risk of myocardial infarction



**Rozascot-10**

10 Tabs (Alu Alu)

Each film coated tablet contains :  
Rosuvastatin Calcium IP  
equivalent to Rosuvastatin 10 mg

**Indications :** Reduce elevated total cholesterol (TC), LDL-C, non-HDL-C, apolipoprotein B (Apo B), and triglyceride (TG) levels, and to increase HDL-C in patients with primary hyperlipidemia or mixed dyslipidemia



**Rozascot-20**

10 Tabs (Alu Alu)

Each film coated tablet contains :  
Rosuvastatin Calcium IP  
equivalent to Rosuvastatin 20 mg

**Indications :** Reduce elevated total cholesterol (TC), LDL-C, non-HDL-C, apolipoprotein B (Apo B), and triglyceride (TG) levels, and to increase HDL-C in patients with primary hyperlipidemia or mixed dyslipidemia



**Levomont-FX**

10 Tabs (Alu Alu)

Each strip in mono carton

Each film coated tablet contains :  
Montelukast Sodium IP  
eq. to Montelukast 10 mg  
Fexofenadine Hydrochloride IP 120 mg

**Indications :**  
Allergic Asthma, Perennial Allergic Rhinitis, Seasonal allergic Rhinitis, Nasal Allergy with Congestion, Chronic Idiopathic Urticaria and Acute allergic reactions due to drugs, food or Insect bites



**Levomont-LC**


10x10 Tabs (Alu Alu)

Each strip in mono carton

Each film coated tablet contains  
Montelukast Sodium eq. to Montelukast 10 mg  
Levocetirizine Dihydrochloride IP 5mg

**Indications :** For the prophylaxis and chronic treatment of asthma, allergic rhinitis and urticaria





## Telmisafe-H

3x10 Tabs (Alu Alu)

Each uncoated tablet contains :  
Telmisartan IP40 mg  
Hydrochlorothiazide IP 12.5 mg

**Indications :**  
Treatment of essential  
hypertension



## Telmisafe-40

3x10 Tabs (Alu Alu)

Each uncoated tablet contains :  
Telmisartan IP 40 mg

**Indications :** Hypertension, Cardiovascular  
prevents cardiovascular disease, coronary  
heart disease, stroke, or peripheral arterial  
disease, type 2 diabetes mellitus



## Levona-500

10x10 Tabs (Alu-Alu)

Each film coated tablet  
contains :  
Levofloxacin Hemihydrate IP  
eqv. to Levofloxacin 500 mg

**Indications :** Community-Acquired  
Pneumonia, Uncomplicated Skin and  
Skin Structure Infections,  
Uncomplicated and complicated  
Urinary Tract Infections



## Telmisafe-80

3x10 Tabs (Alu Alu)

Each uncoated tablet contains :  
Telmisartan IP 80 mg

**Indications :**  
Hypertension, Cardiovascular prevents cardiovascular disease, coronary  
heart disease, stroke, or peripheral arterial disease, type 2 diabetes  
mellitus



## Febuphar 40/80

10x10 Tabs (Alu Alu)


Each film coated tablet  
contains :  
Febuxostat 40/80 mg  
Excipients q.s.  
Colours : Red Oxide of Iron &  
Titanium Dioxide IP



## UDIFAST 150/300

10x10 tabs (Blister)  
Each strip in mono carton

Composition:  
Each uncoated tablet contains :  
Ursodeoxycholic  
Acid IP 150/300mg  
Excipients q.s.



## Prometil-MD

20x10 Tabs

Composition :  
Each uncoated tablet  
contains :  
Prochlorperazine  
Maleate I.P. 5 mg  
Excipients q.s.



## Vigrose Blue 100mg

1x4 Tabs (Blister)  
Each strip in mono carton

Each film coated tablet  
contains:  
Sildenafil Citrate  
Eq. to Sildenafil 100 mg

**Indications :** Treatment of erectile  
dysfunction or male impotence,  
pulmonary arterial hypertension.







Tablets



**Ofrivid-OR**

10x10 Tabs (Blister)

Each film coated tablet contains :  
Ofloxacin IP 200 mg  
Ornidazole IP 500 mg

**Indications :** Community Acquired Pneumonia Uncomplicated Skin & Skin Structure Infections Uncomplicated Urethral & Cervical Infections Gonorrhoea Mixed Infections of The Urethra & Cervix



**Ofrivid-200**

20x10 Tabs (Alu-Alu/Blister)

Each film coated tablet contains :  
Ofloxacin I.P. 200 mg

**Indications :** Community Acquired Pneumonia Uncomplicated Skin & Skin Structure Infections Uncomplicated Urethral & Cervical Infections Gonorrhoea Mixed Infections of The Urethra & Cervix




**Ofrivid-400**

10x10 Tabs (Blister)

Each film coated tablet contains :  
Ofloxacin IP 400 mg

**Indications :** Community Acquired Pneumonia Uncomplicated Skin & Skin Structure Infections Uncomplicated Urethral & Cervical Infections Gonorrhoea Mixed Infections of The Urethra & Cervix



**Ofrivid Red-200**

4x5x10 Tabs (Blister)

**Composition:**  
Each film coated tablet contains :  
Ofloxacin IP 200mg

**Indications :** Community Acquired Pneumonia Uncomplicated Skin & Skin Structure Infections Uncomplicated Urethral & Cervical Infections Gonorrhoea Mixed Infections of The Urethra & Cervix



**Metprol-XL 25**

10x10 Tabs (Alu Alu)

Each uncoated tablet contains :  
Metoprolol Tartrate IP 25 mg

**Indications :** Hypertension, Angina pectoris, Cardiac arrhythmias (especially supraventricular tachyarrhythmias), As an adjunctive treatment of thyrotoxicosis, Prophylaxis of migraine. Acute myocardial infarction.



**Metprol-XL 50**

10x10 Tabs (Blister)

Each uncoated tablet contains :  
Metoprolol Tartrate IP 50 mg

**Indications :** Hypertension, Angina pectoris, Cardiac arrhythmias (especially supraventricular tachyarrhythmias), As an adjunctive treatment of thyrotoxicosis, Prophylaxis of migraine. Acute myocardial infarction.







Tablets



**Migrid Crono-200**

10x10 Tabs (Strip)

Each film coated controlled release tablet contains :  
Sodium Valproate IP 133.5 mg  
Valproic acid IP 58 mg  
(both together correspond to Sodium Valproate 200mg)

**Indications :** Used in the treatment of epilepsy, anorexia nervosa, panic attack, anxiety disorder, posttraumatic stress disorder, migraine and bipolar disorder, as well as other psychiatric conditions requiring the administration of a mood stabilizer. mania and acute stress reaction



**Migrid Crono-300**

10x10 Tabs (Strip)

Each film coated controlled release tablet contains :  
Sodium Valproate IP 200 mg  
Valproic acid IP 87 mg  
(both together correspond to Sodium Valproate 300mg)

**Indications :** Used in the treatment of epilepsy, anorexia nervosa, panic attack, anxiety disorder, posttraumatic stress disorder, migraine and bipolar disorder, as well as other psychiatric conditions requiring the administration of a mood stabilizer. mania and acute stress reaction



**Migrid Crono-500**

5x10 Tabs (Strip)

Each film coated controlled release tablet contains :  
Sodium Valproate IP 333 mg  
Valproic acid IP 145 mg  
(both together correspond to Sodium Valproate 500mg)

**Indications :** Used in the treatment of epilepsy, anorexia nervosa, panic attack, anxiety disorder, posttraumatic stress disorder, migraine and bipolar disorder, as well as other psychiatric conditions requiring the administration of a mood stabilizer. mania and acute stress reaction



**Wypred-5**

10x10 Tabs (Blister)

**Composition :**  
Each uncoated tablet contains :  
Prednisolone IP 5 mg

**Folimax**

1x30 Tabs (Blister)

**Composition :**  
Each uncoated tablet contains :  
Folic Acid IP 5 mg  
Excipients q.s.






### Tranex-500

10x10 Tabs (Alu Alu)

Each film coated tablet contains :  
Tranexamic Acid BP 500 mg

**Indications :**  
Dysmenorrhoea, Menorrhagia due to IUCD, MTP induced bleeding, Tonsillectomy, Tooth Extraction, Ocular Trauma & Bleeding piles



### Tranex-MF

10x10 Tabs (Alu Alu)

Each film coated tablet contains :  
Tranexamic Acid BP 500 mg  
Mefenamic Acid IP 250 mg

**Indications :** Bleeding due to fibrinolysis, abortion, placental spalling, stillbirths, menorrhagia, nose bleeding



### Megarab-D

1x10 Tabs (Alu Alu)  
Each strip in mono carton

Each enteric coated tablet contains:  
Rabeprazole Sodium I.P. 20 mg  
Domperidone B.P. 10 mg

**Indications :** Duodenal or Benign Gastric Ulcers Acid , Reflux Disease, Reflux Esophagitis, Dyspepsia & Bloating



### Megarab-20

1x10 Tabs (Alu Alu)  
Each strip in mono carton

Each enteric coated tablet contains:  
Rabeprazole Sodium I.P.20 mg

**Indications :** GERD, NSAID Related Ulcers, Peptic Ulcer Bleeding, Zollinger Ellison Syndrome



### Patrova-D

1x10 Tabs (Alu Alu)  
Each strip in mono carton

Each enteric coated tablet contains :  
Pantoprazole Sodium Sesquihydrate eq. to Pantoprazole 40 mg  
Domperidone B.P. 10 mg

**Indications :** Duodenal or Benign Gastric Ulcers, Acid Reflux Disease, Reflux Esophagitis, Dyspepsia & Bloating



### Patrova-40

1x10 Tabs (Alu Alu)  
Each strip in mono carton

Each enteric coated tablet contains :  
Pantoprazole Sodium Sesquihydrate eq. to Pantoprazole 40 mg

**Indications :** GERD, NSAID Related Ulcers, Peptic Ulcer Bleeding, Zollinger Ellison Syndrome



### Doxofyl-400

2x5x10 Tabs (Blister)

Each uncoated tablet contains :  
Doxofylline IP 400 mg

**Indications :**  
This medication is an antitussive, prescribed for asthma and Chronic Obstructive Pulmonary Disease (COPD)



### Fem-Red-XT

1x10 Tabs (Alu-Alu)

Each film coated tablet contains :  
Ferrous Ascorbate eq. to Elemental Iron 100 mg  
Folic Acid I.P.1.5 mg

**Indications :** Pregnancy, Chronic Blood Loss (Peptic Ulcers, Piles etc.) Renal Dialysis, Megaloblastic Anaemia



Tablets



**Coldacin Extra Advance**  
20x15 tabs

Each uncoated bilayer tablet contains :

Paracetamol IP	325 mg
Phenylephrine Hydrochloride IP	10 mg
Chlorpheniramine Maleate IP	2 mg
Caffeine IP (Anhydrous)	30 mg



**Dezacort-6**  
10x10 Tabs (Alu Alu)

Each uncoated tablet contains :  
Deflazacort 6 mg

**Indications :**  
Maintains corticosteroid level in body, Reduces inflammatory symptoms, Less side effect compared toprednisolone, Produces significant reliefin arthritic and asthmatic conditions



**Stuzine**  
10x2x10 Tabs (Blister)

Each film coated tablet contains :  
Cinnarizine IP 25 mg

**Indications :**  
Vertigo, Dizziness, nystagmus, tinnitus, nausea and vomitting, Peripheral Vascular disorder and prophylaxis of motion sickness



**Stuzine-D**  
10x2x10 Tabs (Blister)

Each film coated tablet contains :  
Cinnarizine IP 25 mg

**Indications :**  
Ertigo, Dizziness, nystagmus, tinnitus, nausea and vomitting, Peripheral Vascular disorder and prophylaxis of motion sickness



**LIKCEE**

10x10 Tabs (Strip)

Each uncoated chewable tablet contains :  
Vitamin C IP 500 mg



### Vertihist-8

10x10 Tabs (Alu Alu)

Each uncoated tablet contains :  
Betahistine Hydrochloride IP 8 mg

**Indications :**  
This medication is used to treat dizziness (vertigo) in those who have Meniere's disease.



### Vertihist-16

10x10 Tabs (Alu Alu)

Each uncoated tablet contains :  
Betahistine Hydrochloride IP 16 mg

**Indications :**  
This medication is used to treat dizziness (vertigo) in those who have Meniere's disease.



### Fotaz™-CV 325

Tablets 200/125 mg

Each film coated tablet contains :  
Cefixime Trihydrate IP equivalent to Cefixime 200 mg  
Potassium Clavulanate Diluted IP equivalent to Clavulanic Acid 125 mg  
Excipients q.s.  
Colour : Titanium Dioxide IP



### Volibose™-GM

10 x 1 x 10 Tablets

Each uncoated bilayered tablet contains :  
Voglibose I.P. 0.2 mg  
Glimepiride I.P. 2 mg  
Metformin Hydrochloride I.P. 500mg (As Sustained Release)  
Excipients q.s.  
Colour : Ponceau 4R Lake



### Polymol Advance

10 x 15 Tablets

Each uncoated tablet contains:  
Paracetamol I.P. 500mg  
Excipients q.s.



### Caldimax

1x15 Tabs (Blister)

Each film coated tablet contains :  
1.25g Calcium Carbonate I.P. from an Organic Source (Oyster Shell) eq. to Elemental Calcium 500 mg  
Vitamin D3 I.P. 250 I.U.



**Indications :** Osteoporosis  
Pregnancy & Lactation, Fractures



### Caldimax-k2

10X10 Tabs (Alu Alu)

Each film coated tablet contains :  
Vitamin K2-7 50 mcg  
Calcium Carbonate IP eq. to elemental Calcium 200 mg  
Calcitriol IP 0.25 mcg  
Zinc Sulphate USP eq. to elemental Zinc 7.5 mg  
Magnesium Sulphate IP eq. to elemental Magnesium 50 mg



### Telniscot-20

3 x 10 Tablets

**Composition:**  
Each film coated tablet contains:  
Teneligliptin Hydrobromide Hydrate Equivalent to Teneligliptin 20 mg  
Excipients q.s.



Cream/Gel

# Itch Cutter™

## cream Cream 25 g

Clotrimazole I.P.	0.50% w/w
Menthol I.P.	1.00% w/w
Ichthammol B.P.	0.20% w/w
Boric Acid I.P.	1.00% w/w
Zinc Oxide I.P.	5.00% w/w
Cream Base	q.s.

**Indications :**  
Soothes, Itching due to  
fungal infections



Relieves  
sweat itch due  
to Intertrigo



# Voligesic Plus™

## Gel



Gel 10 g/ 30 g/ 50 g

**Composition :**

Diclofenac Diethylamine B.P.	1.16% w/w
(eq. to Diclofenac Sodium)	1.0% w/w)
Linseed Oil B.P.	3.0% w/w
Methyl Salicylate I.P.	10.0% w/w
Menthol I.P.	5.0% w/w
Benzyl Alcohol I.P. (As Preservative)	1.0% w/w

**Indications :**

- Osteoarthritis
- Rheumatoid Arthritis
- Low Back Pain

Relieves Pain, Reduces Swelling,  
Combats Inflammation



## Capsules

**Ampilon-C**

10x10 Caps (Strip)

Each hard gelatin capsule contains :

Ampicillin Trihydrate	IP
eqv. to Ampicillin	250 mg
Cloxacillin Sodium	IP
eqv. to Cloxacillin	250 mg


Approved colours used in empty capsule shells.

**Ampilon-250**

10x10 Caps (Blister)

Each hard gelatin capsule contains  
Ampicillin Trihydrate I.P.  
eqv. to Ampicillin 250 mg

**Indications :** Infections of the Genital Urinary or Gastrointestinal Tracts, Gonorrhoea

**Ampilon-500**

10x10 Caps (Blister)

Each hard gelatin capsule contains  
Ampicillin Trihydrate I.P.  
eqv. to Ampicillin 500 mg

**Indications :** Infections of the Genital Urinary or Gastrointestinal Tracts, Gonorrhoea


**Ampilon-D**

10x2x10 Caps (Blister)

Each hard gelatin capsule contains :

Ampicillin Trihydrate IP	
eqv. to Ampicillin	250 mg
Dicloxacillin Sodium IP	
eqv. to Dicloxacillin	250 mg

**Indications :** Infections of the Genital Urinary or Gastrointestinal Tracts, Gonorrhoea

**Fephar-Z**

20x15 Caps (Blister)

Each hard gelatin capsule contains :

Elemental Iron	50 mg
(in the form of Carbonyl Iron)	
Zinc Sulphate	
Monohydrate USP	61.8 mg
equivalent to elemental zinc	22.5 mg
Folic Acid	IP 0.5 mg

**Megalop**

10x3x10 Caps (Blister)


Each capsule contains :  
Loperamide Hydrochloride IP 2 mg

**Indications :** Symptomatic treatment of acute diarrhea. Diarrhoea associated with Irritable Bowel Syndrome





## Capsules



### Moxvid-250

20x15 Caps (Blister)

Each hard gelatin capsule contains :  
Amoxicillin Trihydrate I.P.  
eq. to Amoxicillin 250 mg

**Indications :**  
Respiratory Infections,  
Genito-urinary Infections, Skin and  
Soft Tissue Infections, GI Infections




### Moxvid-500

10x2x10 Caps (Blister)

Each hard gelatin capsule contains  
Amoxicillin (as Amoxicillin  
Trihydrate I.P.) 500mg

**Indications :**  
Respiratory Infections,  
Genito-urinary Infections, Skin and  
Soft Tissue Infections, GI Infections



### Nexporin-250

20x10 Caps (Blister)

Each hard gelatin capsule contains :  
Cephalexin I.P.  
eq. to Anhydrous  
Cephalexin 250 mg

**Indications :**  
Respiratory Tract Infections  
Urinary Tract Infections  
Skin & Soft Tissue Infections  
Post Surgical Infections




### Nexporin-500

10x10 Caps (Blister)

Each hard gelatin capsule contains :  
Cephalexin I.P.  
eq. to Anhydrous  
Cephalexin 500 mg

**Indications :**  
Respiratory Tract Infections  
Urinary Tract Infections  
Skin & Soft Tissue Infections  
Post Surgical Infections



### Polmycetin-250

20x10 Caps (Blister)

Each hard gelatin capsule contains :  
Chloramphenicol IP 250 mg

**Indications :**  
Typhoid fever, paratyphoid, Otitic  
infections, certain dermal  
infections. Bacterial meningitis



### Polmycetin-500

10x2x10 Caps (Blister)

Each hard gelatin capsule contains :  
Chloramphenicol IP 500mg

**Indications :**  
Typhoid fever, paratyphoid, Otitic  
infections, certain dermal  
infections. Bacterial meningitis






### Lycotis Plus

1x10 Caps (Alu Alu)  
Each strip in mono carton

Each hard gelatin capsule contains :

Vitamin E Acetate	10 IU
Vitamin A (as Palmitate)	2500 IU
Selenium Dioxide	70 mcg
Lycopene 6%	2000 mcg
Zinc Sulphate Monohydrate	27.45 mg
Vitamin C	50 mg


**Indications :**  
Vitamin A deficiency, anaemia



### Itraconazole-100/200

10 x 1 x 4 Capsules

Each hard gelatin capsule contains :  
Itraconazole BP 100/200 mg (As enteric coated pellets)  
Excipients q.s.  
Approved colour used in capsule shells.



### Mecofar-Plus

1x10 Caps(Alu Alu)

Each hard gelatin capsule contains :

Mecobalamin	1500 mcg
Alpha Lipoic Acid USP	100 mg
Thiamine	
Mononitrate I.P.	10mg
Pyridoxine HCl I.P.	3 mg
Folic Acid I.P.	1.5 mg

**Indications :**  
Diabetes, Hypercholesterolaemia, Osteoarthritis/Osteoporosis, Peripheral/Diabetic Neuropathy



### Megarab-DSR

10x10 Caps (Alu Alu)

Each hard gelatin capsule contains :  
Rabeprazole Sodium I.P. 20 mg (as enteric coated pellets)  
Domperidone B.P. 30mg (as sustained release pellets)

**Indications :** Duodenal or Benign Gastric Ulcers Acid Reflux Disease Reflux Esophagitis Dyspepsia & Bloating



### Nutrich Xtra

1x10 Caps (Alu Alu)  
Each strip in mono carton

Each hard gelatin capsule contains :

Vitamin A	1600 IU
Vitamin E Acetate	1 IU
Vitamin B1	1 mg
Vitamin B2	1mg
Vitamin B6	1.34 mg
Vitamin B1	21 mcg
Vitamin D3	200 IU
Dibasic Calcium Phosphate eq. to Elemental Calcium	75 mg
Dibasic Calcium Phosphate eq. to Elemental Phosphorous	58 mg
Magnesium Sulphate	1 mg
Potassium Sulphate	1 mg
Dried Ferrous Sulphate eq. to Elemental Iron	25 mg
Sodium Molybdate eq. to Elemental Molybdenum	0.1 mg

**Indications :** Indicated in vitamin & mineral deficiency, Indicated in fatigue, stress



### Ocicure-D

20x15 Caps (Strip)

Each hard gelatin capsule contains :  
Omeprazole I.P. 20 mg (As enteric coated pellets)  
Domperidone B.P. 10 mg (As enteric coated pellets)

**Indications :** Duodenal or Benign Gastric Ulcers Acid Reflux Disease, Reflux Esophagitis Dyspepsia & Bloating



### Ocicure-20

20x15 Caps (Strip)

Each hard gelatin capsule contains :  
Omeprazole I.P. 20 mg (As enteric coated pellets)

**Indications :**  
GERD, NSAID related ulcers, Peptic Ulcer, Bleeding Zollinger Ellison syndrome



### Doxyscot


10x3x10 Caps (Blister)

Each hard gelatin capsule contains:  
Doxycycline Hydrochloride IP equivalent to Doxycycline 100 mg

**Indications :** Respiratory tract infections, pneumonia. Treatment of chronic bronchitis, sinusitis, Urinary tract infections, Sexually transmitted diseases, Dermatological infections, Ophthalmic infections, Rickettsial infections



Capsules



**Duobiotic**  
10x10 Caps (Alu Alu)

Each hard gelatin capsule contains:

Lactobacillus acidophilus	0.48 billion
Lactobacillus rhamnosus	0.48 billion
Bitidobacterium long	0.48 billion
Bitidobacterium bifidu	0.48 billion
Saccharomyces boulard	0.1 billion
Strapococcus thermophilu	0.48 billion
Fructo Oligo Saccharid	300 mg

**Indications :**  
Prebiotic and probiotic



**Tramafar**  
20x10 Caps (Blister)

Each hard gelatin capsule contains :  
Tramadol Hydrochloride IP 50 mg



**Indications :**  
The treatment of moderate to severe pain.



**Megarab-LSR**  
10x1x10 Caps (Alu Alu)

**Composition:**  
Each hard gelatin capsule contains:  
Rabeprazole Sodium IP 20 mg (as enteric coated pellets)  
Levosulpiride 75 mg (as sustained release pellets)

**Indications :** Treatment of psychosis, depression, frequent persistent heart burn, gastro-oesophageal reflux disease, irritable bowel syndrome, indigestion (dyspepsia).



**Megarab-DSR**  
20x10 Caps (Strip)


**Composition :**  
Each hard gelatin capsule contains :  
Rabeprazole Sodium IP 20 mg (as enteric coated pellets)  
Domperidone IP 30 mg (as sustained release pellets)



**Patrova-DSR**  
10x10 Caps (Alu Alu)

Each hard gelatin capsule contains:  
Pantoprazole Sodium IP eqv. to Pantoprazole 40 mg (as enteric coated granules)  
Domperidone Maleate IP eqv. to Domperidone 30 mg (10 mg as immediate release and 20 mg as sustained release)


**Indications :** Duodenal or Benign Gastric Ulcers Acid Reflux Disease, Reflux Esophagitis Dyspepsia & Bloating



**PG Lite-M**  
1x10 Caps (Alu Alu)  
Each strip in mono carton

Each hard gelatin capsule contains :  
Pregabalin IP 75 mg  
Mecobalamin JP 750 mcg (Methylcobalamin)

**Indications :**  
Neuroprotective, Peripheral Neuropathy, Diabetic Neuropathy



## Renutra

1x10 Soft gel Caps (Blister)

Nutritional Information (approximate value)  
 Each serving/Capsule (Net Content)  
 Ginseng Extract Powder 42.5 mg  
 Vitamin A (as Palmitate) 2500 IU  
 Vitamin B 1 1 mg  
 Vitamin B 2 1.5 mg  
 Vitamin B 6 1 mg  
 Vitamin B12 1 mcg  
 Vitamin C 15 mg  
 Vitamin D3 200 IU  
 Vitamin E Acetate 3 mg  
 Nicotinamide 5 mg  
 Calcium Pantothenate 5 mg  
 Folic Acid 0.15 mg  
 Ferrous Fumarate 30 mg  
 Copper (as Copper Sulphate) 0.5 mg  
 Manganese (as Manganese Sulphate) 0.5 mg  
 Magnesium (as Magnesium Sulphate) 3 mg  
 Zinc (as Zinc Oxide) 10 mg  
 Calcium (as Dibasic Calcium Phosphate) 75 mg  
 Phosphorus (as Dibasic Calcium Phosphate) 58 mg  
 Iodine (as Potassium Iodide) 0.1 mg  
 Potassium (as Potassium Sulphate) 2 mg

**Indications :** Enhance immunity,  
 Vision Impairment, Blood cell  
 Production, Prevents cold,  
 Premature Ageing



## Nutrich

1x10 Soft gel Caps (Blister)

Nutritional Facts :  
 Each soft gelatin capsule contains (Approx):  
 Energy Value 5.330 Kcal  
**Nutrients :**  
 Carbohydrate 0.062 g  
 Sugar 0.004 g  
 Dietary Fibre 0.000 g  
**Protein** 0.369 g  
 Sodium Content 0.004 mg  
**Essential Vitamins :**  
 Vitamin A 1600 IU  
 Vitamin E Acetate 1 IU  
 Vitamin B1 1 mg  
 Vitamin B2 1mg  
 Vitamin B6 1.34 mg  
 Vitamin B12 1 mcg  
 Vitamin D3 200 IU  
**Essential Minerals**  
 Dibasic Calcium Phosphate eq. to elemental Calcium 75 mg  
 eq. to elemental Phosphorous 58 mg  
 Magnesium Sulphate 1 mg  
 Potassium Sulphate 1 mg  
 Dried Ferrous Sulphate eq. to elemental Iron 25 mg  
 Total Fat 0.1 mg  
 Saturated Fatty Acids 0.338 g  
 Monounsaturated Fatty Acids 0.027 g  
 Polyunsaturated Fatty Acids 0.277 g  
 Trans Fatty Acids 0.034 g  
 Cholesterol 0.000 g  
 Cholesterol 0.000 mg


**Indications :** Major Blood Building  
 Factor, Prevent Premature Ageing,  
 Instant Energy Booster, Suffices  
 the deficiency States

## Fotaz-™ HD 200

10 x 1x 10 Capsules



**Composition :**  
**Each hard gelatin capsule contains :**  
 Cefixime (as Trihydrate) IP  
 equivalent to Anhydrous  
 Cefixime 200 mg  
 Excipients q.s.



## Amdiclox

10x2x10 Caps

Each hard gelatin capsule contains :  
 Amoxicillin Trihydrate IP  
 eqv. to Amoxycillin 250 mg  
 Dicloxacillin Sodium IP  
 eqv. to Dicloxacillin 250 mg  
 Approved colours used in  
 empty capsule shells.

# Cutfat™

Each hard gelatin capsule contains : Orlistat 60 mg/120 mg (As pellets 50% w/w)


1x10 Caps (Alu Alu)

**Indications :**  
 Hypercholesterol  
 Hyperlipidaemia





**Capsules**




**Caldimax-SG**

5x2x15 Caps (Blister)

Each soft gelatin capsule contains:  
 Calcium carbonate I.P. 500 mg (eq. to Elemental Calcium 200mg)  
 Calcitriol B.P. 0.25mcg  
 Zinc 7.5 mg

**Indications :**  
 Osteoporosis, Pre-eclampsia, Premenstrual Syndrome, Rickets/Osteomalacia



**Lycopin Red**

(Soft Gel)  
 1x10 Caps (Blister)

Each soft gelatin capsule contains:  
 Lycopene 6% USP 2000 mcg  
 Vitamin A (as palmitate) I.P. 2500 I.U.  
 Vitamin E Acetate I.P. 10 I.U.  
 Vitamin C I.P. 50 mg  
 Zinc Sulphate Monohydrate USP 27.45 mg  
 Selenium Dioxide USP 70mcg



**Indications :** Prevents impaired vision scurvy and coronary heart disease Development and differentiation of WBC, Enhance immunity



**Caldee 3**

10x1x4 Caps (Blister)  
 Each strip in mono carton


**Composition :**

Each soft gelatin capsule contains :  
 Cholecalciferol I.P. 60,000 IU  
 Excipients q.s.



# NUTRI POWER

10x1x15 Caps (Blister)  
Each strip in mono carton



**NUTRITIONAL INFORMATION (APPROXIMATE VALUES) PER CAPSULES**

Energy Value	5.330 Kcal
Carbohydrate	0.062 g
Sugar	0.004 g
Dietary Fibre	0.000 g
Protein	0.369 g
Sodium Content	0.004 mg
<b>Essential Vitamins :</b>	
Vitamin A	1600 IU
Vitamin E Acetate	1 IU
Vitamin B1	1 mg
Vitamin B2	1 mg
Vitamin B6	1.34 mg
Vitamin B12	1 mcg
Vitamin D3	200 IU
<b>Essential Minerals :</b>	
Dibasic Calcium Phosphate (eq. to elemental Calcium)	75 mg
(eq. to elemental Phosphorous)	58 mg
Magnesium Sulphate	1 mg
Potassium Sulphate	1 mg
Dried Ferrous Sulphate (eq. to elemental Iron)	25 mg
Sodium Molybdate Dihydrate (eq. to elemental Molybdenum)	0.1 mg
Total Fat	0.338 g
Saturated Fatty Acids	0.027 g
Monounsaturated Fatty Acids	0.277 g
Polyunsaturated Fatty Acids	0.034 g
Trans Fatty Acids	0.000 g
Cholesterol	0.000 mg

PERFORM MULTIPLE TASKS WITH EASE

# MULTITASQUE

10x1x10 Caps (Each strip in Monocarton) **SOFTGEL CAPSULES**

Omega-3 Fatty Acid + Green Tea Extract + Ginkgo Biloba + Ginseng + Grape Seed Extract + Antioxidant + Vitamins + Minerals

Each soft gelatin capsule contains : (Approx.)

Omega-3 Fatty acids providing	90 mg
Eicosapentaenoic Acid(EPA)	60 mg
Docosahexaenoic Acid(DHA)	45 mg
Calcium Ascorbate	42.5 mg
Ginseng Extract	30 mg
Ferrous Fumarate	30 mg
Magnesium Oxide eq. to El. Magnesium	25 mg
Wheat Germ Oil	25 mg
Choline Bitartrate	20 mg
Citrus Bioflavonoids (8mg of Bioflavonoids)	20 mg
Niacinamide	20 mg
Dibasic Calcium Phosphate eq. to El. Calcium	20 mg
and El. Phosphorus	15.45 mg
Zinc Oxide eq. to El. Zinc	15 mg
Grape Seed Extract	15 mg
Natural Mixed Carotenoids (10%)	11.33 mg
Green Tea Extract eq. to Polyphenols	10 mg
Ginkgo Biloba Extract	10 mg
Piperine	5 mg
Potassium Chloride eq. to El. Potassium	4 mg
and El. Chloride	3.5 mg
Colloidal Silicon Dioxide eq. to Silicon	2 mg
Manganese Sulphate eq. to El. Manganese	1.5 mg
Benfotiamine	1.5 mg
Vitamin B6	1 mg
Copper Sulphate Pentahydrate eq. to El. Copper	0.5 mg
Lutein	250 mcg
Folic Acid	150 mcg

Potassium Iodide eq. to El. Iodine	150 mcg
Sodium Borate eq. to El. Boron	150 mcg
Biotin	100 mcg
Chromium Piccolinate eq. to El. Chromium	65 mcg
Sodium Molybdate Dihydrate eq. to El. Molybdenum	25 mcg
Sodium Selenate Pentahydrate eq. to El. Selenium	20 mcg
Stannous Chloride Dihydrate eq. to El. Tin	10 mcg
Sodium Molybdate Dihydrate eq. to El. Vanadium	10 mcg
Menadione Sodium Bisulphite(Vit K)	10 mcg
Nickel Sulphate eq. to El. Nickel	5 mcg
Vitamin B12	1 mcg
Vitamin D3	200 IU
Lactic Acid Bacillus	500 mcg
Excipients	q.s.

**Nutritional Facts :**  
Each soft gelatin capsule contains ( approx. value ) :

<b>Energy</b>	<b>5.330 Kcal</b>
<b>Nutrients :</b>	
Carbohydrate	0.062 g
Sugar	0.004 g
Dietary Fibre	0.000 g
<b>Sodium Content</b>	
Total Fat	0.004 m g
Saturated Fatty Acids	0.338 g
Monounsaturated Fatty Acids	0.027 g
Trans Fatty Acids	0.034 g
Cholesterol	0.000 g





Capsules

# Lycopin Red GL

10x1x15 Caps (Blister)  
Each strip in mono carton



Each soft gelatin capsule contains (Approx.) :


Ginseng	42.57 mg
Iron	10.25 mg
Calcium	22.75 mg
Grape Seed (Extract)	18.65 mg
Lycopene 6%	5000 mcg
<b>Essential Vitamins :</b>	
Vitamin B1	10 mg
Vitamin B2	10 mg
Vitamin B3	12.5 mg
Vitamin B5	2.75 mg
Vitamin B6	3 mg
Vitamin B9	1750 mcg
Vitamin B12	15 mcg
Vitamin A	2500 IU
Vitamin C	25 mg
Vitamin D3	25 IU
Vitamin E (50%)	25 IU
<b>Essential Minerals :</b>	
Chromium Picolinate	200 mcg
Magnesium (as magnesium sulphate)	11.85 mg
Iodine (as potassium iodine)	100 mcg
Copper (as copper sulphate)	150 mcg
Molybdenum (sodium molybdate)	15 mcg
Zinc (as zinc sulphate dihydrate)	12.8 mg
Selenium Dioxide	70 mcg
L-Glutamic Acid	17.5 mg
L-Lysine Hydrochloride	15 mg
<b>Nutritional Facts :</b>	
Energy	5.330 Kcal
<b>Nutrients:</b>	
Carbohydrate	0.062 g
Sugar	0.004 g
Dietary Fibre	0.000 g
<b>Protein</b>	
Sodium Content	0.004 mg
Total Fat	0.338 g
Saturated Fatty Acids	0.027 g
Monounsaturated Fatty Acids	0.034 g
Trans Fatty Acids	0.000 g
Cholesterol	0.000 mg

# Nutriferrol

10x1x15 Caps (Blister)  
Each strip in mono carton



NUTRITIONAL INFORMATION (APPROXIMATE VALUES)	PER CAPSULES
Energy Value	5.330 Kcal
Carbohydrate	0.062 g
Sugar	0.004 g
Dietary Fibre	0.000 g
Protein	0.369 g
Sodium Content	0.004 mg
<b>Essential Vitamins :</b>	
Vitamin A	1600 IU
Vitamin E Acetate	1 IU
Vitamin B1	1 mg
Vitamin B2	1 mg
Vitamin B6	1.34 mg
Vitamin B12	1 mcg
Vitamin D3	200 IU
<b>Essential Minerals :</b>	
Dibasic Calcium Phosphate (eq. to elemental Calcium)	75 mg
(eq. to elemental Phosphorous)	58 mg
Magnesium Sulphate	1 mg
Potassium Sulphate	1 mg
Dried Ferrous Sulphate (eq. to elemental Iron)	25 mg
Sodium Molybdate Dihydrate (eq. to elemental Molybdenum)	0.1 mg
Total Fat	0.338 g
Saturated Fatty Acids	0.027 g
Monounsaturated Fatty Acids	0.277 g
Polysaturated Fatty Acids	0.034 g
Trans Fatty Acids	0.000 g
Cholesterol	0.000 mg
Approved colours used in soft capsule shell.	
Storage : Store in a cool, dry & dark place, below 25°C.	
Protected from direct light, heat and moisture.	
For prophylactic use only. Not for therapeutic use.	





### Ampilon-C

Injection 500 mg

Each vial contains:  
 Ampicillin Sodium IP (Sterile)  
 eqv. to Anhydrous Ampicillin 250 mg  
 Cloxacillin Sodium IP (Sterile)  
 eqv. to Cloxacillin 250 mg

**Indications :** treat bacterial infections such as lung infections, ear, skin, and urinary tract infections.




### Ampilon

Injection 1g

Each vial contains :  
 Ampicillin Sodium IP (Sterile)  
 eqv. to anhydrous Ampicillin 1 g

**Indications :**  
 Respiratory Tract Infections  
 Genito-Urinary Infections  
 Gastro-Intestinal Infections



### Falcinova

Single use vial

Each vial contains  
 Artesunate 60 mg

**Indications :**  
 Cerebral malaria against *Plasmodium falciparum* and *Plasmodium vivax*



### Sustaviron-250

1ml ampoule (with syringe)

Each ml contains:  
 Testosterone Propionate I.P. 30 mg  
 Testosterone Phenylpropionate 60 mg  
 Testosterone Isocaproate B.P. 60 mg  
 Testosterone Decanoate B.P. 100 mg  
 Oily base q.s.

**Indications :** Endocrine Impotence  
 Loss of Libido  
 Hypopituitarism  
 Delayed Puberty




### Ampilon

Injection 250 mg

Each vial contains:  
 Ampicillin Sodium IP (Sterile)  
 eqv. to Anhydrous Ampicillin 250 mg

**Indications :**  
 Respiratory Tract Infections  
 Genito-Urinary Infections  
 Gastro-Intestinal Infections



### Ampilon

Injection 500 mg

Each vial contains:  
 Ampicillin Sodium IP (Sterile)  
 eqv. to Anhydrous Ampicillin 500 mg

**Indications :**  
 Respiratory Tract Infections  
 Genito-Urinary Infections  
 Gastro-Intestinal Infections



# Ampilon-C

Injection 1 g

Each vial contains:  
 Ampicillin Sodium IP (Sterile)  
 eqv. to Anhydrous Ampicillin 500 mg  
 Cloxacillin Sodium IP (Sterile)  
 eqv. to Cloxacillin 500 mg

**Indications :**  
 treat bacterial infections such as lung infections, ear, skin, and urinary tract infections.





**Injectable**



**Fotaz 1gm**

Vial with Syringe

Each vial contains:  
Cefotaxime Sodium I.P. (Sterile)  
eq. to Cefotaxime 1000 mg

**Indications :** Nosocomial Infections  
Pneumonia  
Meningitis  
Bone and Joint Infections



**Magnazid**

250mg (Vial with WFI)

Each vial contains:  
Ceftazidime IP 250mg

**Indications :**  
Serious infections of the respiratory tract, E.N.T, skin and soft tissue bone, and joints, biliary and G.I tract Infections, U.T.Is., Septicaemia, meningitis, Infections in immunocompromised patient



**Magnazid**

1g (Vial with WFI)

Each vial contains :  
Ceftazidime IP 1000 mg  
(As Ceftazidime Pentahydrate)

**Indications :**  
Serious infections of the respiratory tract, E.N.T, skin and soft tissue bone, and joints, biliary and G.I tract Infections, U.T.Is., Septicaemia, meningitis, Infections in immunocompromised patient



**Meromax**

Vial with WFI

Each vial contains :  
Meropenem I.P.  
eq. to Meropenem Anhydrous 1000 mg  
Sodium Carbonate eq. to Sodium 90.2 mg (as buffer)

**Indications :** Nosocomial Pneumonia  
Urinary Tract Infections  
Obstetric / Gynaecological  
Intra-abdominal Infections



**Aquagesic**

1ml ampoule

Each ml. contains :  
Diclofenac Sodium IP 75 mg

**Indications :**  
Rheumatoid Arthritis, Osteoarthritis,  
Ankylosing Spondylitis, To manage moderate to severe pain



**Artefar**

2ml ampoule

Each 2ml contains :  
Alpha beta Arteether I.P. 150 mg

**Indications :**  
Severe Falciparum Malaria  
Cerebral Malaria  
MDR Malaria  
Relapses of Vivax Malaria



**Mikadil-100**

Injection 2ml/10ml

Each 2 ml vial contains:  
Amikacin Sulphate I.P.  
eq. to Amikacin 100 mg  
Methyl Paraben I.P. 0.08% w/v  
Propyl Paraben I.P. 0.02% w/v  
(As preservatives)

**Indications :**  
Community Acquired UTIs  
Bacterial meningitis and other  
bacterial infections



**Mikadil-500**

Injection 2 ml (Blister)

Each 2 ml vial contains:  
Amikacin Sulphate I.P.  
eq. to Amikacin 500 mg  
Methyl Paraben I.P. 0.08% w/v  
Propyl Paraben I.P. 0.02% w/v  
(As preservatives)

**Indications :** Community Acquired UTIs  
Bacterial meningitis and other  
bacterial infections




**Mikascot-100**

2ml Vial

Each 2 ml vial contains :  
Amikacin Sulphate IP  
eq. to Amikacin 100 mg  
Methyl Paraben IP 0.08% w/v  
(As preservative)  
Propyl Paraben IP 0.02% w/v  
(As preservative)

**Indications :** Community Acquired UTIs  
Bacterial meningitis and other  
bacterial infections




**Mikascot-500**

2ml Vial

Each 2 ml vial contains :  
Amikacin Sulphate IP  
eq. to Amikacin 500 mg  
Methyl Paraben IP 0.08% w/v  
(As preservative)  
Propyl Paraben IP 0.02% w/v  
(As preservative)

**Indications :**  
Community Acquired UTIs  
Bacterial meningitis and other  
bacterial infections



**Magnazone-SB**

1g (Vial with WFI)

Each vial contains :  
Cefoperazone Sodium IP  
(Sterile)  
eqv. to Cefoperazone 500 mg  
Sulbactam Sodium USP  
(Sterile)  
eqv. to Sulbactam 500 mg

**Indications :** Respiratory tract infections, Intra-abdominal infections  
(including peritonitis), Urinary tract infections, Septicemia, Meningitis,  
Skin and soft tissue infections bone, Orthopedic and Gynecologic  
infections (including pelvic inflammatory disease and endometritis).



**Magnazone-SB**

1.5g (Vial with WFI)

Each vial contains :  
Cefoperazone Sodium IP  
(Sterile)  
eqv. to Cefoperazone 1000 mg  
Sulbactam Sodium USP  
(Sterile)  
eqv. to Sulbactam 500 mg

**Indications :** Respiratory tract infections, Intra-abdominal infections  
(including peritonitis), Urinary tract infections, Septicemia, Meningitis,  
Skin and soft tissue infections bone, Orthopedic and Gynecologic infections  
(including pelvic inflammatory disease and endometritis).



**Magnazone**

Injection 1 g

Each vial contains :  
Cefoperazone Sodium IP (Sterile)  
eqv. to Cefoperazone 1000 mg



**Injectable**



**Monoscot-250**

Vial with WFI

Each Vial contains:  
Ceftriaxone Sodium I.P. (Sterile)  
eq. to Ceftriaxone 250 mg

**Indications :** Bacteraemia  
Septicaemia  
Meningitis  
Nosocomial Infections




**Monoscot-500**

Vial with WFI

Each Vial contains:  
Ceftriaxone Sodium I.P. (Sterile)  
eq. to Ceftriaxone 500 mg

**Indications :** Bacteraemia  
Septicaemia  
Meningitis  
Nosocomial Infections



**Monoscot**

Injection 1g

Each vial contains :  
Ceftriaxone Sodium IP (Sterile)  
eqv. to Ceftriaxone 1000 mg

**Indications :**  
Bacteraemia  
Septicaemia  
Meningitis  
Nosocomial Infections




**Monoscot-SB**

Vial with WFI

Each Vial contains:  
Ceftriaxone Sodium I.P. (Sterile)  
eq. to Ceftriaxone 1000 mg  
Sulbactam Sodium USP  
eq. to Sulbactam 500 mg

**Indications :** Nosocomial Infections  
Meningitis & Typhoid  
Chronic Suppurative Otitis Media  
Acute & Chronic Bronchitis



**Monoscot-TZ**

Injection 1.125g

Each vial contains:  
Ceftriaxone Sodium IP (Sterile)  
equivalent to anhydrous  
Ceftriaxone 1.0 g  
Tazobactam Sodium (Sterile)  
eq. to Tazobactam 0.125 g

**Indications :** Nosocomial Infections  
Meningitis & Typhoid  
Chronic Suppurative Otitis Media  
Acute & Chronic Bronchitis




**Polymycetin**

10ml Ampoule

Each vial contains :  
Chloramphenicol Sodium  
Succinate I.P. eq. to  
Chloramphenicol 1000mg  
Sulbactam Sodium USP  
(Sterile)  
eqv. to Sulbactam 500 mg

**Indications :**  
Meningitis  
Intra-ocular Infections  
Urinary Tract Infections  
Conjunctivitis




**Zetum**

750mg

Each vial contains :  
Cefuroxime Sodium IP  
eqv. to Cefuroxime 750 mg

**Indications :**  
Lower respiratory tract infections, UTI, Skin and soft tissue infections, Septicemia, Meningitis, Gonorrhoea, Bone and Joint Infections.



**Zetum**

1.5g Vial

Each vial contains :  
Cefuroxime Sodium IP  
eqv. to Cefuroxime 1500mg

**Indications :**  
Lower respiratory tract infections, UTI, Skin and soft tissue infections, Septicemia, Meningitis, Gonorrhoea, Bone and Joint Infections.



**Hycorlin**

Injection (Vial with WFI)

Each vial contains :  
Sterile Hydrocortisone Sodium Succinate USP  
eq. to Hydrocortisone 100 mg

**Indications :**  
Status Asthmaticus  
Anaphylactic Reactions  
Addison's Disease  
Simmond's Disease




**Bralspas**

30ml Vial

Each ml contains :  
Dicyclomine Hydrochloride IP 10 mg  
Benzyl Alcohol IP 2% v/v  
(As Preservative)

**Indications :** GI / Renal / Biliary Colic  
Irritable Bowel Syndrome  
Spasmodic Dysmenorrhoea



**Tazomax**

Injection 30 ml

Each vial contains :  
Piperacillin Sodium USP (Sterile)  
eq. to Piperacillin 4 gm  
Tazobactam Sodium (Sterile)  
eq. to Tazobactam 0.5 gm


**Indications :** Meningitis  
In Severe Nosocomial Infections  
Lower Respiratory Tract Infections  
Intra-abdominal Infections



**Gero**

10ml vial

Each ml contains :  
Gentamicin Sulphate IP  
equivalent to Gentamicin 40 mg  
Methyl Paraben IP 0.18% w/v  
Propyl Paraben IP 0.02% w/v  
(as preservative)



**Gero**

20ml vial

Each ml contains :  
Gentamicin Sulphate IP  
equivalent to Gentamicin 40 mg  
Methyl Paraben IP 0.18% w/v  
Propyl Paraben IP 0.02% w/v  
(as preservative)



**Gero**

30ml vial

Each ml contains :  
Gentamicin Sulphate IP  
equivalent to Gentamicin 40 mg  
Methyl Paraben IP 0.18% w/v  
Propyl Paraben IP 0.02% w/v  
(as preservative)



**Injectable**




**Geragen**

Injection  
2 ml

Each 2ml contains:  
Gentamicin Sulphate I.P. 80mg  
eq. to Gentamicin 0.18% w/v  
Methyl Paraben I.P. 0.02%w/v  
Propyl Paraben I.P.

**Indications :** Septicaemia  
Urinary Tract Infections  
Meningitis, Lung Abscesses



**Methycort**

Vial 1 gm

Each vial of constituted solution contains :  
Methylprednisolone sodium succinate USP eqv. to Methylprednisolone 1000mg

**Indications :** Endocrine disorders, Rheumatic disorders, Chronic inflammatory processes involving the eye Allergic states and dermatological diseases



**Incerm maxx**  
10 ml ampoule

Each ml contains :  
Vitamin A (as palmitate) IP 1000 IU  
Cholecalciferol IP 125 IU  
Alpha Tocopheryl Acetate IP 0.60 mg  
Thiamine Hydrochloride IP 5 mg  
Pyridoxine Hydrochloride IP 2 mg  
Riboflavine Sodium Phosphate IP 1.40 mg  
Ascorbic Acid IP 50 mg  
Niacinamide IP 1.0 mg  
D-Panthenol IP 2.50 mg  
Benzyl Alcohol IP 1% w/v (as preservative)



**Intaferon**

Injection 5ml

Each ml contains :  
Ferric Hydroxide in Complex with Sucrose eqvt. to elemental Iron 20mg  
Water for injection IP q.s.


**Indications :** Iron deficiency anaemia




**Tranex-500**

Injection 5ml

Composition:  
Each 5ml contains :  
Tranexamic Acid BP 500mg  
Water for Injection IP q.s.






### Ligocain

Injection 30ml

Each ml contains :  
Lignocaine  
Hydrochloride IP 21.3 mg  
Sodium Chloride IP 6.0 mg  
Methyl Paraben IP 1.0 mg

**Indications :** For production of local or regional anesthesia




### Mecofar

2ml ampoule

Each 2ml. contains :  
Methylcobalamin 1500 mcg.  
Benzyl Alcohol I.P. 2% v/v  
(as preservative)

**Indications :** Peripheral neuropathy, diabetic neuropathy, amyotrophic lateral sclerosis.




### Ligocain-ADR

Vial 30ml

Each ml contains :  
Lignocaine  
Hydrochloride IP 21.3 mg  
Adrenaline (as Adrenaline  
Bitartrate IP 0.009 mg) 0.005 mg  
Sodium Chloride IP 6.0 mg  
Sodium  
Metabisulphite IP 0.5 mg  
Methyl Paraben IP 1.0 mg

**Indications :**  
Indicated for production of local or regional anesthesia



### Mecofar-Plus

2ml ampoule

Each 2 ml. contains :  
Methylcobalamin 1500 mcg  
Thiamine  
Hydrochloride IP 100 mg  
Pyridoxine  
Hydrochloride IP 100 mg  
Niacinamide IP 100 mg  
D-Panthenol IP 50 mg  
Benzyl Alcohol IP 2% w/v  
(As preservative)

**Indications :**  
Gastro-Oesophageal Reflux Disease (GORD) , erosive reflux oesophagitis , rebleeding of peptic ulcers




### Polymol

2ml ampoule

Each ml contains :  
Paracetamol IP 150 mg  
Benzyl Alcohol IP 2% v/v  
(as preservative)

**Indications :**  
Antipyretic, Analgesic



### Pironex

2ml ampoule

Each ml contains :  
Piroxicam I.P. 20 mg  
Benzyl Alcohol I.P. 20 mg  
(as preservative)  
Ethanol content 12.6% v/v

**Indications :** Rheumatoid Arthritis  
Osteoarthritis  
Ankylosing Spondylitis  
Acute Gout




### Dexadran

Injection  
2 ml/10 ml/ 20 ml/ 30 ml

Each ml contains:  
Dexamethasone Sodium  
Phosphate I.P.  
eq. to Dexamethasone  
Phosphate 4 mg  
Preservatives:  
Methyl Paraben I.P. 0.15% w/v  
Propyl Paraben I.P. 0.02% w/v  
Water for injection I.P. q.s.

**Indications :** Adrenocortical Insufficiency, Shock, Acute Dermatological Disorders, Rheumatic Disorders



### Novamentin-1.2g /600mg/300mg/150mm Vial

Each Vial contains:  
Sterile Amoxicillin Sodium I.P.  
eq. to Amoxicillin 1000 mg  
Sterile Potassium  
Clavulanate I.P.  
eq. to Clavulanic Acid 200 mg

**Indications :** Community Acquired Pneumonia, Sinusitis  
SSTI / UTI  
Surgical Prophylaxis




**Injectable**



**Voligesic**  
Injection 3 ml

Each ml contains :  
Diclofenac Sodium I.P. 25 mg  
Benzyl Alcohol I.P. 4% w/v

**Indications :**  
Rheumatoid Arthritis Osteoarthritis Ankylosing Spondylitis



**Etham**  
10x5x2ml ampoule

Each ml contains :  
Etamsylate B.P. 125 mg  
Water for Injection I.P. q.s.

**Indications :**  
Prophylaxis and control of haemorrhages from small blood vessels, neonatal intraventricular haemorrhage drug



**Tramafar**  
Injection 2 ml

Each ml contains  
Tramadol  
Hydrochloride BP 100 mg

**Indications :**  
Postoperative Pain  
Associated with Surgery



**Methiphar**  
1 ml ampoule

Each ml contains:  
Methylegometrine  
Maleate IP 0.2mg  
Water for injection IP q.s.


**Indications :**  
Prevention and treatment of  
post partum hemorrhage



**Pregsafe-250**  
1ml ampoule

Each ml contains:  
Hydroxyprogesterone  
Caproate I.P. 250 mg  
Castor Oil I.P. & Benzyl  
benzoate I.P. (1:1.7) q.s.


**Indications :**  
Habitual & Threatened Abortion,  
Infertility Due to Corpus Luteum Insufficiency,  
Primary & Secondary Amenorrhoea,  
Uterine Hypoplasia



**Pregsafe-500**  
2ml ampoule

Each ml contains:  
Hydroxyprogesterone  
Caproate I.P. 500 mg  
Castor Oil I.P. & Benzyl  
benzoate I.P. (1:1.7) q.s.


**Indications :** Habitual & Threatened Abortion,  
Infertility Due to Corpus Luteum Insufficiency,  
Primary & Secondary Amenorrhoea,  
Uterine Hypoplasia



**Duradec-25**  
1ml ampoule (with syringe)

Each ml contains :  
Nandrolone Decanoate I.P. 25 mg  
Oily base Solvents-Benzyl Alcohol & Arachis oil

**Indications :** Osteoporosis  
Burns/Trauma  
Convalescence  
Anaemia



**Duradec-100**  
1ml ampoule (with syringe)

Each ml contains :  
Nandrolone Decanoate IP 100 mg  
Oily base Solvents-Benzyl Alcohol & Arachis oil

**Indications :** Osteoporosis  
Burns/Trauma  
Convalescence  
Anaemia



**Duradec-50**  
1ml ampoule (with syringe)

Each ml contains :  
Nandrolone Decanoate I.P. 50 mg  
Oily base Solvents-Benzyl Alcohol & Arachis oil

**Indications :** Osteoporosis  
Burns/Trauma  
Convalescence  
Anaemia



**Orthomax-D6**  
1ml ampoule

Each ml contains :  
Cholecalciferol (600,000 I.U.) IP 15 mg  
Arachis Oil IP q.s.


**Indications :** Osteoporosis , osteomalacia, rickets, hypocalcaemia associated with hypoparathyroidism, hypophosphatemia, renal osteodystrophy, post-operative tetany.



**Tramicort**  
1ml Injection Vial

Each ml contains :  
Triamcinolone Acetonide I.P. 40 mg  
Benzyl Alcohol I.P. 0.9 % as preservative in aqueous base

**Indications :** Intra-articular use: for alleviating the joint pain, swelling and stiffness associated with rheumatoid arthritis and osteoarthritis, with an inflammatory component; also for bursitis, epicondylitis, and tenosynovitis.



**Testenate Depot-250**  
1ml ampoule (with syringe)

Each ml contains :  
Testosterone Enanthate USP 250 mg  
Benzyl Alcohol IP2%  
Arachis Oil IP q.s.

**Indications :** Endocrine Impotence Loss of Libido  
Hypopituitarism Delayed Puberty



**Raniphar**  
2 ml ampoule

Each ml contains :  
Ranitidine Hydrochloride I.P. 25 mg  
eq. to Ranitidine Phenol I.P. 0.5% w/v  
(as preservative)  
Buffered aqueous base q.s.

**Indications :** Dyspepsia GI Haemorrhage Zollinger-Ellison Syndrome Gastric & Duodenal Ulcers



**Vomino**  
Injection 2ml


Each ml contains :  
Ondansetron Hydrochloride IP equivalent to Ondansetron 2 mg  
Water for Injection IP q.s.

**Indications :** For nausea and vomiting induced by cytotoxic, chemotherapy and radiotherapy and for the, prevention of post operative nausea and vomiting.





**Injectable**



**Ocicure-IV**

40mg Vial

Each vial contains:  
Omeprazole sodium BP  
equivalent to  
Omeprazole 40 mg  
(suitably buffered)

**Indications :**  
GERD, NSAID related ulcers  
Peptic Ulcer Bleeding Zollinger  
Ellison syndrome




**Patrova-40**

Vial with  
Sodium Chloride & Tray

This combipack contains :  
One glass vial contains :  
Pantoprazole Sodium  
eq. to Pantoprazole 40 mg  
& One FFS ampoule containing  
Sodium Chloride Injection I.P.  
10 ml

**Indications :** Dyspepsia GI  
Haemorrhage Zollinger-Ellison  
Syndrome Gastric & Duodenal Ulcers



**Punto-IV**

40mg Vial

Each vial contains:  
Pantoprazole Sodium  
equivalent to  
Pantoprazole 40 mg

**Indications :**  
GERD, NSAID  
Related Ulcers Peptic Ulcer  
Bleeding Zollinger Ellison  
Syndrome




**Combikit-12**

Injection

Each 1.5ml (Part-I) contains:  
Vitamin C I.P. 150 mg  
Each ml (Part-II) contains:  
Vitamin B12 2500 mcg  
Folic Acid I.P. 0.7 mg  
Niacinamide I.P. 12 mg

**Indications :** Dementia  
Sleep Disturbance  
Male Impotence  
Drug Induced Neuropathy



**Vitanov Kit**

Combination Pack Injection  
Part I : 1.5ml, Part II : 1ml

Each 1.5ml (Part-I) contains:  
Vitamin C I.P. 150 mg  
Each ml (Part-II) contains:  
Methylcobalamin 2500 mcg  
Folic Acid I.P. 0.7 mg  
Niacinamide I.P. 12 mg

**Indications :**  
Peripheral/Diabetic  
Neuropathy,  
Neurotoxicity, Optic  
Neuritis, Bell's Palsy



### ELTEGRA

Suspension 60ml

Each 5ml (teaspoonful) contains :  
 Fexofenadine Hydrochloride IP 30mg  
 In a flavoured syrup base.

**Indications :**  
 Relief of symptoms associated with seasonal allergic rhinitis, chronic idiopathic urticaria



### Kufdoz-AM

Syrup 50 ml/100 ml

Each 5 ml contains :  
 Terbutaline Sulphate IP 1.5mg  
 Guaiphenesin IP 50mg  
 Ambroxol Hydrochloride IP 15mg  
 Menthol IP 1mg

**Indications :** Cough due to bronchitis, Wheezing & Dry Cough



### Kufdoz-BR

Syrup 50 ml /100 ml

Each 5ml (1 teaspoonful) contains :  
 Terbutaline Sulphate I.P. 1.25 mg  
 Bromhexine Hydrochloride I.P. 2 mg  
 Guaiphenesin I.P. 50 mg  
 Mentholated syrup base q.s.

**Indications :** Acute & Chronic Bronchitis  
 Bronchospastic Disorders  
 Lower Respiratory Tract Infections  
 Asthma




### Tricold

Syrup 60 ml  
 (Carton Pack/nacked)

Each teaspoonful (5ml) contains :  
 Phenylephrine Hydrochloride IP 5mg  
 Chlorpheniramine Maleate IP 2mg  
 Flavoured syrupy base q.s.

**Indications :** Nasal congestion , Allergy, Common cold, Rhinitis, Sinusitis



### Tricold plus

Suspension 60 ml  
 (Carton Pack/nacked)

Each 5 ml contains  
 Paracetamol IP 125 mg  
 Phenylephrine hydrochloride IP 5 mg  
 Chlorpheniramine Maleate IP 1mg  
 Flavoured syrupy base q.s.

**Indications :**  
 Relief from cold , fever , bodyache, sneezing, nasal congestion



### Kufdoz-X

50 ml/100ml

Each 5ml contains :  
 Guaiphenesin I.P. 100 mg  
 Dextromethorphan Hydrobromide I.P. 10 mg  
 Phenylephrine Hydrochloride I.P. 5 mg  
 Chlorpheniramine Maleate I.P. 4 mg  
 Flavoured Base q.s.

**Indications :** Allergic Cough, Dry Cough, Asthma, Influenza & Pharyngitis



### Kufdoz

Syrup 50/100 ml

**COMPOSITION :**  
 Each 5ml (1teaspoonful) contains :  
 Chlorpheniramine Maleate IP 2 mg  
 Dextromethorphan Hydrobromide IP 10 mg  
 Phenylephrine HCl IP 5 mg  
 Flavoured mentholated syrupy base q.s.



### Kufdoz-DX

Syrup 50/100 ml

Each 5ml contains :  
 Dextromethorphan Hydrobromide IP 15 mg  
 Phenylephrine Hydrochloride IP 5 mg  
 Chlorpheniramine Maleate IP 2 mg  
 Flavoured Mentholated Syrupy Base q.s.



Syrup



**Norbax-M**

Syrup 30 ml

Each 5 ml contains :  
 Norfloxacin IP 100 mg  
 Metronidazole Benzoate IP  
 eq. to Metronidazole 120 mg



**Ofrivid-OR**

Suspension 30 ml

Each 5ml contains :  
 Ofloxacin IP 50 mg  
 Ornidazole IP 125 mg  
 In a flavoured Syrupy Base q.s.



**Vomino**

Syrup 30 ml

Each 5ml contains:  
 Ondansetron hydrochloride I.P 2mg  
 Flavoured syrupy base q.s.

**Indications :** Antiemetic  
 For nausea and vomiting induced by cytotoxic , chemotherapy and radio therapy and for the , prevention of post operative nausea and vomiting in adults.



**Children's Combipain**

Suspension 60ml

Each 5ml contains :  
 Ibuprofen IP100mg  
 Paracetamol IP 162.5mg  
 Flavoured Syrupy base q.s.  
 Flavour : Orange

**Indications :** Fever, pain



**Cyclospas**

Syrup 60ml

Each 5 ml. contains :  
 Mefenamic Acid IP 50 mg  
 Paracetamol IP 125 mg  
 Flavoured syrupy base

**Indications :**  
 Pain due to spasm, Fever



**Aziphar**

100mg/200mg  
 Suspension 15ml

Each 5 ml contains :  
 Azithromycin Dihydrate I.P.  
 eq. to Azithromycin 100 mg  
 Flavoured Syrupy Base q.s.


**Indications :** Acute Otitis Media  
 Community Acquired Pneumonia  
 Pharyngitis / tonsillitis



**Polymol**  
Suspension 60 ml

Each 5 ml contains:  
Paracetamol I.P. 125 mg  
Flavoured palatable base q.s.


**Indications :**  
Fever, Pain



**Polymol DS**  
Suspension 60 ml


Each 5 ml contains:  
Paracetamol I.P. 250 mg  
Flavoured palatable base q.s.  
Colour: Ponceau 4R

**Indications :** Fever  
Pain



**Polymol Plus**  
Syrup 60 ml naked/60 ml

**COMPOSITION :**  
Each 5ml contains :  
Paracetamol I.P. 125 mg  
Promethazine  
Hydrochloride I.P. 5 mg  
Propylene Glycol I.P. q.s.  
Flavoured Syrupy base q.s.



**Polymycetin**  
Suspension 60ml

Each 5 ml. contains :  
Chloramphenicol  
Palmitate IP218.75 mg  
eq. to Chloramphenicol 125 mg  
Flavoured syrup base q.s.

**Indications :**  
Typhoid fever, paratyphoid,  
Otitic infections, certain dermal  
infections, Bacterial meningitis



**Ofrivid**  
Suspension 30ml/60ml

Each 5 ml contains:  
Ofloxacin I.P. 50 mg  
Flavoured Syrupy base q.s.

**Indications :**  
Community Acquired Pneumonia  
Nosocomial Infections



**Ofrivid-M**  
Suspension 30ml/60ml

Each 5 ml contains:  
Ofloxacin I.P. 50 mg  
Metronidazole Benzoate I.P.  
eq. to Metronidazole 120 mg  
Flavoured Syrupy base q.s.

**Indications :** GI Infections Food  
Poisoning, Dysentery,  
Diarrhoea Due to Mixed Origin



**Exyt**  
Suspension 10ml

Each 5 ml contains :  
Albendazole I.P. 200mg  
Flavoured Syrupy base q.s.

**Indications :**  
Hookworm Infestation,  
Lymphatic Filariasis,  
Ascariasis, Trichuriasis




**Alkatis**  
Syrup 100 ml

Each 5ml contains :  
Disodium Hydrogen  
Citrate BP 1.25 g  
Flavoured syrupy base q.s.

**Indications :**  
Causes alkalization of urine  
and blood  
Provides relief in mild UTI



Syrup



**Sucraphar**  
Syrup 200 ml

Each 10ml Contains :  
Sucralfate U.S.P. 1g

**Indications :**  
Anti Ulcerate,  
Treatment of Peptic Ulcers, GERD




**Lactofar**

Solution 100 ml/200 ml

Each 15 ml contains :  
Lactulose 10 gm  
(As Lactulose Concentrate USP)  
Palatable base q.s.

**Indications :**  
Constipation



**Digestozym**  
Syrup 200 ml/100ml

Each 15ml Contains :  
Diastase (1: 1200) IP 50 mg  
(Digests not less than  
60 gm of cooked starch)  
Pepsin (1: 3000) IP 10 mg  
(Digests not less than 30 gm of  
coagulated egg albumin)  
Flavoured Syrup base q.s.




**Megacitral  
liquid**

Syrup 100ml

Each 5 ml contains:  
Disodium hydrogen  
citrate BP 1.25 gm  
Flavoured syrupy base q.s.

**Indications :**  
Causes alkalinization of urine  
and blood  
Provides relief in mild UTI



**Caldimax-D3**  
Suspension 200 ml

Each 5ml contains:  
Calcium Carbonate  
(Oyster Shell) I.P. 625 mg  
eq. to elemental  
Calcium 250 mg  
Vitamin D3 I.P. 125 I.U.

**Indications :**  
Osteoporosis, Pre-eclampsia  
Premenstrual Syndrome,  
Rickets/Osteomalacia



**Caldimax-B<sub>12</sub>**  
Suspension 200 ml

Each 5ml of suspension  
contains :  
Calcium gluconate IP 50 mg  
Vitamin D3 IP400 I.U.  
Cyanocobalamin IP 5 mcg  
Flavoured Syrup base q.s.

**Indications :** Calcium Deficiency



**Zumo**  
Syrup 60 ml

Each 5 ml. contains :  
 Aceclofenac IP 50 mg  
 Paracetamol IP 125 mg  
 Flavoured palatable base q.s.  
 Colour : Sunset Yellow FCF



**Piclix**  
Syrup 100 ml

Each 5ml contains :  
 Sodium Picosulfate BP 5 mg.  
 In a Palatable Sorbitol Base q.s.

**Indications :**  
 Laxative treats constipation



**Cheerdryl**  
Syrup 50 ml / 100ml

Each 5 ml contains:  
 Diphenhydramine Hydrochloride I.P. 14.08 mg  
 Ammonium Chloride I.P. 138 mg  
 Sodium Citrate I.P. 57.03 mg  
 Menthol I.P. 1.14 mg  
 Pleasantly flavoured syrupy base q.s.

**Indications :** Dry Seasonal Cough, Cough in T.B , Patients, Allergic Bronchitis



**Moxvid**  
Dry Syrup 30ml/60ml

Each 5ml (after reconstitution) suspension contains :  
 Amoxicillin Trihydrate I.P. eq. to Amoxicillin 125 mg

**Indications :**  
 Community Acquired Pneumonia  
 Sinusitis  
 Acute Otitis Media



**Kufdoz Baby**  
Syrup 60 ml

Each 5 ml contains:  
 Levocetirizine Dihydrochloride I.P. 2.5 mg  
 Ambroxol Hydrochloride B.P. 1.5 mg  
 Flavoured syrupy base q.s.


**Indications :**  
 Seasonal Allergic Rhinitis,  
 Allergic Cough, Hay Fever



**Ferpod**  
(HDPE bottle)/(Glass Bottle)  
Suspension 18gm/30ml

Each 5 ml of reconstituted suspension contains :  
 Cefpodoxime proxetil IP 50 mg

**Indications :**  
 Acute otitis media  
 Pharyngitis and/or tonsillitis  
 Community-acquired pneumonia



**Ferpod-100**  
Dry Syrup 30ml

When reconstituted as directed :  
 Each 5ml of reconstituted suspension contains :  
 Cefpodoxime Proxetil IP eq.to Cefpodoxime 100 mg

**Indications :**  
 Upper Respiratory Tract Infections (URTI) , Lower Respiratory Tract Infection , Urinary Tract Infections



**Ferpod-CV**  
Suspension 10gm/30ml

**Composition :**  
 Each 5ml of reconstituted suspension contains :  
 Cefpodoxime Proxetil IP eq. to Cefpodoxime 50mg  
 Potassium Clavulanate Diluted IP eq. to Clavulanic Acid 31.25mg

**Indications :**  
 Acute otitis media  
 Pharyngitis and/or tonsillitis  
 Community-acquired pneumonia




Syrup



**Fotaz-O**  
Dry Syrup 30ml

Each 5ml (after reconstitution) suspension contains :  
Cefixime IP (As Trihydrate) eq. to Anhydrous Cefixime 50 mg


**Indications :** Tonsillitis & Pharyngitis  
Sinusitis, Acute Otitis Media  
Acute Pyelonephritis



**Fotaz-CV**  
Dry Syrup 30ml

**COMPOSITION :**  
Each 5ml of reconstituted suspension contains :  
Cefixime IP as Trihydrate 50mg  
Potassium Clavulanate Diluted IP eq. to Clavulanic Acid 31.25mg

**Indications :** Tonsillitis & Pharyngitis  
Sinusitis, Acute Otitis Media  
Acute Pyelonephritis




**Fotaz-OF**  
Dry Syrup 30ml

Each 5ml (after reconstitution) suspension contains :  
Cefixime IP (as Trihydrate) 50mg  
Ofloxacin IP 50mg



**Cetifar**  
Syrup 60ml

**COMPOSITION :**  
Each 5ml contains :  
Cetirizine Dihydrochloride I.P. 5mg



**Novamentin**  
Dry Syrup 30ml

Each 5ml (after reconstitution) suspension contains :  
Amoxicillin Trihydrate I.P. eq. to Amoxicillin 200 mg  
Potassium Clavulanate I.P. eq. to Clavulanic Acid 28.5 mg

**Indications :**  
Community Acquired Pneumonia, Sinusitis, Acute Otitis Media



**Cetifar Plus**  
Syrup 60ml


**COMPOSITION :**  
Each 5ml contains :  
Paracetamol I.P. 125 mg  
Cetirizine Hydrochloride I.P. 2.5 mg  
Phenylephrine HCl I.P. 2.5 mg



**Levomont-LC**

Syrup 60 ml

Each 5ml contains :  
 Montelukast Sodium IP  
 equivalent to  
 Montelukast 4mg.  
 Levocetirizine  
 Dihydrochloride IP 2.5mg.



**Levocetral**

Syrup 30 ml

Each 5ml contains :  
 Levocetirizine  
 Hydrochloride IP 2.5mg.



**Nexporin**

Pet bottle/Glass bottle  
 Dry Syrup 30ml

Each 5ml (after reconstitution)  
 suspension contains :  
 Cephalexin I.P.  
 eq. to anhydrous  
 Cephalexin 125 mg

**Indications :**  
 Tonsillitis & Pharyngitis,  
 Sinusitis, Acute otitis media



**Polymol-Kid**

Suspension 15 ml

Each ml. contains :  
 Paracetamol I.P. 100 mg  
 In flavoured Syrupy base  
 Permitted Colour :  
 Quinoline Yellow WS

**Indications :**  
 Fever, Pain



**Lycopin Red**

Syrup 200 ml

Each 10 ml contains:  
 Lycopene  
 (as Natural tomato-O-Red)1000 mcg  
 Zinc (as Monohydrate)7.5 mg  
 Selenium  
 (as Monohydrate Dioxide) 35 mcg  
 Manganese (as gluconate) 2.75 mg  
 Iodine (as Iodide)75 mcg  
 Copper (as Sulphate) 1.1 mg

**Indications :**  
 Prevents impaired vision scurvy and  
 coronary heart disease Development  
 and differentiation of WBC, Enhance  
 immunity



**Cyclo Spas**

Oral Drops 15 ml

Each ml contains :  
 Dicyclomine  
 Hydrochloride IP 10 mg  
 Activated  
 Dimethicone IP 40 mg  
 In flavoured palatable base

**Indications :**  
 Colic Pain



**Appetime**

Oral Drops  
 15 ml

**Indications :**  
 Loss of Appetite  
 Weakness / Fatigue

**Composition :**  
 Each ml (approx 20 drops)  
 contains :  
 Cyproheptadine  
 Hydrochloride IP  
 eq. to anhydrous Cyproheptadine  
 HCl. 1.5 mg  
 Tricholine Citrate 55 mg  
 Flavoured palatable base q.s.








Syrup/Drops



**Fem Red**  
Oral Drops 15 ml

Each ml contains:  
Iron (III) Hydroxide Polymaltose complex  
eq. to elemental Iron 50 mg  
In a syrup base


**Indications :**  
Hypochromic Megaloblastic Anaemia  
Iron Deficiency Anaemia  
Iron and Folic Acid Deficiency



**Kidspas**  
Oral Drops 15 ml

Each ml contains:  
Dicyclomine Hydrochloride I.P. 10mg  
Activated Dimethicone I.P. 40 mg  
Flavoured Syrupy base q.s.

**Indications :** Renal Colic  
Intestinal Colic  
Gripping Pain



**Tricold**  
Oral Drops 15 ml

Each ml contains :  
Phenylephrine Hydrochloride IP 5 mg  
Chlorpheniramine Maleate IP 2 mg


**Indications :**  
Allergic cough,  
Running nose &  
Sneezing



**Tricold plus**  
Oral drops 15ml

Each ml contains:  
Paracetamol IP 125 mg  
Phenylephrine hydrochloride IP 2.5mg  
Chlorpheniramine maleate IP 1mg

**Indications :** Nasal congestion  
Allergy, Fever,  
Common cold, Rhinitis, Sinusitis



**Nutrizyme**  
Oral Drops 15 ml

Each ml contains :  
Diastase I.P. (1:1200) 33.33 mg  
(Fungal diastase derived from Aspergillus oryzae digests not less than 40gm of cooked starch )  
Pepsin I.P. (1:3000) 5 mg  
(Digests not less than 15gm of coagulated egg albumin)

**Indications :**  
Dysphagia, Belching,  
Feeling of fullness,  
Regurgitation



**Nutri Power Drops**  
Oral Drops 15 ml

Each 0.5 ml contains :  
Vitamin A IP5000 IU  
Calciferol IP500 IU  
Vitamin C IP50 mg  
(as Ascorbic Acid IP 19.35mg and Sodium Ascorbate IP 34.44mg)  
Thiamine Hydrochloride IP 2 mg  
Riboflavin 1 mg  
(as Riboflavin Sodium Phosphate IP 1.37mg)  
Pyridoxine Hydrochloride IP 1 mg  
Nicotinamide IP 12.5 mg  
Dexpantenol IP 2 mg

**Indications :**  
Vitamin and Mineral Supplement




### Cifbax

Eye / Ear Drops 10 ml

Ciprofloxacin Hydrochloride I.P. eq. to Ciprofloxacin 0.3% w/v  
Hydroxypropyl Methyl Cellulose I.P. 0.25% w/v  
Benzalkonium Chloride Solution I.P. 0.02% v/v  
Aqueous Buffered Vehicle q.s.

**Indications :** Blepharoconjunctivitis, Keratoconjunctivitis, Corneal Ulcers, Post-operative Prophylaxis



### Cifbax-DX

Eye / Ear Drops 10 ml

Ciprofloxacin HCl I.P. eq. to Ciprofloxacin 0.3% w/v  
Dexamethasone IP 0.05% w/v  
Hydroxypropyl Methyl Cellulose IP 0.25% w/v  
Benzalkonium Chloride Solution I.P. 0.02% v/v  
Aqueous Buffered Vehicle q.s.

**Indications :** Blepharoconjunctivitis, Keratoconjunctivitis, Corneal Ulcers, Post-operative Prophylaxis



### Cifbax-B

Eye / Ear Drops 10 ml

**Composition :**  
Ciprofloxacin Hydrochloride IP eq. to Ciprofloxacin 0.3% w/v  
Betamethasone Sodium Phosphat IP 0.01% w/v  
Phenyl Mercuric Nitrate IP 0.002% w/v

**Indications :** Ear Infections, Otitis Externa, Chronic Otitis Media, Allergy & Inflammation of Ear, conjunctivitis, corneal ulcers, blepharitis, blepharoconjunctivitis, acute meibomianitis and dacryocystitis



### Gero

Eye/Ear Drops 5 ml

Gentamicin Sulphate I.P. eq. to Gentamicin Base 0.3% w/v  
Hydroxypropyl Methyl Cellulose I.P. 0.25% w/v  
Benzalkonium Chloride Solution I.P. 0.02% v/v

**Indications :** Ear Infections, Otitis Externa, Chronic Otitis Media, Allergy & Inflammation of Ear, conjunctivitis, corneal ulcers, blepharitis, blepharoconjunctivitis, acute meibomianitis and dacryocystitis



### Geragen-D

Eye/Ear Drops 10 ml

Gentamicin Sulphate I.P. eq. to Gentamicin Base 0.3% w/v  
Dexamethasone Sod. Phosphate I.P. 0.05% w/v  
Boric Acid I.P. 0.25% w/v  
Hydroxypropyl Methyl Cellulose I.P. 0.25% w/v  
Benzalkonium Chloride Solution I.P. 0.02% v/v

**Indications :** Ear Infections, Otitis Externa, Chronic Otitis Media, Allergy & Inflammation of Ear, Topical treatment of infections of the external eye. Infections include conjunctivitis, keratitis, keratoconjunctivitis, corneal ulcers, blepharitis, blepharoconjunctivitis, acute meibomianitis and dacryocystitis



### Ofrivid

Eye / Ear Drops 10 ml

Ofloxacin I.P. 0.3% w/v  
Hydroxypropyl Methyl Cellulose I.P. 0.25% w/v  
Benzalkonium Chloride Solution I.P. 0.02% v/v  
Aqueous Buffered Vehicle q.s.

**Indications :** Keratoconjunctivitis, Blepharoconjunctivitis, Corneal Ulcer, Pre-Operative prophylaxis



### Ofrivid-DX

Eye / Ear Drops 10 ml

Ofloxacin I.P. 0.3% w/v  
Dexamethasone Sod. Phosphate I.P. 0.05% w/v  
Hydroxypropyl Methyl Cellulose I.P. 0.25% w/v  
Benzalkonium Chloride Solution USP 0.02% v/v  
Aqueous Buffered Vehicle q.s.

**Indications :** Keratoconjunctivitis, Blepharoconjunctivitis, Corneal Ulcer, Pre-Operative prophylaxis



### Ofrivid-B

Eye / Ear Drops 10 ml

**Composition :**  
Ofloxacin IP 0.3% w/v  
Betamethasone Sodium Phosphate IP 0.01% w/v  
Benzalkonium Chloride Solution IP 0.02% v/v  
(As preservative)  
Sterile aqueous base q.s.



Eye/Ear Drops

# Nasovid<sup>TM</sup>

## Adult



Nasal Spray

Fast Relief From Blocked Nose

Nasal Spray 10 ml  
Rs.: 00.00

Xylometazoline Hydrochloride IP 0.1% w/v  
In an aqueous isotonic solution using Purified Water IP q.s.  
Preservative: Benzalkonium Chloride IP 0.01%w/v

Indications : Nasal Decongestion




## Nasovid

Nasal Drops 10 ml

Xylometazoline Hydrochloride I.P. 0.1%w/w  
Benzalkonium Chloride Solution USP 0.02%v/v  
(as preservative)  
Aqueous Buffered Vehicle q.s.

Indications : Nasal Decongestion



### Moxifar

Eye Drops 5ml

Eye Drops 5ml  
Moxifloxacin 0.5%w/v  
Water for injection IP q.s.

**Indications :**  
Conjunctivitis and  
other eye infection.



### Polymycetin-DX

Eye / Ear Drops 10 ml

Chloramphenicol IP 1% w/v  
Dexamethasone  
Sod. Phosphate IP 0.01% w/v  
Phenyl Mercuric  
Nitrate IP 0.001% w/v  
(as preservative)  
Sterile Isotonic base q.s.

**Indications :** Ear Infections, Otitis Externa, Chronic Otitis Media, Allergy & Inflammation of Ear, Topical treatment of infections of the external eye. Infections include conjunctivitis, keratitis, keratoconjunctivitis, corneal ulcers, blepharitis, blepharoconjunctivitis, acute meibomianitis and dacryocystitis



### Tovid

Eye / Ear Drops 10 ml

Tobramycin Sulphate I.P.  
eq. to Tobramycin 0.3% w/v  
Hydroxypropyl  
Methyl Cellulose I.P. 0.25% w/v  
Benzalkonium  
Chloride Solution I.P. 0.02% v/v  
(As preservative)  
Sterile Aqueous base q.s.

**Indications :** External Infections of Eye  
Caused by , Gram -ve Gram +ve & Other  
Resistant Strains of Bacilli



### Tovid-D

Eye / Ear Drops 10 ml

Tobramycin Sulphate I.P.  
eq. to Tobramycin 0.3% w/v  
Dexamethasone sodium I.P.  
Phosphate I.P. 0.1% w/v  
Hydroxypropyl  
Methyl Cellulose I.P. 0.25% w/v  
Benzalkonium  
Chloride Solution I.P. 0.02% v/v  
(As preservative)  
Sterile Aqueous base q.s.

**Indications :** External Infections of  
Eye Caused by , Gram -ve Gram +ve  
& Other Resistant Strains of Bacilli,  
Allergy & Inflammation of eye / ear.



### Otibid

Ear Drops 5 ml

**COMPOSITION :**  
Chloramphenicol I.P. 5% w/v  
Beclomethasone  
Dipropionate I.P. 0.025% w/v  
Clotrimazole I.P. 1% w/v  
Lignocaine  
Hydrochloride I.P. 2% w/v  
Glycerine I.P. &  
Propylene Glycol I.P. base q.s.



### Wax Care

Ear Drops 10 ml

Paradichlorobenzene 2.0% w/v  
Benzocaine I.P. 2.7% w/v  
Chlorbutol I.P. 5.0% w/v  
Turpentine Oil B.P. 15.0% w/v  
Butylated  
Hydroxyanisole I.P. 0.05% w/v

**Indications :** Cerumen Removal (Wax)



### Refresh-Eyce

Eye Drops 10 ml

Each ml contains :  
Sodium Carboxymethyl-  
cellulose IP 0.5% w/v  
Stabilized Oxychloro  
Complex (Purite) 0.005% w/v  
Water for Injection IP q.s.

**Indications :** For Dry and irritated eyes





Ointments



**Perfect**

Cream 30 g

Permethrin 5.0% w/w  
 Cream base q.s.  
 Colour: sunset yellow FCF

**Indications :**  
 Treatment of scabies



**Povimax**

Ointment 15g / 20g

**Indications :**  
 Topical microbicidal effective  
 against bacteria, spores, fungi,  
 yeasts, protozoa and viruses.

Povidone Iodine IP 5% w/w  
 Water soluble ointment base q.s.



**Povimax-M**

Cream 15g

Povidone Iodine IP 5.0% w/w  
 (0.5% w/w available Iodine)  
 Metronidazole IP 1.0% w/w  
 Dexpantenol BP 5.0% w/w  
 In Ointment Base q.s.

**Indications :**  
 Topical microbicidal effective  
 against bacteria, spores, fungi,  
 yeasts, protozoa and viruses.



**Clindasil-A**

Cream 15 g

**Indications :**  
 Acneard pimples

Adapalene 0.1% w/w  
 Clindamycin Phosphate USP  
 eqvt. to Clindamycin 1.0% w/w  
 In an aqueous gel base  
 Preservatives :  
 Methyl Paraben IP 0.1% w/w  
 Phenoxyethanol IP 0.25% w/w

**Gloshine**  
 CREAM

Cream 20g



**Indications :**  
 Skin lightening,  
 Clears complexion,  
 Lighten blemishes and  
 gives flawless skin.

**Composition :**  
 Hydroquinone USP 2% w/w  
 Tretinoin USP 0.025% w/w  
 Mometasone Furoate IP 0.1% w/w

**Clindasil**<sup>TM</sup>  
 For treatment of Acne



Gel 15 g

Clindamycin Phosphate USP  
 eq. to Clindamycin 1.00% w/w  
 Nicotinamide I.P. 4% w/w  
 Aloe-Allantoin gel base with  
 ethyl lactate q.s.

**Indications :**  
 Acne  
 Skin and Skin  
 Structure Infections



### Betmet-CG

Cream 10 g

Beclomethasone Dipropionate I.P.0.025% w/w  
Clotrimazole I.P.1% w/w  
Neomycin Sulphate I.P.0.5% w/w  
eq. to 0.35% Neomycin base  
Cream baseq.s.

**Indications :**  
Eczema Psoriasis Otitis Externa  
Bacterial & fungal infections  
of skin



### Betmet-N

Cream 15 g

Composition :  
Beclomethasone Dipropionate IP 0.025% w/w  
Neomycin Sulphate IP 0.5% w/w

**Indications :**  
Eczema Psoriasis Otitis Externa  
Bacterial & fungal infections of skin



### Cifbax-FC

Cream 15g

Ciprofloxacin HCl IP Eqv to Ciprofloxacin 0.5%w/w  
Fluocinolone Acetonide IP0.025% w/w  
Clotrimazole IP 1.0% w/w  
Neomycin Sulphate IP 0.01% w/w  
In cream base q.s.

**Indications :**  
Antifungal Anti inflammatory  
Antibacterial



### Clobenex-GM

Cream 10 g

Clobetasol Propionate USP0.05% w/w  
Neomycin Sulphate I.P.0.5% w/w  
Miconazole Nitrate I.P.2.0% w/w  
Chlorocresol I.P.0.1% w/w  
(as preservative)  
Cream baseq.s.

**Indications :**  
Eczema, Psoriasis, Otitis Externa



### Duosalic

Ointment 20g

Each gm contains:  
Betamethasone dipropionate USP0.64mg  
Salicylic acid IP30mg  
Ointment base q.s.

**Indications :**  
Psoriasis, chronic eczema



### Candizole-B

Cream 15 g

Beclomethasone Dipropionate I.P.0.025% w/w  
Clotrimazole I.P.1% w/w  
Preservative : Chlorocresol I.P.0.1% w/w  
Cream base with Propylene Glycol I.P.q.s.

**Indications :**  
Napkin Rash, Otitis Externa  
Intertigonal Eruptions  
Bacterial & fungal infections  
of skin



### Erysil

Cream 30 g

Erythromycin IP3% w/w  
Zinc sulphate IP2.5%w/w  
Cream base q.s.

**Indications :** For topical treatment of acne,  
pimples and bacterial skin infection



### Melotis-HT

Cream 15 g

Composition :  
Hydroquinone USP 2% w/w  
Tretinoin USP 0.025% w/w  
Mometasone Furoate IP 0.1% w/w



### Punchderm

Cream 15 g

**COMPOSITION :**

Ofloxacin	IP	0.75% w/w
Ornidazole	IP	2.0% w/w
Terbinafine Hydrochloride	IP	1.00% w/w
Clobetasol Propionate	BP	0.05% w/w
Methylparaben	IP (Preservative)	0.20% w/w
Propylparaben	IP(Preservative)	0.02% w/w
In a non greasy base		



### Prestiflam Gel

Gel 30g

Aceclofenac I.P.1.50 w/w  
 Linseed Oil B.P.3.00% w/w  
 (containing predominantly a  
 Linolenic acid)  
 Methyl  
 Salicylate I.P.10.00% w/w  
 Menthol I.P.5.00% w/w  
 Capsaicin U.S.P.0.01% w/w  
 Preservative :  
 Benzyl Alcohol I.P.1.0% w/w  
 Gel base q.s.

**Indications :**

Backache, Joint Pain, Muscular  
 Pain, Sports Injury, Strains & Sprains




### Voligesic

Gel 10g/30g

Diclofenac  
 Diethylamine B.P. 1.16% w/w  
 (eqv. to Diclofenac Sodium  
 1.0% w/w)  
 Gel Base q.s.

**Indications :**

Pain relief from osteoarthritis of the knee



### Elocort

Cream 10 g

Each gm contains :  
 Mometasone 1 mg  
 Furoate USP  
 in a cream base q.s. to  
 make 1 g

**Indications :**

Relief from inflammatory skin disorders ( eczema, psoriasis  
 and pruritis)



### PileClear

Ointment 20 g

Beclomethasone  
 Dipropionate IP 0.025% w/w  
 Phenylephrine  
 Hydrochloride IP 0.10% w/w  
 Lignocaine  
 Hydrochloride IP 2.50% w/w  
 Chlorocresol (as  
 preservative) IP 0.1% w/w  
 In aqueous cream base



### Sofranex

Ointment 15 g

Fradimycin  
 Sulphate JPO.5% w/w  
 (Neomycin Sulphate IP)  
 Cream base q.s.



### Micosil-FC

Cream 15 g

Miconazole  
 Nitrate I.P. 2.0% w/w  
 Fluocinolone  
 Acetonide I.P. 0.01% w/w  
 Water miscible base q.s.

**Indications :**

Onychomycosis,  
 Candidiasis, Athlete's Foot



### Antiscab

Lotion 100ml/50ml

Gamma Benzene  
 Hexachloride IP1% w/v  
 Cetrimide IP0.1% w/v  
 In an emulsion base

FOR THE TREATMENT OF  
 SCABIES AND PEDICULOSIS  
 (Hair Lice)



**Ferbact**

Ointment 5 g

Mupirocin USP 2.0%w/w  
Water soluble base q.s

**Indications :**  
Treatment of impetigo and other infections of skin



**Burn Nil**

Cream 15g

Silver sulfadiazine USP 1% w/v  
Chlorhexidine gluconate solution IP 0.6% w/v  
In a cream base q.s.

**Indications :** Relief from burns and wounds




**Qwikderm**

Gel 10g/5g

Beclomethasone Dipropionate IP 0.025% w/w  
Neomycin Sulphate IP 0.5% w/w  
Tolnaftate IP 1% w/w  
Iodochlorhydroxyquinoline IP 1% w/w  
Chlorocresol (as preservative) IP 0.1% w/w  
Cream base q.s.

**Indications :** Antibacterial and antifungal



**Ligocain 2%**

Ointment 30g

Lidocaine BP 2% w/w  
Ointment base q.s.



**Nosore**

Gel 10 g

Choline Salicylate Solution B.P. eq. to Choline Salicylate 8.75%  
Lignocaine Hydrochloride I.P. 2.0% w/w  
Benzalkonium Chloride Solution I.P. 0.01%w/w  
In a pleasant flavoured gel base.

**Indications :** Mouth Ulcers, Sore Gums



**Nosore (mint flavour)**

Gel 10 g

**Composition :**  
Choline Salicylate Solution BP eq. to Choline Salicylate 8.7% w/w  
Lignocaine Hydrochloride IP 2.0% w/w  
Benzalkonium Chloride Solution IP 0.01% w/w

**Indications :** Mouth Ulcers, Sore Gums

**Sensochek-F**  
50 G



**Composition :**  
Potassium Nitrate BP 5% w/w  
Sodium Monofluorophosphate USP 0.7% w/w  
Triclosan USP 0.3% w/w








Dietary supplement



**Maltorange**  
Syrup 200 ml

Each 5ml contains:  
 Ferric Ammonium Citrate (eq. to elemental iron 30mg) 150 mg  
 Cyanocobalamin I.P. 7.5 mcg  
 Folic Acid I.P. 0.5 mg  
 In a flavoured syrupy base

**Indications :** Hypochromic Megaloblastic Anaemia, Iron Deficiency Anaemia, Iron & Folic Acid Deficiency in Children, Pregnancy



**Nutri Activ**  
Syrup 200 ml/100ml

Nutritional Information (Approximate Values)

Per serving	(per 15ml)	(per 100ml)
Energy	6.6 Kcal	44 Kcal
Carbohydrates	1.65 g	11 g
Sugar	1.65 g	11 g
Protein	0.00 g	0.00 g
Fat	0.00 g	0.00 g
L-Lysine Hydrochloride	50 mg	333.33 mg
Niacinamide	25 mg	166.67 mg
Thiamine Hydrochloride	2.5 mg	16.67 mg
Riboflavin Sodium Phosphate equivalent to Riboflavin	2.5 mg	16.67 mg
D-Panthenol	2.5 mg	16.67 mg
Pyridoxine Hydrochloride	1 mg	6.67 mg
Cyanocobalamin	5 mcg	33.33 mcg

**Indications :** Nutritional supplement



**Nutri Gain**  
Syrup 200 ml/100ml

Each 5ml contains :

Protein Hydrolysate	20%	0.333 gm
Sucrose		3.00 gm
Niacinamide		10.0 mg
Iron Choline Citrate		15 mg
Manganese Chloride (As Trace Element)		0.033 mg
Magnesium Chloride		3.333 mg
Zinc Sulphate (Eq. to elemental Zinc 0.60 mg)		2.70 mg
L-Lysine monohydrochloride		20 mg
Flavoured syrupy base		q.s.
Colour Caramel		

**Indications :** Protein supplement



**Nutri Glow**  
Syrup 200 ml/100ml

Each 5ml Contains :  
 Ferric Ammonium Citrate IP 110mg  
 Folic Acid IP 1.5mg  
 Cyanocobalamin IP 15mcg  
 Flavoured Syrupy Base q.s.

**Indications :** Iron deficiency



**Nutri Power**  
Syrup 200 ml/100ml

Nutritional Information (approximate values)  
 Each 5ml (one teaspoonful) contains (approx.)

	per serving (per 5ml)	per 100ml	% w/w
Energy	12.12 kcal	242.4 kcal	
Carbohydrate	2.78 g	55.6 g	
Protein	0 g	0 g	
Fat	0 g	0 g	
Vitamin B <sub>1</sub> (Nicotinamide)	7.5 mg	150 mg	0.15
L-Lysine Hydrochloride	5 mg	100 mg	0.1
Zinc (as Zinc Sulphate)	5 mg	100 mg	0.1
Vitamin B <sub>3</sub> (Pantothenic Acid)	1.25 mg	25 mg	0.025
Vitamin B <sub>6</sub> (Thiamin)	0.75 mg	15 mg	0.015
Vitamin B <sub>2</sub> (Riboflavin)	0.75 mg	15 mg	0.015
Vitamin B <sub>12</sub>	0.5 mg	10 mg	0.01
(Pyridoxine Hydrochloride)			
Iodine (as Potassium Iodide)	38 mcg	0.76 mg	0.76
Copper (as Copper Sulphate)	25 mcg	0.5 mg	0.5
Selenium (as Sodium Selenite)	10 mcg	0.2 mg	0.2
Vitamin B <sub>9</sub> (Cyanocobalamin)	0.5 mcg	0.01 mg	0.01
Vitamin A (as Palmitate)	1250 IU	25000 IU	0.0147
Vitamin D (Cholecalciferol)	100 IU	2000 IU	0.0005
Vitamin E (Tocopherol)	2.5 IU	50 IU	0.005
Saturated Fatty Acids	0 g	0 g	
Polysaturated Fatty Acids	0 g	0 g	
Monounsaturated Fatty Acids	0 g	0 g	
Trans Fatty Acids	0 g	0 g	
Cholesterol	0 mg	0 mg	

**Indications :** Nutritional supplement



**Nutrizyme**  
Syrup 200 ml


Each 5ml Contains:  
 Alpha Amylase I.P. (1:2000) 18.75 mg  
 (Fungal Diastase derived from Aspergillus oryzae Digests not less than 37.50 g of cooked starch)  
 Pepsin (1:3000) I.P. 12.50 mg  
 (Digest not less than 37.5 g of coagulated egg albumin)  
 Flavoured syrupy base q.s.

**Indications :** Dysphagia, Belching, Feeling of fullness, Regurgitation

Available in : Pineapple Flavour, Elaichi Flavour, Mango Flavour & Orange Flavour



Dietary supplement



**Nutriphar**  
Syrup 200 ml

Each 5ml contains:

Protein Hydrolysate 20%	0.333 gm
Sucrose	3.00 gm
Niacinamide	10 mg
Iron choline citrate	15 mg
Manganese Chloride (As Trace Element)	0.033 mg
Magnesium Chloride	3.333 mg
Zinc Sulphate (eq. to elemental Zinc 0.60mg)	2.70mg
L-Lysine monohydrochloride	20 mg

**Indications :** General Debility, Convalescence, Impaired Growth, Degenerative Diseases, Pregnancy/Lactation



**Appetime**  
Syrup 200 ml

Each 5ml contains :

Cyproheptadine Hydrochloride IP equivalent to anhydrous Cyproheptadine Hydrochloride	2mg
Tricholine Citrate	275 mg
Sorbitol Solution (70%) (Non Crystallising) IP	q.s.

in a palatable non syrupy base

**Indications :** Increase appetite



**Becoplex**  
Oral Drops 15 ml

Composition :

Each ml contains :

Vitamin C IP	40 mg
Niacinamide IP	10 mg
D-Panthenol IP	3 mg
Zinc Gluconate USP eqv. to elemental Zinc	2.5 mg
Vitamin B <sub>1</sub> IP	2 mg
Vitamin E IP	1.5 mg
Vitamin B <sub>2</sub> IP	1 mg
Vitamin B <sub>6</sub> IP	1 mg
Vitamin A IP	1000 IU
Vitamin D <sub>3</sub> IP	400 IU
Biotin USP	20 mcg

**Indications :** Boosts immunity, Enhances production and growth of body tissue, Combat the symptoms and causes of stress, depression, and cardiovascular disease, Lower down the oxidativie stress from body, Proper body and mental growth, Provide proper functionality to thyroid, immune system, heart, kidney and other vital organs of body, hepertension, peptic ulcers, anemia Pepairs and maintains healthy connective tissue, blood cells, nerve cells.



**Becoplex**  
Syrup 200ml

Composition :

Each 5ml. contains :

Pyridoxine Hydrochloride IP	0.75 mg
Thiamine Hydrochloride IP	2.25 mg
Riboflavine IP	2.5 mg
Cyanocobalamin IP	2.5 mcg
D-Panthenol IP	2.5 mg
Niacinamide IP	30 mg

**Indications :** Boosts immunity, Enhances production and growth of body tissue, Combat the symptoms and causes of stress, depression, and cardiovascular disease, Lower down the oxidativie stress from body, Proper body and mental growth, Provide proper functionality to thyroid, immune system, heart, kidney and other vital organs of body, hepertension, peptic ulcers, anemia Pepairs and maintains healthy connective tissue, blood cells, nerve cells.



CALCIUM-IRON-VITAMINS SUPPLEMENT

**MEGA**  
**450g FERROL**

Each 15 ml (3 teaspoon) contains:

Malt Extract IP	4.52 g
Ferric Ammonium Citrate IP (equivalent to 21.5 mg of Fe)	100 mg
Calcium Gluconate IP	360 mg
Cholecalciferol IP	400 I.U.
Niacinamide IP	45 mg
Folic Acid IP	1.5 mg
Cyanocobalamin IP	15 mcg
Flavoured Base	q.s.

Colour : Caramel



### Fotaz-AZ

10x1 x 10 Tablets

Composition :  
 Each film coated tablet contains :  
 Cefixime (as trihydrate) IP 200 mg  
 Azithromycin Dihydrate IP 250 mg  
 Excipients q.s.  
 Colour : Ponceau-4R



### Prometil Plus

4x5 x10 Tablets

Composition :  
 Each uncoated tablet contains :  
 Prochlorperazine Maleate I.P. 5 mg  
 Paracetamol I.P. 325 mg  
 (In Betacyclodextrin)  
 Excipients q.s.

### Azithromb-250

10 x 3x 6 Tablets




**Each film-coated tablet contains:**  
 Azithromycin IP (as Dihydrate)  
 eqv. to anhydrous Azithromycin 250 mg  
 Excipients q.s.  
**Colours :** Yellow Oxide of Iron  
 & Titanium Dioxide IP



### Azithromb-500

10 x 4x 3 Tablets


**Each film-coated tablet contains:**  
 Azithromycin IP (as Dihydrate)  
 eqv. to anhydrous Azithromycin 500 mg  
 Excipients q.s.  
**Colours :** Yellow Oxide of Iron  
 & Titanium Dioxide IP



### Tamsutab-D

10x10 Tablets

Composition :  
 Each film coated tablet contains :  
 Tamsulosin Hydrochloride IP 0.4 mg  
 (as modified release form)  
 Dutasteride IP 0.5 mg  
 Colour : Titanium Dioxide IP



### Losascot-H

4x5x10 Tablets

Each film-coated tablet contains :  
 Losartan Potassium IP 50 mg  
 Hydrochlorothiazide IP 12.5 mg  
 Colours : Sunset Yellow FCF &  
 Titanium Dioxide IP



### Losascot

4x5x10 Tablets

Each film-coated tablet  
 contains :  
 Losartan Potassium IP 50 mg  
 Colour : Red Oxide of Iron &  
 Titanium Dioxide IP



### Itozole Plus

1x10 Capsules

Each hard gelatin capsule contains :  
 Rabeprazole Sodium IP 20 mg  
 (as enteric Coated pellets)  
 Itopride Hydrochloride 150 mg  
 (as sustained release pellets)  
 Excipients q.s.  
 Approved colours used in empty  
 capsule shells.



Other Products



### Caldee-D3

15 ml Drop

Composition :  
Each ml contains :  
Cholecalciferol IP 400 IU (10 mcg)  
(Vitamin D3)  
Palatable base q.s.  
Appropriate overage of vitamin is added.



### Fotaz-OF

30 ml Suspension

Each 5ml (after reconstitution) suspension contains :  
Cefixime IP (as Trihydrate) 50mg  
Ofloxacin IP 50mg  
Excipients q.s.  
Colour : Quinoline Yellow WS



### Vi-Mineral

15 ml Drop

Each 0.6 ml contains :  
Vitamin A Concentrate (Oily from) IP 3000 IU  
(as palmitate)  
Cholecalciferol IP 400 IU  
Ascorbic Acid IP 40 mg  
Thiamine Mononitrate IP 2 mg  
Riboflavin  
Sodium Phosphate IP equivalent to Riboflavin 1 mg  
Nicotinamide IP 10.5 mg  
Pyridoxine Hydrochloride IP 1 mg  
D-Panthenol IP 3 mg  
Tocopheryl Acetate IP 5.25 IU  
Flavoured Aqueous Base : q.s.



### Nutriglow

15 ml Drops

Energy	1.88 kcal	
Protein	0.01 g	
Carbohydrates	0.42 g	
Fat	0.00 g	
<b>Vitamins :</b>		
Vitamin C	20 mg	80
Vitamin B1	4 mg	73.04
Vitamin E	2 mg	**
Vitamin B2	1.5 mg	**
Vitamin B6	0.4 mg	100
Vitamin B12	0.4 mg	100
Vitamin B9	0.3 mg	100
Vitamin A	345 mcg	98.57
Vitamin D3	5 mcg	**
Biotin	5 mcg	**
<b>Minerals:</b>		
Iron	0.4 mg	8
Iodine	110 mcg	**
Zinc	40 mcg	**
Manganese	3 mcg	**
Molybdenum	2 mcg	**
<b>Amino Acid:</b>		
L- Lysine Monohydrochloride	18 mg	**



### Kufrid

100 ml Syrup

Each 5 ml contains:  
Dextromethorphan Hydrobromide I.P. 10 mg  
Chlorpheniramine Mal I.P. 4 mg  
Flavoured syrupy base q.s.  
**Colours :** Carmoisine and Sunset yellow FCF

### Ambrodoz-LCZ

100 ml Syrup

Each 5 ml contains:  
Ambroxol Hydrochloride IP 15 mg  
Levocetirizine Hydrochloride IP 2.5mg  
Menthol IP 0.5 mg  
**Colour :** Sunset Yellow FCF  
In a flavoured syrupy base



### Kufdoz 4 Kid

50 ml Syrup

Composition :  
Each 5ml contains:  
Cetirizine Dihydrochloride IP 5 mg  
Dextromethorphan Hydrobromide IP 10 mg  
Phenylephrine Hydrochloride IP 5 mg  
Mentholated Syrupy base q.s.  
Colour : Sunset Yellow FCF



### Cetifar Plus

60 ml Syrup

Composition :  
Each 5ml contains:  
Paracetamol IP 250 mg  
Cetirizine Hydrochloride IP 2.5 mg  
Dextromethorphan Hydrobromide IP 10 mg  
Phenylephrine Hydrochloride IP 5 mg



### Kufdoz Total

60 ml Suspension

Each 5ml contains :  
Levocetizine Dihydrochloride IP 2.5 mg  
Ambroxol Hydrochloride IP 15 mg  
Guaiphenesin IP 50 mg  
Paracetamol IP 125 mg  
Excipients q.s.  
Colour : Sunset Yellow

### Fusiscot-B


Cream 10 g



Composition :  
Fusidic acid IP 0.20% w/w  
Beclomethasone Dipropionate IP 0.10% w/w  
Cream base q.s.

### Terbiscot

Cream 15 g



Composition :  
Terbinafine Hydrochloride BP 1% w/w  
In a cream base q.s.


### Thromboscot 20 g ointment



Composition :  
Each gm contains :  
Heparin Sodium IP 50 I.U.  
Benzyl Nicotinate 2 mg  
Preservative  
Sorbic Acid IP 1.97 mg  
Excipients q.s.

### Itrozol

Gel 15 g



Composition :  
Itraconazole BP 1.0% w/w  
Preservatives :  
Methylparaben IP 0.1% w/w  
Propylparaben IP 0.05% w/w  
Gel base q.s.



### Acicure

Suspension 170 ml

Each 5 ml contains:  
Magaldrate I.P. 400 mg  
Activated Polydimethylsiloxane I.P. 20 mg  
In Natural Cardamon Flavour

Indications : Hyperacidity  
Peptic Ulcers  
Reflux/Erosive esophagitis  
Dyspepsia



Other Products

### Lulitop

Cream 20 g



Composition :  
Luliconazole 1.0% w/w  
Preservative :  
Benzyl Alcohol IP 1.0% w/w  
In a cream base q.s.

### Lulitop

Cream 10 g



Composition :  
Luliconazole 1.0% w/w  
Preservative :  
Benzyl Alcohol IP 1.0% w/w  
In a cream base q.s.

### Ketophar

Cream 10 g



Composition :  
Ketoconazole IP 2% w/w  
Cream base q.s.

### Ketophar-B

Cream 10 g



Composition :  
Ketoconazole IP 2% w/w  
Beclomethasone  
Dipropionate IP 0.025% w/w  
In a cream base q.s.

### Tricold Activ

10x2x10 Tabs



Each uncoated bilayered tablet contains:

Nimesulide	B.P.	100 mg.
Paracetamol	I.P.	325 mg.
Phenylephrine Hydrochloride	I.P.	5 mg.
Cetirizine Hydrochloride	I.P.	5 mg.
Caffeine Anhydrous	I.P.	25mg.
Excipients		q.s.

### Dermiscot K5

Cream 15 g



Composition:  
Ketoconazole IP 2% w/w  
Iodochlorhydroxyquinoline IP 1.0% w/w  
Tolnaftate IP 1.0% w/w  
Gentamicin Sulphate IP  
eq. to Gentamicin 0.10% w/w  
Clobetasol Propionate IP 0.05% w/w  
Chlorocresol (Preservative) IP 0.1% w/w  
Cream base

# Vigored

50mg

100mg

Each film coated tablet contains:  
Sildenafil Citrate IP Eq. to Sildenafil 50 / 100 mg

1 x 4 Tabs (Blister)

Each strip in mono carton

**Indications :**

Treatment of erectile dysfunction or male impotence, pulmonary arterial hypertension.



# कालाग्नि

100mg

Each film coated tablet contains:  
Sildenafil Citrate IP Eq. to Sildenafil 50 mg / 100mg

1 x 4 Tabs (Blister)

Each strip in mono carton


# कामाग्नि



## Soaps



**Composition :**  
Permethrin 1% w/w  
Soap Noodles & Excipients q.s.



**Active Ingredients :**  
Neem Tulsi Extract, Aloe Vera & Glycerin



**Composition :**  
Ketoconazole IP 2.0% w/w  
Cetrimide IP 0.5% w/w  
Soap Noodles Base q.s.  
Perfume q.s.  
Approved colour used



**Active Ingredients :**  
Cetrimide IP 1% w/w  
Vit. E Avetate IP 0.25% w/w  
Glycerin 1% w/w  
Soap Noodles q.s.

# Acicure...

## जलन मिटाए





**searle interphar**  
**Scott-Edil Advance Research Laboratories & Education Ltd.**  
28/6, I.A.-II, Chandigarh-160 002