


# **Bottle & Cork Taproom**

## **1807 DE-1, Dewey Beach, DE**

### **Production Specs**

**2026**



#### **PARKING & UNLOADING SPECIFICATIONS:**

Heading south on Highway One (DE-1) Bottle & Cork will appear on your right. Turn RIGHT into parking lot at the end of building and drive between club on right and liquor store on left. Stop so that back doors of semi or trailer are even with pull-up garage door of club on right (2-3ft from wooden fence directly in front of you.) Push-in will occur through this garage door.

**Driver(s) must remain with their Semi or Bus until contents have been dumped as no vehicles** can remain at this location for extended periods of time. Star coach should park on north side of the club (Bellevue Street) up against building where there is shore power and quick access to Green Room and stage. Shore power is only available for this 1 bus. Club manager, Kathleen Roberts, or one of my staff can help with parking all vehicles. My guys will all be wearing black "PEG Crew" T-shirts for easy identification.

#### **PARKING:**

Available on-site > Adjacent to building or at North Beach lot.

#### **SHORE POWER:**

Available on-site for (1) BUS > north side of building (off Bellevue Street)

#### **GREEN ROOM:**

2<sup>nd</sup> floor above club. Entrance is outside on north side of building via an outside staircase off Bellevue Street, Dewey Beach.

#### **STAGEHANDS:**

We provide 2 stagehands for load-in & load-out.

**\*\*Additional can be provided if requested and approved prior to show date.**

**Bottle & Cork Taproom  
1807 DE-1, Dewey Beach, DE  
Production Specs**

**2026**

**STAGE DIMENSIONS: 30' Wide x 18' Deep x 40" High**

**STAGE THRUST: 4' x 8' deck (available, please order in advance)**

**RAMP to STAGE: YES...(36"W x 12'L)**

**BANNERS: Only w/pre-approval from Club Manager (11ft trim)**

**PUSH-IN: 60ft push on concrete to stage from garage door.**

**HOUSE POWER: (1) 3-PHASE, 200AMP CAMLOCK SERVICE AVAILABLE**

## **CONTACT INFORMATION:**

### **Club Manager Assistant: Kathleen Roberts**

Email: [kathleen.roberts@hotmail.com](mailto:kathleen.roberts@hotmail.com)

Mobile: 302-593-7658

Note: Kathleen handles all non-production related club matters including Merch, Hotel questions, Settlement, Buy-outs, per diem, Security, towels, hospitality, Green room access, Doors, VIP's, Runner and anything else club related.

### **Advance Production Contact: Chuck Farrell**

Email: [chuck@paentertainmentgroup.com](mailto:chuck@paentertainmentgroup.com)

Mobile: 717-554-3885

Note: Chuck handles all pre-day-of-show production advances.

Note: Lighting Contact: Aaron Culver 302-249-9966 or [culveram92@gmail.com](mailto:culveram92@gmail.com)

### **On-site PEG Production Lead: Paul Stitz**

Email: [paul@paentertainmentgroup.com](mailto:paul@paentertainmentgroup.com)

Mobile: 717-881-0227

Note: Paul is your on-site production lead.

### **Promoter/Talent Buyer: Vikki Walls**

Email: [vwalls@deweybeachlife.com](mailto:vwalls@deweybeachlife.com)

Mobile: 302-448-5650

**Bottle & Cork Taproom  
1807 DE-1, Dewey Beach, DE  
Production Specs**

**2026**

**HOUSE F.O.H. AUDIO DESK: (provided)**

(1) Midas M32 40 X 16 Digital Audio Desk  
40 X 16 Digital Mixing Console with 32 Midas Mic Preamps

**NOTE: See last page for additional options.**

**Speaker Management: (provided)**

(1) XTA DP-446: 3 IN x 6 OUT

**House Speakers: (provided)**

(8) Sound Bridge HELIX 7208HDX Line Array (4 per/side flown)  
(6) Sound Bridge 7218XY Dual 18" Subwoofers (under stage)  
(2) EAW HD1221 (delays at mix position...39.3ms delay time from audio console)

**HELIX 7208 LINE ARRAY SPECIFICATIONS:**

Horizontal Dispersion: 120-degrees  
Vertical Dispersion: 10-degrees (1 unit)  
Frequency Response: 68Hz –to- 22 kHz, +/-3dB  
Max SPL: 137.7dB SPL (1 unit), 149.7dB (4 units)  
LF Drive Unit(s): (2) Neodymium 8" Cone  
LF Sensitivity: 106dB 1w/1m  
LF Power Handling: 400w (AES), 1600w (Peak)  
HF Drive Unit(s): (1) Neodymium MF/HF EXO  
HF Sensitivity: 118dB 1w/1m  
HF Power Handling: 250w (AES), 1000w (Peak)

**7218SWX SUBWOOFER SPECIFICATIONS:**

Frequency Response: 38Hz –to- 200Hz, +/-3dB  
Max SPL: 144dB SPL (1 unit), 156dB (4 units)  
LF Drive Unit(s): (2) Neodymium 18" Cone  
LF Sensitivity: 105dB 1w/1m  
LF Power Handling: 2000w (AES), 8000w (Peak)

**Amplifiers:**

(2) Lab Gruppen FP10000Q 4-Ch Amplifiers (hi/mids)  
(3) Powersoft K-10 Amplifier running at 220volt (subs)  
(1) Crest 8002 (Out-fills)

**Bottle & Cork Taproom  
1807 DE-1, Dewey Beach, DE  
Production Specs**

**2026**

**Monitor Console:** (provided)

- (1) Midas M32 40 X 16 Digital Audio Desk
- (1) Yamaha M7 CL48 Digital Console (available)
- (1) Black Lion Mk-2 UPGRADE Clock

**Stage Monitors:** (provided)

- (6) Double 12" Sound Bridge 7222WX
- (4) Single 12" Sound Bridge 7112WX
- (1) EAW 18" Powered Drum Sub (available)
- (2) EAW HD1221 or RL12 Powered Speakers (available)

**Stage Monitor Amplification:** (8 discrete wedge mixes provided)

- (3) Lab Gruppen PLM 10000
- (6) Crown I-Tech 4000 & 6000 amplifiers

**Stage Monitor & Mics:** (provided)

Note: Star boxes are available...ask on-site PEG Lead, Paul.

Note: House Shure Mic Package, Mic stands, DI's & Looms stage power.

**HOUSE LIGHTING:**

**Downstage Truss:** (provided)

- (6) ETC Source Four Leko 26 degree
- (6) Chauvet Professional Rogue R2X Wash

**Side Trusses:** (provided)

- (4) Chauvet Professional Rogue R1X Wash (2 per side)

**Upstage Truss:** (provided)

- (6) Chauvet Professional R3 Beam
- (10) Chauvet Professional R1X Wash
- (6) ADJ Jolt 300

**Follow Spot:** (provided)


- (1) Altman COMET Follow Spot

# **Bottle & Cork Taproom**

## **1807 DE-1, Dewey Beach, DE**

### **Production Specs**

2026



## Dewey Beach

## Fixtures

Name	Patch	Mode
ETC Source Four 36°	1.1	Control
ETC Source Four 36°	1.2	Control
ETC Source Four 36°	1.3	Control
ETC Source Four 36°	1.4	Control
ETC Source Four 36°	1.5	Control
ETC Source Four 36°	1.6	Control
Chauvet Rogue R3 Beam	1.101	19 Channel Rev.3

**Bottle & Cork Taproom**  
**1807 DE-1, Dewey Beach, DE**  
**Production Specs**

---

**2026**

Chauvet Rogue R3 Beam	1.120	19 Channel Rev.3
Chauvet Rogue R3 Beam	1.139	19 Channel Rev.3
Chauvet Rogue R3 Beam	1.158	19 Channel Rev.3
Chauvet Rogue R3 Beam	1.177	19 Channel Rev.3
Chauvet Rogue R3 Beam	1.196	19 Channel Rev.3
Chauvet Rogue R2X Wash	2.1	22 Channel
Chauvet Rogue R2X Wash	2.23	22 Channel
Chauvet Rogue R2X Wash	2.45	22 Channel
Chauvet Rogue R2X Wash	2.67	22 Channel
Chauvet Rogue R2X Wash	2.89	22 Channel
Chauvet Rogue R2X Wash	2.111	22 Channel
Chauvet Rogue R1X Wash	2.189	19 Channel
Chauvet Rogue R1X Wash	2.208	19 Channel
Chauvet Rogue R1X Wash	2.227	19 Channel
Chauvet Rogue R1X Wash	2.246	19 Channel
Chauvet Rogue R1X Wash	2.265	19 Channel
Chauvet Rogue R1X Wash	2.284	19 Channel
Chauvet Rogue R1X Wash	2.303	19 Channel
Chauvet Rogue R1X Wash	2.322	19 Channel
Chauvet Rogue R1X Wash	2.341	19 Channel
Chauvet Rogue R1X Wash	2.360	19 Channel
ADJ Jolt 300	2.421	15 Channel
ADJ Jolt 300	2.436	15 Channel
ADJ Jolt 300	2.451	15 Channel
ADJ Jolt 300	2.466	15 Channel
ADJ Jolt 300	2.481	15 Channel
ADJ Jolt 300	2.496	15 Channel

**Bottle & Cork Taproom  
1807 DE-1, Dewey Beach, DE  
Production Specs**

**2026**

**Options Page**

**Audio:**

**F.O.H. Console Option:** (Available w/ pre-approval)



(1 or 2) Avid VENUE | S6L-32d System w/ S6L-32D Control Surface & E6L-192 Engine

- Stage 64 Stage Racks: 64 inputs/16 outputs or 128 inputs/48 output options available.

**I.E.M.'s available with pre-approval**

- Shure PSM1000's & 900's IEM's with matching bodypacks
- EAW MW-12 stage monitors.
- PSM600 wired in-ear systems.
- EAW Front & additional side-fills.

**Bottle & Cork Taproom  
1807 DE-1, Dewey Beach, DE  
Production Specs**

---

**2026**

**HOUSE LIGHTING OPTIONS:** *(Available w/ pre-approval)*

- Grand MA3 Light Lighting Controller
- Robe BMFL Spot Fixtures
- Elation PROTRON ECLYPSE™ is a versatile high powered 1000W air cooled IPX4 outdoor rated color blinder, strobe, wash luminaire.
- Elation RAYZOR 760™ is a compact yet extremely powerful Wash LED Effects fixture.
- Light Sky Aquabeam 440 Beam Fixtures
- Light Sky Shark 450 Beam Fixtures
- Truss – all lengths & Sizes with bases, corner blocks etc..