



#### TACTICAL PRECISION. LINBREAKABLE STRENGTH.

IN THE HEAT OF BATTLE, THERE'S NO ROOM FOR HESITATION. EVERY SECOND COUNTS. WOLFPAK WAS BORN FROM THE BATTLEFIELD'S UNFORGIVING DEMANDS—WHERE TACTICAL EFFICIENCY AND TEAMWORK MEAN THE DIFFERENCE BETWEEN SUCCESS AND FAILURE.

INSPIRED BY THE RELENTLESS COORDINATION OF A WOLF PACK.
WOLFPAK IS MORE THAN JUST A MILITARY REPAIR SYSTEM—IT'S A
FORCE MULTIPLIER. DESIGNED FOR RAPID DEPLOYMENT AND
SEAMLESS INTEGRATION. WOLFPAK ENSURES THAT ARMORED
UNITS. HEAVY MACHINERY. AND MISSION-CRITICAL EQUIPMENT STAY
OPERATIONAL, NO MATTER THE CONDITIONS.

LIKE R PRCK HUNTING WITH PRECISION, WOLFPRK SYSTEMS WORK IN UNISON—STREAMLINED, FRST, AND UNYIELDING. BUILT WITH CUTTING-EDGE MATERIALS AND BATTLEFIELD-TESTED TECHNOLOGY, OUR SOLUTIONS MINIMIZE DOWNTIME AND MAXIMIZE MISSION SUCCESS.

WOLFPAK IS FOR THE WARRIORS, THE STRATEGISTS, AND THE DEFENDERS WHO OPERATE IN THE WORLD'S MOST DEMANDING ENVIRONMENTS. WHEN THE MISSION DEPENDS ON UNBREAKABLE STRENGTH AND ABSOLUTE RELIABILITY, WOLFPAK STANDS READY.

STRY TRETIERL. STRY EFFICIENT, STRY LINSTOPPRBLE.







EMERGENCY REPHIR





PERMANANT REPAIR





**CLERN UP** 

**QPERATIONAL READINESS** 



# WOLFPRK DEPLOYABLE SOLUTIONS

THE WOLFPAK TACTICAL LOCKER IS ENGINEERED FOR MISSION READINESS AND MOBILITY. DESIGNED TO OPTIMIZE SPACE ON THE CROP. 20FT CONTAINER. AND PLS PLATFORMS. THIS LOCKER DELIVERS UNMATCHED EFFICIENCY IN THE FIELD.


BUILT TO MEET THE DEMANDING NEEDS OF FORWARD-DEPLOYED UNITS, THE LOCKER ALLOWS QUICK AND EASY ACCESS TO STORED EQUIPMENT THROUGH ITS DOUBLE-DOOR SYSTEM. INTEGRATED THETICAL BOXES PROVIDE ACCESS TO HYDRAULIC COMPONENTS AND ESSENTIAL MAINTENANCE SYSTEMS, ENSURING SMOOTH OPERATIONS IN HIGH-TEMPO ENVIRONMENTS.

PROVEN IN ENGINEERING MAINTENANCE AND OTHER FIELD-SERVICE ROLES. THIS LOCKER IS PART OF WOLFPAK'S LINE OF DEPLOYABLE SOLUTIONS — BUILT TOUGH, MODULAR, AND MISSION-CONFIGURABLE. WHETHER USED INDEPENDENTLY OR AS PART OF A LARGER MOBILE MAINTENANCE SETUP, THE TACTICAL LOCKER DELIVERS THE RUGGED RELIABILITY AND OPERATIONAL FLEXIBILITY THAT MODERN WARFIGHTERS DEPEND ON.

QUR QUICK DEPLOYABLE TACTICAL LOCKERS ARE DESIGNED TO PROVIDE YOU WITH EVERYTHING YOU NEED IN ONE SYSTEM TO FIX YOUR HYDRAULIC PROBLEM. THE WOLFPAK LOCKERS ARE PERFECT TO USE INSIDE YOUR WORKSHOP AS THEY ARE EASILY MOVABLE EITHER USING A PALLET JACK OR BY ADDING THE WHEELS AND WITHIN MINUTES CAN BE LOCKED UP AND DEPLOYED BY AIR, SEA OR LAND.














WITH A LARGE SELECTION OF HIGH PRESSURE HOSES, LOW PRESSURE HOSES, AIR CONDITIONING HOSES, FUEL LINE HOSES AND OVER 500 INDIVIDUAL FITTINGS SUPPLIED BY GATES AND WITH ALL THE EQUIPMENT YOU NEED TO FABRICATE YOUR OWN HOSES, YOU NEED NOTHING MORE.



FILL WOLFPAK LOCKERS COME STANDARD WITH EIGHT BRIGHT.
BATTERY-OPERATED LED LIGHTS.
ENSURING FULL VISIBILITY FOR 24-HOUR OPERATIONS IN ANY ENVIRONMENT. WHETHER YOU'RE WORKING DAY OR NIGHT. THESE STRATEGICALLY PLACED LIGHTS PROVIDE RELIABLE ILLUMINATION TO KEEP YOUR GEAR ACCESSIBLE AND YOUR MISSION ON TRACK—NO EXTERNAL POWER SOURCE REQUIRED.




A COVER COMES AS STANDARD ON ALL CAGES TO PROTECT EQUIPMENT INSIDE THE LOCKER AGAINST THE ELEMENTS. ACCESS STRAPPING POINTS THROUGH OPENINGS IN THE COVER. DOVE GRAY IS STANDARD COLOR. IT IS STORM AND WATER PROOF.




UNIVERSAL WHEEL KITS ARE
AVAILABLE AS AN OPTIONAL
EXTRA FOR ALL LOCKERS. FOUR
HEAVY DUTY WHEELS WHICH
ATTACH TO THE LOCKERS FOR
INCREASED MOBILITY.











# SERMLESS MOBILITY. MAXIMUM FLEXIBILITY.

AT WOLFPAK SOLUTIONS, WE UNDERSTAND THAT MISSION SUCCESS HINGES ON EFFICIENT LOGISTICS. OUR SYSTEMS ARE ENGINEERED FOR TRUE INTERMODAL COMPATIBILITY—STREAMLINING TRANSPORT ACROSS AIR, LAND, AND SEA WITHOUT THE NEED TO RE-HANDLE CARGO AT TRANSFER POINTS. THAT'S LOGISTICS WITHOUT FRICTION. EACH WOLFPAK SOLUTIONS LOCKER IS OPTIMIZED FOR A PREFERRED PLATFORM, BUT BUILT WITH VERSATILITY IN MIND. WHETHER IT'S A STANDARD SHIPPING CONTAINER OR AN AIR PALLET, OUR SYSTEMS INTEGRATE EFFORTLESSLY—NO MODIFICATIONS REQUIRED. THIS PLUG-AND-PLAY DESIGN MAKES WOLFPAK SOLUTIONS THE MOST ADAPTABLE AND DEPLOYMENT-READY HOSE REPAIR SOLUTION IN TODAY'S MILITARY LOGISTICS ENVIRONMENT.

BELOW, WE HIGHLIGHT HOW THE WOLFPAK TACTICAL LOCKERS INTEGRATES ACROSS COMMONLY USED MILITARY TRANSPORT PLATFORMS.

# **6X WOLFPAK LOCKERS** ON A FLAT RACK **5X MOLEPHK** LOCKERS ON 463L-RIRPALLET **2X WOLFPAK LOCKERS 6X WOLFPAK LOCKERS** IN A TRICON IN R 20 FT SIDE **OPENING CONTRINER 3X WOLFPAK LOCKERS** IN R 10 FT CONTRINER










LAND - SEH - HIR

**FORKLIFT** 

MINIMFIL

DUNNACE











**HDJUSTHBLE** INTERMODAL

NO TOOLS


CONTENT **VISIBILITY** 

# ON ALL WOLFPAK SOLUTIONS LOCKERS





ROBUST



STACKABLE



MOVABLE



**LUCKABLE** 







PROTECT

**SRFETY** 

**FINTI- SPARK** 

# CRIMPABLE FUEL/AIR LINE REPAIR

FOR PRESSURIZED HOT OIL RETURN LINES, ROTHRY OIL LINES AND HIR BRAKE LINES, MEETS THE REQUIREMENTS OF SAE J1405 PERFORMANCE SPECIFICATIONS FOR HIGH-TEMPERATURE TRANSMISSION AND LUBRICATING OIL SYSTEMS USING PETROLEUM BASE OILS.

3//8" AND 1//2" HIGH TEMPERATURE, 3000 PSI, WORKS WITH COMPLETE EXISTING FITTINGS RANGE.



TUBE:

TRUE-BORE BLACK TUBE SPECIFICALLY COMPOUNDED FOR TEMPERATURE AND

CHEMICAL RESISTANCE (CPE).

REINFURCEMENT: TWO BRAIDS OF HIGH-TENSILE STEEL WIRE.

COVER: **GIL AND MILDEM RESISTANT, TEXTILE BRAID.** IMPREGNATED WITH SYNTHETIC RUBBER.

TEMPERATURE RANGE: PETROLEUM-BASE FLUIDS: -40°F TO +300°F

(-40°C TO +)49°C). PHOSPHATE ESTERS FLUIDS AS RECOMMENDED BY THE FLUID MANUFACTURER, BUT WITHIN A RANGE OF -40°F TO +212°F (-40°C TO +100°C), FOR WATER EMULSIONS SEE TEMPERATURE LIMITS TABLE.









# TAKE YOUR HYDRAULIC HOSES FROM OLD TECHNOLOGY TO NEW TECHNOLOGY WITH GATES PATENTED HYDRAULIC HOSES AND FITTINGS!

NO MORE DEADLINED VEHICLES! NO MORE DRY ROTTED HOSES! EVERY HYDRAULIC HOSE AND FITTING FOR YOUR MOTOR POOL FLEET INCLUDING A/C LINES AND FITTINGS.

FROM LOW-PRESSURE TO ULTRA-HIGH PRESSURE HOSE ASSEMBLIES, AND FROM APPLICATION-SPECIFIC SYSTEMS TO VERSATILE FLUID COMPATIBILITY, THE MOST PRODUCTIVE HOSE SYSTEMS START WITH THE SAFEST, MOST DURABLE AND EFFICIENT INDUSTRIAL HOSES, COUPLINGS, ACCESSORIES AND EQUIPMENT FROM GATES. RECOGNISED TO MEET OVER 20 INTERNATIONAL STANDARDS AND QUALITY CERTIFICATIONS, GATES FURNISHES CUSTOM HOSE ASSEMBLIES AND OFFERS IN-DEPTH INDUSTRIAL HOSE TRAINING WORKSHOPS TO IMPROVE YOUR ONSITE SAFETY, REDUCE DOWNTIME, AND INCREASE YOUR PRODUCTIVITY.




















# HYDRALLIC HOSES OVERVIEW

ELEVATE YOUR HOSE PRODUCTION EFFICIENCY AND STRY RHERD WITH THE LATEST TECHNOLOGY THROUGH WOLFPAK SOLUTIONS, LET US STREAMLINE YOUR OPERATIONS, ENHANCING YOUR MISSION READINESS AND REPAIR CAPABILITIES WITH **CUTTING-EDGE SOLUTIONS.** 

- CAN BE ORDERED THROUGH GARMY
- FITTINGS AND HOSES FROM 1//4, TO 11//4,
- FITTINGS INCLUDE JIC, FLAT FACE, A/C, 90° & 45°, SMIVEL, QUICK DISCONNECTS, AND COUPLERS
- HIGH, LOW PRESSURE FLUID TRANSFER HOSES (FUEL, WATER, HYDRAULIC, FREON)
- FREE ON-SITE SAFETY AND HYDRAULIC HOSE MANUFACTURING CERTIFICATION AND TRAINING
- FREE INSTALLATION AND SETUP
- HYDRAULIC HOSE CLEANING SYSTEM
- FREE GATES APP TO IDENTIFY FITTINGS AND CRIMP SPECS
- ERSYREFILL ORDERING





SCREENSHOTS OF THE **ECRIMP MOBILE FIPP** 

# **HIR BRAKE BDAR KIT**

### BATTLEFIELD DAMAGE ASSESSMENT AND REPAIR KIT

WOLFPRK SOLUTIONS RESERRCH AND DEVELOPMENT TERM PRIDES THEMSELVES ON CUTTING EDGE SUPPORT AND PRODUCTS THAT BENEFIT OUR WARFIGHTERS, WE'VE DEVELOPED A BDAR KIT THAT IS COMPRISED OF DOT REPROVED COMPONENTS FOR THE TEMPORARY REPAIR OF AIR LINES WITHIN THE

· THIS KIT CAN REPAIR 1//4", 3//8", 1//2", 5//8", AND 3//4" AIRLINES IN AMATTER OF MINUTES. THE INCLUDED COUPLERS SUPPORT ALL TYPES OF PRE-EXISTING FIR LINE SYSTEMS TO FACILITATE AN EXPEDITED REPAIR AND RECOVERY TO GET THE WARRIGHTER BACK IN THE FIGHT. THESE CONNECTORS ARE FAIL PROOF AND FAIL SAFE UNLIKE OTHER (PUSH TO LOCK) CONNECTORS THAT CAN FAIL AT THE SLIGHTEST OF BUMPS//TUGS.

· THIS KIT INCLUDES EVERYTHING NEEDED TO MAKE A FIELD REPAIR, AND YOU CAN CUSTOMIZE IT TO CONTRIN COMPONENTS FOR THE REGREMENTIONED SIZES AND ALSO FOR STRAIGHT, 45°, AND 90° ELBOWS. THESE TEMPORARY REPAIRS CAN BE EASILY DISASSEMBLED ONCE THE MARFIGHTER IS OUT OF HARM'S WAY AND CAN BE REUSED FOR FUTURE SITUATIONS. THIS ALLOWS FOR EQUIPMENT TO BE INSPECTED AND REPRIRED TO TM// TO SPECS RAPIDLY AND EFFICIENTLY.

·WOLFPAK SOLUTIONS' FIR BRAKE LINE BDAR (BATTLEFIELD DAMAGE ASSESSMENT AND REPAIR) KIT. ANOTHER ONE OF ADA SUPPLIES' CUTTING-EDGE PRODUCTS, PART OF OUR EXPONENTIALLY GROWING GCSS//GRE PROGRAM.

#### HIR BRAKE LINES, VARYING SIZES OR CUSTOM **MRKELIP**

3//4" STRAIGHT, 45° FI BUM 890°ELBUM CONNECTOR FRSTENING TOOL

1//4".3//8".1//2".5//8". 1//4".3//8".1//2".5//8". 3//4" CONNECTORS VARYING SIZES AND **TYPE OR CUSTOM** MRKEUP











LILTRATECH PROVIDES INNOVATIVE SOLUTIONS FOR SPILL CONTRINMENT, STORMWATER MANAGEMENT, AND ENVIRONMENTAL PROTECTION. THEIR PRODUCTS ARE ENGINEERED TO PREVENT LEAKS, CONTROL SPILLS, AND ENSURE REGULATORY COMPLIANCE ACROSS INDUSTRIAL AND COMMERCIAL SETTINGS. WHETHER IT'S SPILL PALLETS, CONTAINMENT BERMS, OR ADVANCED TECHNOLOGIES LIKE ANTI-CORROSION COATINGS.



THE LITRA-CONTRINMENT BERM,
COLLAPSIBLE WALL MODEL FEATURES
AN ECONOMICAL DESIGN THAT SETS
UP QUICKLY AND PROVIDES SECURE
CONTRINMENT. PVC SIDEWALL ASSEMBLIES
PROVIDE STURDY SUPPORT FOR THE
CONTRINMENT AREA BUT ARE QUICKLY
LOWERED FOR EASY ACCESS. GREAT
FOR SPILL CONTRINMENT OF LARGE
QUANTITIES OF DRUMS, VEHICLES, FRAC
TANKS OR OTHER LARGER CONTRINERS.



THE ULTRA-CONTRINMENT BERM,
ULTIMATE MODEL IS THE PERFECT
COMBINATION OF CONVENIENCE AND
ECONOMY WHEN IT COMES TO CAPTURING
LEAKS AND SPILLS THAT OF TEN OCCUR
DURING EQUIPMENT MAINTENANCE OR
THE TRANSPORTATION OF CONTRINMENT
DRUMS. THIS SPILL CONTRINMENT
BERM FEATURES 12" WALLS THAT ARE
SUPPORTED WITH A UNIQUE "LIVING HINGE"
THAT GIVES THEM THE ABILITY TO BEND
UNDER EQUIPMENT AND SNAP BACK INTO
PLACE.



THE ULTRA-HARD TOP P4 PLUS SPILL PALLET PROVIDES A SAFE, CONVENIENT AND EFFECTIVE PLACE TO STORE ONE, TWO, THREE OR FOUR 55-GALLON DRUMS. THE ROLL-TOP DOORS ABOVE AND SWING OUT DOORS BELOW PROVIDE COMPLETE AND EASY ACCESS TO THE INSIDE SPILL CONTRINMENT AREA.

PART#	PRODUCT NAME	SIZE	METRIC	COLOR
8550	CONTRINMENT BERM, COLLAPSIBLE WALL MODEL	10 X 20	X 3203 X 840E MM 20E	BLACK
8400	CONTRINMENT BERM, COLLAPSIBLE WALL MODEL	10 X 10	X 840E X 840E MM 20E	BLACK
8505	CONTRINMENT BERM, LILTIMATE MODEL	15 X EO	3658 X 18288 X 305 MM	BLACK
8506	CONTRINMENT BERM, LILTIMATE MODEL	15 X 50	4572 X 15240 X 305 MM	BLACK
8507	CONTRINMENT BERM, LILTIMATE MODEL	15 X 66	4572 X 20117 X 305 MM	BLACK
8310	CONTRINMENT BERM, STRKE WALL MODEL	10 X 10	X 840E X 840E MM 20E	BLACK
874)	CONTRINMENT BERM, MODULAR MODEL	EI X EI		TAN
<b>87</b> 43	CONTRINMENT BERM, MODULAR MODEL	IE X EI		TAN
8747	CONTRINMENT BERM, MODULAR MODEL	25 X 55		TAN
<b>3</b> 615	HARD TOP P2 PLUS SPILL PALLET, NO DRAIN	2-DRUM		YELLOM
9613	HARD TOP P2 PLUS SPILL PALLET, WITH DRAIN	2-DRUM		YELLOM
9636	HARD TOP P4 PLUS, NO DRAIN	4-DRUM		YELLUM
9637	HARD TOP PU PLUS, WITH DRAIN	4-DRUM		YELLUM
213O	DRAIN SEAL	36 X 36	9)4 X 9)4 MM	ORANGE
2131	DRAIN SEAL	42 X 42	1067 X 1067 MM	ORANGE
2132	DRAIN SEAL	48 X 48	1219 X 1219 MM	ORANGE
2133	DRAIN SEAL	54 X 54	1972 X 1972 MM	ORANGE
1057	IBC SPILL PALLET, NO DRAIN	-		YELLUM
1058	IBC SPILL PALLET, WITH DRAIN	-		YELLUM
1157	IBC SPILL PALLET PLUS, NO DRAIN	-		YELLUM
1158	IBC SPILL PALLET PLUS, WITH DRAIN	-		YELLUM
1011	SPILL PALLET P2, WITH DRAIN	2-DRUM		YELLUM
1001	SPILL PALLET P4, WITH DRAIN	4-DRUM		YELLUM
1531	SPILL PALLET P4, NESTABLE MODEL	4-DRUM		YELLUM





**DRAIN SEAL** 

**SPILL PALLET** 

# TRANSMISSION FLUSH SYSTEM

THE MOTORVAC TRANSTECH" IV+, A CUTTING-EDGE TRANSMISSION FLUID EXCHANGE SYSTEM DESIGNED FOR PRECISION, EFFICIENCY, AND EASE OF USE, WHETHER YOU'RE WORKING ON TRADITIONAL OR MODERN VEHICLES, THE TRANSTECH" IV+ ENSURES A COMPLETE AND THOROUGH FLUID EXCHANGE, HELPING TO EXTEND THE LIFE OF TRANSMISSIONS AND OPTIMIZE PERFORMANCE.



#### FRONT FERTURES

CONTROL PANEL - ALL ELECTRONIC OPERATIONAL FUNCTIONS ARE INITIATED AT THIS LOCATION.

FILLER PORT & CAP - NEW ATF IS POURED INTO UNIT BEFORE SERVICE.

PRESSURE GAUGE - INDICATES FLUID FLOW THROUGH THE LINIT WHEN IN INLINE MODE.



#### RIGHT SIDE FERTURES

DIPSTICK ADAPTER - MANIFOLD THAT IS PERMANENTLY ATTACHED TO DIPSTICK RETURN HOSE. THE MANIFOLD ALLOWS THE CLEAN FLUID HOSE TO BE ATTACHED TO IT AS WELL AS CONNECTING THEM TO A COMMON DIPSTICK WAND FOR THE DRAIN AND FILL PROCESS

DIPSTICK HANGER - ALLOWS THE DIPSTICK RETURN HOSE AND ADAPTER TO BE STORED SAFELY.

CLEAN FLUID HOSE - CLEAN ATF IS INTRODUCED TO THE VEHICLE THROUGH THIS HOSE.

DIPSTICK RETURN HOSE - DRAWS DIRTY ATF FROM THE VEHICLES IN DIPSTICK MODE.



18

#### **LEFT SIDE FERTURES**

INLINE RETURN HOSE - CONNECT TO VEHICLE FOR INLINE SERVICES. DIRECTION IS NOT IMPORTANT FOR INLINE SERVICE

WASTE DISPOSAL HOSE - IS INSERTED INTO THE SHOP'S FLUID RECYCLING CONTRINER OR INTO A SUITABLE CON-TRINER FOR PROPER DISPOSAL OF USED TRANSMISSION FLUID.

DISPOSAL HOSE BALL VALVE - OPEN MANUALLY BEFORE EMPTY WASTE BUTTON IS PUSHED.



#### PRECISION. POWER. PERFORMANCE.

BUILT WITH PRECISION ENGINEERING AND CRAFTED FOR SUPERIOR PERFORMANCE, SNAP-ON PRODUCTS ARE DESIGNED TO WITHSTAND THE TOUGHEST JOBS WHILE PROVIDING UNMATCHED RELIABILITY. EACH TOOL EMBODIES OUR COMMITMENT TO INNOVATION, ENSURING THAT PROFESSIONALS CAN TACKLE EVERY CHALLENGE WITH CONFIDENCE AND EFFICIENCY.

AS A PROLID PARTNER OF WOLKPAK SOLUTIONS, SNAP-ON TOOLS BRINGS AN EXTENSIVE RANGE OF HAND TOOLS, POWER TOOLS, TOOL STORAGE. AND DIRGNOSTIC EQUIPMENT TO YOUR WORKSPRIE. WHETHER YOU'RE R SERSONED MECHANIC OR AN INDUSTRIAL TECHNICIAN, SNAP-ON IS THE BRAND YOU CAN TRUST TO GET THE JOB DONE RIGHT, EVERY TIME.

EXPERIENCE THE SNRP-ON DIFFERENCE — BECAUSE EXCELLENCE IS NEVER AN OPTION: IT'S A STANDARD.









## CAGE CODE 12N47

WWW.WOLFPRKSOLUTIONS.EOM

PHUNE: 888-651-3301

105 BELLANOT FECIRCLE, WARNER ROBINS, GA, USA

