



# ANUPAMA ENTERPRISES

## SAHIBABAD

**Anupama Enterprises** is one of the leading manufacturers of shrink packaging machines having visibility across global verticals. We also deal in service and quality spare parts for different shrink packaging machines.

### **We manufacture:**

- MANUAL L-SEALER
- SEMI AUTOMATIC L-SEALER
- FULLY AUTOMATIC L-SEALER
- SEMI AUTOMATIC IN-LINE I-SEALER
- FULLY AUTOMATIC IN-LINE I-SEALER
- FULLY AUTOMATIC RIGHT ANGLE WRAPPING MACHINE
- SHRINK TUNNELS

### **We also supply:**

- SHRINK FILMS

**We** are committed to deliver our best in terms of quality and delivery at competitive prices.

### **Team Anupama:**

**Anupama** is a team of well qualified and experienced Engineers having more than 15 years of experience in the field of shrink wrapping machine design and manufacturing.

**Team Anupama has outstanding caliber and experience at every level, which makes us unique in industry.**

## AMS 1520 (Anupama Manual Sealer)

AMS 1520 Manual machine is easy to operate and meet the requirements of many types of products in industry.

Its Integrated Sealing and Shrinking at one step makes it most useful and efficient. Transparent hood made from high quality material enables viewing of the sealing and shrinking very easy.



(AMS 1520 with clear leg base)



(AMS 1520 with square leg base)

### Scope of Product:

This machine is widely used for

- Books & Stationary
- Sweets
- Cosmetics
- Toys
- Media Items
- Electronic Products

### Technical Details of AMS – 1520

Power supply	220V-240V, 1 Phase, 50/60 Hz, 2.5KW
Power Consumption(Average)	2.0 KW
Sealing Dimensions	410 mm wide x 530 mm long
Max. Film Roll width	550 mm
Max. Product Dimensions*	400 mm wide, 500 mm long, 150 mm high
Operating speed(Average)	6-8 products per minute
Machine dimensions	1330 mm long x 760 mm wide x 1090 mm high
Packing Dimensions	1448 mm long x 940 mm wide x 1194 mm high

## AHS - 115 Semi Automatic (L - Bar Sealer)



## AHS - 115 Semi Automatic (L - Bar Sealer - SS)



## Technical Details of AHS - 115(Semi Automatic L – Bar Sealer)

Power supply	220V-240V, 1 Phase, 50/60 Hz, 3.0KW
Power Consumption(Average)	2.1 KW
Sealing Dimensions	400 mm x 510 mm
Max. Product Dimensions*	350 mm wide, 480 mm long, 120mm high
Max. Film Roll width	430 mm
Inside Tunnel Dimensions#	510 mm long x 370 mm wide x 180 mm high
Tunnel Belt	Silicon belt conveyor 1532mm L x 335 mm W
Conveyor Speed	Variable, up to 15 m/min
Operating speed(Average)	12-15 products per minute
Machine dimensions Overall	2000 mm L x 725 mm W x 1375 mm H(without Castor Wheels )
Weight(Net/gross)	160 kg/230 kg
Machine Packing Dimensions	2100 mm long x 775 mm wide x 1550 mm high
Working Height	820 mm with Castor Wheels

## AST - 01 Shrink Tunnel





## AST - 05 Shrink Tunnel



## Our Product Quality Features and Policy

- ✓ Heavy gauge sheet metals used in construction of all the machines and its parts.
- ✓ All electrical components like Contactors, MCB's, MPCB's of **Schneider**.
- ✓ Heavy capacity transformers with **20% extra rating** used.
- ✓ Best quality **RR** make cables and wires are used.
- ✓ **Omron** temperature controllers, Relays and Relay base.
- ✓ Timers **Selectron** .
- ✓ Hardwares - Stainless Steel .
- ✓ Stainless Steel Product Loading Tray (optional)
- ✓ **Heaters** with SS tube and SS fin.
- ✓ **Luxmi Hydraulics (LHP)** induction motors
- ✓ **Dynaflux** motors for conveyors.
- ✓ LNT on/off switches, fuse and fuse holders
- ✓ **SKF** and **FYH** bearing for long life
- ✓ **Electroquip** variable DC supply
- ✓ Rigid and reliable **Supo** castor wheels

## CONTACT INFO

<b>Telephone</b>	<b>0120-2658502</b>
<b>Primary Phone</b>	<b>B.B. Singh : +91 9650694256 (Director)</b>
<b>Secondary Phone</b>	<b>Kamlakar Singh : +91 9717159202 (Head Sales)</b>
<b>E-Mail</b>	<a href="mailto:anupamaentp@gmail.com">mailto:anupamaentp@gmail.com</a>
<b>Website</b>	<a href="http://www.anupamaenterprises.com">http://www.anupamaenterprises.com</a>
<b>Facebook</b>	<a href="http://www.facebook.com/AnupamaEnterprises">http://www.facebook.com/AnupamaEnterprises</a>
<b>Twitter</b>	<a href="http://www.twitter.com/anupamaentp">http://www.twitter.com/anupamaentp</a>
<b>Google Business</b>	<a href="https://plus.google.com/112745352406086007117">https://plus.google.com/112745352406086007117</a>
<b>Locate us on Google maps</b>	<a href="https://www.google.com/maps/place/Anupama+Enterprises+Sahibabad+Ghaziabad/data=!4m2!3m1!1s0x390cfa83bc9d3eab:0xb263909fb0982733?gl=IN&amp;hl=en_uk">https://www.google.com/maps/place/Anupama+Enterprises+Sahibabad+Ghaziabad/data=!4m2!3m1!1s0x390cfa83bc9d3eab:0xb263909fb0982733?gl=IN&amp;hl=en_uk</a>



# Thank You



**A n u p a m a**  
*excellence in packaging...*



[www.anupamaenterprises.com](http://www.anupamaenterprises.com)

Anupama Enterprises  
81, Rajender Nagar Industrial Area, P.O. Mohan Nagar,  
Sahibabad,  
Ghaziabad - 201007

## AMS-1520 MANUAL MACHINE (CHAMBER MODEL)



Manual machine is easy to operate and meet the requirements of many types of products in industry.

Its Integrated Sealing and Shrinking at one step makes it most useful and efficient. Transparent hood made from high quality material enables viewing of the sealing and shrinking very easy.

### Technical Specifications

Power supply	220V-240V, 1 Phase, 50/60 Hz, 2.5KW
Power Consumption(Average)	2.0 KW
Sealing Dimensions	410 mm wide x 530 mm long
Max. Film Roll width	550 mm
Max. Product Dimensions*	400 mm wide, 500 mm long, 150 mm high
Operating speed(Average)	6-8 products per minute
Machine dimensions	1330 mm long x 760 mm wide x 1090 mm high
Packing Dimensions	1448 mm long x 940 mm wide x 1194 mm high

**Anupama's product range**



## AS-115- 02 L- BAR SEALER



Anupama's Sealer is easy to operate and meet the requirements of many types of products in industry.

Integrated with highest quality components and material. Compact and powerful packaging solution for every business need.

### Technical Specifications

Power supply	220V-240V, 1 Phase, 50/ 60 Hz, 1.0KW
Power Consumption(Average )	0.5 KW
Sealing Dimensions	400 mm wide x 510 mm long
Max. Film Roll width	500 mm
Max. Product Dimensions*	350 mm wide, 480 mm long, 150 mm high
Operating speed(Average)	10 - 12 products per minute
Machine dimensions	1345 mm long x 610 mm wide x 970 mm high
Packing Dimensions	1445 mm long x 660 mm wide x 1145 mm high

**Innovation & High quality with low cost....**

## AHS-115 SEMI AUTOMATIC MACHINE - MS



The AHS-115 is designed as an ideal unit consisting of a L-Bar sealer and shrink tunnel. This machine makes packets with the film clinging to the product by sealing the shrink film over the product and then send it through the tunnel conveyor where heated air is blown around the pack and shrinks the film.

The machine may be used with different types of shrink films having thickness of 7.5  $\mu$  to 25  $\mu$ . The film used should be centre-folded. Pre-perforated shrink films may also be used with this machine. In case of non perforated films we can also supply the machine with perforator assembly on demand.

### Technical Specifications

Power supply	220V-240V, 1 Phase, 50/60 Hz, 3.0KW
Power Consumption(Average)	2.1 KW
Sealing Dimensions	400 mm x 510 mm
Max. Film Roll width	500 mm
Max. Product Dimensions*	350 mm wide, 480 mm long, 120mm high
Operating speed(Average)	12-15 products per minute
Machine dimensions	2000 mm L x 725 mm W x 1375 mm H
Packing Dimensions	2100 mm long x 775 mm wide x 1550 mm high

**Made with highest quality assurance**



## AHS-115 SEMI AUTOMATIC MACHINE - SS



The AHS-115 is designed as an ideal unit consisting of a L-Bar sealer and shrink tunnel. This machine makes packets with the film clinging to the product by sealing the shrink film over the product and then send it through the tunnel conveyor where heated air is blown around the pack and shrinks the film.

The machine may be used with different types of shrink films having thickness of 7.5  $\mu$  to 25  $\mu$ . The film used should be centre-folded. Pre-perforated shrink films may also be used with this machine. In case of non perforated films we can also supply the machine with perforator assembly on demand.

### Technical Specifications

Power supply	220V-240V, 1 Phase, 50/60 Hz, 3.0KW
Power Consumption(Average)	2.1 KW
Sealing Dimensions	400 mm x 510 mm
Max. Film Roll width	500 mm
Max. Product Dimensions*	350 mm wide, 480 mm long, 120mm high
Operating speed(Average)	12-15 products per minute
Machine dimensions	2000 mm L x 725 mm W x 1375 mm H
Packing Dimensions	2100 mm long x 775 mm wide x 1550 mm high

**Innovation & High quality with low cost....**

## AST- 01 SHRINK TUNNEL



Anupama's Shrink Tunnel AST- 01 is a heated tunnel with a conveyor system running through the tunnel. The heat settings and conveyor speed of the shrink tunnel can be adjusted to properly heat a shrink film. The heat applied to the shrink film enables the film to tightly conform to the product within the film. Our Shrink Tunnels are used in a variety of industries for retail packaging, food packaging, and industrial packaging.

Shrink tunnels are a great option to help increase production while offering a consistent shrink rate to all products

### Technical Specifications

Power supply	220V-240V, 1 Phase, 50/60 Hz, 2.5KW
Power Consumption(Average)	1.8 KW
Max. Product Dimensions*	375 mm wide, 500 mm long, 150 mm high
Operating speed(Average)	10 - 12 products per minute
Machine dimensions	1160 mm long x 545 mm wide x 1275 mm high
Packing Dimensions	1260 mm long x 595 mm wide x 1450 mm high

**Anupama's product range**

## AST - 05 SHRINK TUNNEL



Anupama's Shrink Tunnel AST-05 is a heated tunnel with a conveyor system running through the tunnel. The heat settings and conveyor speed of the shrink tunnel can be adjusted to properly heat a shrink film. The heat applied to the shrink film enables the film to tightly conform to the product within the film. Our Shrink Tunnels are used in a variety of industries for retail packaging, food packaging, and industrial packaging.

Shrink tunnels are a great option to help increase production while offering a consistent shrink rate to all products

### Technical Specifications

Power supply	220V-240V, 1 Phase, 50/60 Hz, 6.5KW
Power Consumption(Average)	5.5 KW
Max. Product Dimensions*	400 mm wide, 500 mm long, 180 mm high
Operating speed(Average)	14 - 16 products per minute
Machine dimensions	
Packing Dimensions	

**Innovation & High quality with low cost....**

## The future is now

Advanced packaging solutions for your esteemed business...



### CONTACT US:



**0120-2658502**



**+91 - 9650694256, +91 - 7042540568**



**anupamaentp@gmail.com**



**www.anupamaenterprises.com**



**<https://www.facebook.com/AnupamaEnterprises>**



**[www.twitter.com/anupamaentp](http://www.twitter.com/anupamaentp)**

Anupama Enterprises  
81, Rajender Nagar Industrial Area, P.O. Mohan Nagar,  
Sahibabad,  
Ghaziabad - 201007



**Government of India**  
**Form GST REG-06**  
*[See Rule 10(1)]*

**Registration Certificate**

**Registration Number :09EFVPS7358M1Z0**

1.	<b>Legal Name</b>				
2.	<b>Trade Name, if any</b>	M/S Anupama Enterprises			
3.	<b>Constitution of Business</b>	Proprietorship			
4.	<b>Address of Principal Place of Business</b>	80-G, RAJENDER NAGAR INDUSTRIAL AREA, MOHAN NAGAR, SAHIBABAD, Ghaziabad, Uttar Pradesh, 201007			
5.	<b>Date of Liability</b>	01/07/2017			
6.	<b>Period of Validity</b>	From	01/07/2017	To	NA
7.	<b>Type of Registration</b>	Regular			
8.	<b>Particulars of Approving Authority</b>				
Signature					
Name					
Designation					
Jurisdictional Office					
9.	Date of issue of Certificate	21/09/2017			
Note: The registration certificate is required to be prominently displayed at all places of business in the State.					

**This is a system generated digitally signed Registration Certificate issued based on the deemed approval of the application for registration**



## Annexure A

GSTIN 09EFVPS7358M1Z0

Legal Name

Trade Name, if any M/S Anupama Enterprises

### Details of Additional Places of Business

Total Number of Additional Places of Business in the State 0



## Annexure B

GSTIN

09EFVPS7358M1Z0

Legal Name

Trade Name, if any

M/S Anupama Enterprises

### Details of Proprietor

1



Name

SARIKA SINGH

Designation/Status

PROPRIETOR

Resident of State

Haryana





## UDYAM REGISTRATION CERTIFICATE

UDYAM REGISTRATION NUMBER

UDYAM-UP-29-0000885

NAME OF ENTERPRISE

ANUPAMA ENTERPRISES

TYPE OF ENTERPRISE \*

SNo.	Classification Year	Enterprise Type	Classification Date
1	2024-25	Micro	27/04/2024
2	2023-24	Micro	09/05/2023
3	2022-23	Micro	26/06/2022
4	2021-22	Micro	16/05/2021

MAJOR ACTIVITY

**MANUFACTURING**

SOCIAL CATEGORY OF  
ENTREPRENEUR

GENERAL

NAME OF UNIT(S)

S.No.	Name of Unit(s)
1	Anupama Enterprises

OFFICIAL ADDRESS OF ENTERPRISE

Flat/Door/Block No.	80-G	Name of Premises/ Building	Anupama Enterprises
Village/Town	SAHIBABAD	Block	RAJENDER NAGAR
Road/Street/Lane	INDUSTRIAL AREA, MOHAN NAGAR	City	GHAZIABAD
State	UTTAR PRADESH	District	GHAZIABAD , Pin 201007
Mobile	9650694256	Email:	anupamaentp@gmail.com

DATE OF INCORPORATION /  
REGISTRATION OF ENTERPRISE

30/05/2014

DATE OF COMMENCEMENT OF  
PRODUCTION/BUSINESS

30/05/2014

NATIONAL INDUSTRY  
CLASSIFICATION CODE(S)

SNo.	NIC 2 Digit	NIC 4 Digit	NIC 5 Digit	Activity
1	28 - Manufacture of machinery and equipment n.e.c.	2829 - Manufacture of other special-purpose machinery	28299 - Manufacture of other special-purpose machinery n.e.c.	Manufacturing

DATE OF UDYAM REGISTRATION

24/07/2020

\* In case of graduation (upward/reverse) of status of an enterprise, the benefit of the Government Schemes will be availed as per the provisions of Notification No. S.O. 2119(E) dated 26.06.2020 issued by the M/o MSME.

Disclaimer: This is computer generated statement, no signature required. Printed from <https://udyamregistration.gov.in> & Date of printing:- 14/12/2024

For any assistance, you may contact:

1. District Industries Centre: GHAZIABAD ( UTTAR PRADESH )

2. MSME-DFO: DELHI ( DELHI )

Visit : [www.msme.gov.in](http://www.msme.gov.in) ; [www.dcmsme.gov.in](http://www.dcmsme.gov.in) ; [www.championmsme.com](http://www.championmsme.com)



Follow us @minmsme &



@msmechamp



E  
CHA  
w  
Mir  
M





# Certificate of Registration

This is to certify that  
Quality Management System  
of

## M/S ANUPAMA ENTERPRISES

80-G, RAJENDER NAGAR INDUSTRIAL AREA, MOHAN NAGAR,  
SAHIBABAD, GHAZIABAD, UTTAR PRADESH, 201007, INDIA

*has been independently assessed and is compliance with the  
requirement of:*

## ISO 9001:2015 Quality Management System

For the following scope of activities

**MANUFACTURING, TRADING AND MAINTENANCE OF MACHINES, EQUIPMENTS  
AND SPARE PARTS, DEVELOPMENT AND MAINTENANCE OF COMPUTER  
SOFTWARE AND RELATED ACTIVITIES.**

Certificate Number: UKAI-MSES-22-0512308

Validity of this certificate can be verified at [www.ukai.org.uk](http://www.ukai.org.uk)

Date of Certification	05 <sup>TH</sup> MAY 2022
Issuance Date	05 <sup>TH</sup> MAY 2022
1st Surveillance Due	04 <sup>TH</sup> MAY 2023
2nd Surveillance Due	04 <sup>TH</sup> MAY 2024
Re-Certificate Due	04 <sup>TH</sup> MAY 2025



Auth. Signatory



UK Assessment & Inspection Ltd.

CAB ADDRESS : 63 Maple Road, Surbiton, England, KT6 4AG

Validity of this certificate is subject to annual surveillance audits to be done successfully This certificate is the property of  
UK Assessment & Inspection Ltd. and shall be returned immediately on request UK Assessment & Inspection Ltd.

is an independent Systems Products and Personal assessment Body, UK Assessment & Inspection Ltd. is a  
accredited by UG-AC.ORG



**Click To Call**

9650694256



**Click To Mail**

anupamaentp@gmail.com



**Click To Website**



**Click To Whats App**



**Visit Our Location**



**Contact Person - : B.B. Singh**  
**Contact Number-: 9650694256**



Anupama Enterprises is one of the leading manufacturers of shrink packaging machines having visibility across global verticals. We also deal in service and quality spare parts for different shrink packaging machines.

### **We manufacture:**

- MANUAL L-SEALER
- SEMI AUTOMATIC L-SEALER
- FULLY AUTOMATIC L-SEALER
- SEMI AUTOMATIC IN-LINE I-SEALER
- FULLY AUTOMATIC IN-LINE I-SEALER
- FULLY AUTOMATIC RIGHT ANGLE WRAPPING MACHINE
- SHRINK TUNNELS

### **We also supply:**

- SHRINK FILMS

We are committed to deliver our best in terms of quality and delivery at competitive prices.

### **Team Anupama:**

Anupama is a team of well qualified and experienced Engineers having more than 15 years of experience in the field of shrink wrapping machine design and manufacturing.

Team Anupama has outstanding caliber and experience at every level, which makes us unique in industry.



## Shrink Wrapping Machine

The AHS-115 is designed as an ideal unit consisting of a L-Bar sealer and shrink tunnel. This machine makes packets with the film clinging to the product by sealing the shrink film over the product and then send it through the tunnel conveyor where heated air is blown around the pack and shrinks the film.

The machine may be used with different types of shrink films having thickness of 7.5  $\mu$  to 25  $\mu$ . The film used should be centre-folded. Pre-perforated shrink films may also be used with this machine. In case of non perforated films we can also supply the machine with perforator assembly on demand.

### Technical Specifications

Power supply	220V-240V, 1 Phase, 50/60 Hz, 3.0KW
Power Consumption(Average)	2.1 KW
Sealing Dimensions	400 mm x 510 mm
Max. Film Roll width	500 mm
Max. Product Dimensions*	350 mm wide, 480 mm long, 120mm high
Operating speed(Average)	12-15 products per minute
Machine dimensions	2000 mm L x 725 mm W x 1375 mm H
Packing Dimensions	2100 mm long x 775 mm wide x 1550 mm high






## Shrink Tunnel

Anupama's Shrink Tunnel AST- 01 is a heated tunnel with a conveyor system running through the tunnel. The heat settings and conveyor speed of the shrink tunnel can be adjusted to properly heat a shrink film. The heat applied to the shrink film enables the film to tightly conform to the product within the film. Our Shrink Tunnels are used in a variety of industries for retail packaging, food packaging, and industrial packaging.

Shrink tunnels are a great option to help increase production while offering a consistent shrink rate to all products

### Technical Specifications

Power supply	220V-240V, 1 Phase, 50/ 60 Hz, 2.5KW
Power Consumption(Average)	1.8 KW
Max. Product Dimensions*	375 mm wide, 500 mm long, 150 mm high
Operating speed (Average )	10 - 12 products per minute
Machine dimensions	1160 mm long x 545 mm wide x 1275 mm high
Packing Dimensions	1260 mm long x 595 mm wide x 1450 mm high



## Conveyors

THIS CONVEYOR IS BEING BROADLY USED BY PUBLISHERS, PHARMACEUTICALS ETC. SYSTEM HAS BEEN FABRICATED WITH MILD STEEL POWDER COATED PARTS & HIGH QUALITY OF ALL ACTIVE PARTS

Belt Type	ENDLESS
Structure	M.S. POWDER COATED
Belt Material	NYLON
Usage/Application	IN PRINTING LINE
Material	Mild Steel
Capacity	1-50 kg per feet
Material Handling Capacity	50 KGS
Type	Natural Wholes
Brand	ANUPAMA



## L Bar Sealer

With sincerity and hard work of our professionals, we have carved a niche for ourselves in this domain by offering premium quality gamut of **Industrial L Bar Sealer**.

Brand	ANUPAMA
Material	Mild Steel
Capacity	500-1000 pouch per hour
Voltage	230 VOLTS AC
Usage/Application	Industrial
Voltage (V)	50HZ, 230 VAC
Automatic Grade	Manual
Frequency (Hz)	50 Hz.



## Anupama Enterprises

81, Rajender Nagar Industrial Area, Mohan Nagar, Sahibabad Gali no.-2, Near Maruti Showroom  
Ghaziabad-201007, Uttar Pradesh, India

### Follow Us On

