

FLOOR PLAN:

1. THIRD PARTY LABEL, DATA PLATE, AND STATE LABEL TO BE LOCATED NEAR OR INSIDE THE ELECTRICAL PANEL BOX. ALL OTHER BOXES THE THIRD PARTY LABEL TO BE LOCATED INSIDE A KITCHEN CABINET, VANITY CABINET, OR AS SHOWN ON FLOOR PLAN.

WINDOWS & DOORS:


- GLAZED OPENINGS IN BUILDINGS LOCATED IN WINDBORNE DEBRIS REGIONS SHALL BE PROTECTED FROM WIND BORNE DEBRIS. GLAZED OPENING PROTECTION FOR WIND BORNE DEBRIS SHALL MEET THE REQUIREMENTS OF THE LARGE MISSILE TEST OF ASTM E 1996 AND ASTM E 1886 REFERENCED THEREIN.
- ALL WINDOWS 72" ABOVE GRADE LEVEL THAT ARE NOT 24" A.F.F. (18" A.F.F. IF AMENDED BY STATE) REQUIRE OPENING LIMITING DEVICES FOR FALL PROTECTION. (SHIPPED LOOSE FOR SITE INSTALLATION)
- ALL WINDOW AND DOOR GLASS TO BE DOUBLE PANE
- ALL WINDOWS TO HAVE INSULATED GLAZING
- ALL WINDOWS ARE PROVIDED WITH SCREENS
- ALL WINDOWS NOTED AS EGRESS "E" COMPLY WITH SECTION R310
- ALL EXTERIOR DOORS TO BE INSULATED AND PROVIDED WITH WEATHER STRIPPING

DOOR & WINDOW LIGHT/ VENT DATA					
STYLE	WIDTH	HEIGHT	LIGHT	VENT	
SINGLE HUNG	3/4	5/6	13.83	6.96	
SINGLE HUNG	3/0	5/6	12.21	6.16	
SINGLE HUNG	3/0	5/0	10.96	5.7	
SINGLE HUNG	3/0	4/0	8.45	4.22	
SINGLE HUNG	3/0	3/0	5.94	2.93	
SINGLE HUNG	2/6	3/0	4.75	2.37	
CIRCLE	2/0	2/0	3.14	N/A	
TRANSOM	3/0	1/0	1.51	N/A	
SLIDING DOOR	6/0	6/8	40	20	
FRENCH DOOR	6/0	6/8	23	40	
EXT. DOOR	3/0	6/8	N/A	20	
FULL LITE DOOR	3/0	6/8	11.5	20	

LIGHT/ VENT SCHEDULE					
ROOM	SQ.FT.	LIGHT		VENT	
		REQUIRED	PROVIDED	REQUIRED	PROVIDED
BEDROOM 2	136	10.88	24.42	5.44	12.32
BEDROOM 3	129	10.32	24.42	5.16	12.32
LIVING ROOM	324	42.72	64.15	21.36	109.09
KITCHEN DINING ROOM	534	42.72	64.15	21.36	109.09

APPROVED  
RADCO  
Aug 12, 2021  
APPROVED

1ST FLOOR PLAN  
2,400 TOTAL SQ.FT.  
1,200 SQ.FT. (CONDITIONED)



ENGINEERING AND PLAN  
DEVELOPMENT:  
DAVID R. TOMPOS, PE  
PO BOX 490  
NAPPANEE, INDIANA 46550  
COA #33677

DAVID R. TOMPOS  
LICENSE  
No 55636  
STATE OF  
FLORIDA  
PROFESSIONAL ENGINEER  
Jul 30, 2021

JOB NUMBER:  
MFT8164 / ABS-1533

AFFINITY  
BUILDING SYSTEMS, LLC  
62 MURRAY BLVD. LAKELAND, GA 31635

REVISIONS:	
7/16/21 RWC - 2020 CODE U/D, CABINET U/D, W/H UPGRADE,	
FNDTN LOADING ADDED, INCREASED WIND LOAD FROM 135MPH TO 140MPH	

TITLE:  
FLOOR PLAN

DATE: 2-21-18  
DRAWN: EW

SHEET  
5B