Central Star

CentralStar Michigan Lab 1163 Comet Lane – Suite 100 Grand Ledge, MI 48837 (517) 333-8381 CentralStar Wisconsin Lab 200 East Kelso Road Kaukauna, WI 54130 (920) 733-6598

Sample Testing Report

Order Number: 20220818027

Manor Farm Annie Armolt 101 McCarthy Rd

Opelika, AL 36804

Comments

Animal ID	Barn Name	Official ID	Test Types		Test Value	Final Results	Age Months	Sex
Lucy			Individual Serum Johne's ELISA		0.215	Ν	30	
MF Brandi			Individual Serum Johne's ELISA		0.395	Ν	18	
MF Moon Beam			Individual Serum Johne's ELISA		0.077	Ν	18	
MHF Red River			Individual Serum Johne's ELISA		0.234	Ν	18	
WSF Gina			Individual Serum Johne's ELISA		0.074	Ν	30	
Customer Nu	mber : 391041			Herdcode:				
Collected Date: 08/18/2022			Received Date: 08/18/2022	Analysis Date: 08/23/2022	Results Date	e: 08/23/202	2	
Tested By: Mo	organ Powers							
Purpose:								
Verified By: C	entralStar DHI M	l Lab						
Farm Det	tails			Clinic Details				
Manor Farm Annie Armo 101 McCartl Opelika, AL	lt hy Rd			No clinic associated with this order				
Phone:			(706) 587-8114					
Email:			manorfarms@mail.com					

CentralStar Laboratory is not responsible nor in control of the sampling stage or quality of samples received. Submission is completed by DHI specialists, veterinary clinics, customers or other persons outside of the laboratory. Results reported relate only to the sample(s) identified and does not reflect the herd or operation as a whole.

The Mycobacterium Paratuberculosis (MAP) Antibody Test is an enzyme-linked immunosorbent assay (ELISA). The assay may be performed on individual samples of Bovine serum, plasma, and milk, or on bulk milk. Results are determined by the sample to positive control (S/P) ratio and listed as a test value.

Individual Milk:

Test Values ≤ 0.20 are classified as Negative

Test Values between 0.20 & 0.30 are classified as Suspect

Test Values ≥ 0.30 are classified as Positive

Serum/Plasma:

Test Values ≤ 0.45 are classified as Negative

Test Values between 0.45 & 0.55 are classified as Suspect

Test Values ≥ 0.55 are classified as Positive

Bulk Milk:

Test Values < 0.10 are classified as Negative

Test Values ≥ 0.10 are classified as Positive