

CentralStar Michigan Lab 1163 Comet Lane – Suite 100 Grand Ledge, MI 48837 (517) 333-8381 CentralStar Wisconsin Lab 200 East Kelso Road Kaukauna, WI 54130 (920) 733-6598

Sample Testing Report
Order Number: 20220818025

## **Manor Farm**

Annie Armolt 101 McCarthy Rd Opelika, AL 36804

#### Comments

Annie Armolt 101 McCarthy Rd Opelika, AL 36804

Email:

Animal ID	Barn Name	Official ID	Test Types				Test Value	Final Results	Age Months	Sex
BH Georgia			Individual Milk Johne's ELISA		(	0.041	N	36	Female	
TA Suzy Q			Individual Milk Johne's ELISA		(	0.048	N	36	Female	
Customer Number: 391041					rdcode:					
Collected Date: 08/18/2022			Received Date: 08/18/2022 Analysis Date: 08/23/2022		Results Date: 08/23/2022					
Tested By: N	Norgan Powers									
Purpose:										
Verified By:	CentralStar DHI M	l Lab								
Farm Details				C	Clinic Details					
Manor Far	m									

No clinic associated with this order

Phone: (706) 587-8114

CentralStar Laboratory is not responsible nor in control of the sampling stage or quality of samples received. Submission is completed by DHI specialists, veterinary clinics, customers or other persons outside of the laboratory. Results reported relate only to the sample(s) identified and does not reflect the herd or operation as a whole.

manorfarms@mail.com

Order Number: 20220818025

The Mycobacterium Paratuberculosis (MAP) Antibody Test is an enzyme-linked immunosorbent assay (ELISA). The assay may be performed on individual samples of Bovine serum, plasma, and milk, or on bulk milk. Results are determined by the sample to positive control (S/P) ratio and listed as a test value.

# Individual Milk:

Test Values ≤ 0.20 are classified as Negative

Test Values between 0.20 & 0.30 are classified as Suspect

Test Values ≥ 0.30 are classified as Positive

## Serum/Plasma:

Test Values ≤ 0.45 are classified as Negative

Test Values between 0.45 & 0.55 are classified as Suspect

Test Values ≥ 0.55 are classified as Positive

# **Bulk Milk:**

Test Values < 0.10 are classified as Negative

Test Values ≥ 0.10 are classified as Positive