

Lely Resort Master POA, Inc.

ARCHITECTURAL REVIEW COMMITTEE REQUEST FORM

TO: ARCHITECTURAL REVIEW COMMITTEE

RE: REQUEST FOR EXTERIOR MODIFICATION

NAME: Gholam Ray Patala PHONE: (240) 417-4035
(301) 741-0059

ADDRESS(Community) 8889 Mustang Island Cir Naples, FL 34113

Install: (Please attach sketch if applicable)

8 Impact Single Hung Windows (1 with White Interlayer); 2 Impact "Bowhead" Single Hung Windows;
5 Impact Fixed Picture Windows; All with Bronze Frames and Low E Grey Insulated Glass with Greenish Hue
1 Impact Double Full Lite Fiberglass Doors (Color = White)

DocuSigned by:
Signature: x Gholam Ray Patala Date: 2/23/2024
E262A1A2F10F47B...

After review of the proposed modification or improvement. The board has:

 Denied.

 Accepted. Please be informed based on the architectural and/or aesthetic review of your modification, the ARC is granting approval to your request. The approval by the ARC shall not constitute a warranty or approval as to, and neither the Association nor any member or representative of the ARC or the Board of Directors shall be liable for, the safety, soundness, workmanship, materials or usefulness for any purpose of any such improvement or alteration nor as to its compliance with governmental or industry codes or standards.

 LANDSCAPING MODIFICATIONS: Homeowners are to be aware the association shall maintain and irrigate the trees, shrubbery, grass and other landscaping on each Lot, but may not be adequate for the planting of annuals. The Association maintenance staff will determine whether the general appearance is properly being maintained by the homeowner, and will remove any plantings not kept in a neat, orderly and attractive manner.

Comments: _____

By: _____ Date: _____

By: _____ Date: _____

Gholam Patala Measure Sheet

CUSTOMER:

Gholam Reza Patala

Directional Ref:

Page _____
of _____

ADDRESS:

8889 Mustang Island Cir

NAPLES FL 34118

PHONE:

240 417 4036

Customer Initial: By signing this sheet


I affirm that I have reviewed all product handling and direction with my measure tech. I understand that all of my products will be ordered and permitted based on this information.

Layout:

12' MRH

20' Short Side

Concrete or Wood
(Circle one)



bronze frames
Low E grey insulated

Measure Sheet

				Product	Config	W.I.	Sl.H.	Existing
1	6'0" x 8'0"	Full lite clear	snow fiberglass	FD	RA		0	75 3/4
2	73 1/4 x 20 1/4 x 14 1/2			PW			120	PW
3	52 5/8 x 72 1/2	> 1x4		SH			18	SH
4	52 5/8 x 19 x 13			PW			90	PW
5	36 1/2 x 72			SH			18	SH
6	48 1/2 x 60 3/4		W.I.	SH		✓		
7	37 x 72	> 1x4		SH				
8	37 x 72	> 1x4		SH				
9	37 x 72			SH				
10	71 1/4 x 95 1/4			SD	rev xx		0	SD
11	140 1/2 x 176 x 95 1/2	7 1/2 wall pocket		SD	← xxx		0	SD
12	52 3/4 x 72 1/4			SH			18	SH
13	15 1/2 x 16	ES		PW			75	PW
14	15 1/2 x 16	ES		PW			75	PW
15	15 1/2 x 16	ES		PW			75	PW
16	26 x 72			SH			18	SH
17	36 3/4 x 78 x 72	> 1x4		1/2 BH				BH
18	36 3/4 x 78 x 72			1/2 BH				BH
19								
20								
21								
22								
23								
24								

**72" x 96" DOUBLE DOOR 6P FULL CLEAR GLASS, HURRICANE-RATED****OPENINGS**

Unit Size: W 74" x H 96 5/8"
 Rough Opening: W 74 3/4" x H 97 1/8"
 Outside Brickmold: W 77" x H 97 7/8"

GENERAL

Layout: Double Door
 Glazing Type: Lip-lite
 Hurricane-rated (HVHZ): Yes
 Impact-rated: Yes

HARDWARE

Model: Active hardware: Schlage Latitude
 Passage Lever (Century Roset Deadbolt)
 Finish: ORB
 Inactive Prep: Single 2-3/8" Backset
 Hinge: 4 X 4-1/4 Sq/Rad O/S Patina Ball
 Bearing NRP Hinge
 Sill: High Profile Mill O/S

DOOR

Design: Double Door 6P Full Glass
 Dimensions: W 72" x H 96" x T 1 3/4"
 Glass: Clear
 Glass Dimensions: 22 x 80

FINISHES

Door Exterior: Snow ☐
 Door Interior: Snow ☐
 Frame Exterior: Snow ☐
 Frame Interior: Snow ☐
 Weather Stripping: Bronze ☒

DETAILS

Handing: Left-hand Outswing
 Door Covered: No
 Jamb Depth: 5-1/4
 Casing Profile: WM356
 Casing Finish: Snow ☐

CERTIFICATIONS

Approval Code: FL22378.13
 DP Rating: +47/45

ADD-ONS

Brickmold: WM176 | Shipped Loose
 Peep Sight: No

Unit Price x 1

Unit Subtotal


opening 1




Exterior




Interior



Door Finish



Frame Finish



Weather Stripping



Interior Casing



Hardware



PROPOSAL NUMBER
578117
PROPOSAL NAME
Patala Gholam- Fort Myers
EXTERNAL PURCHASE ORDER ID
Patala Gholam- Fort Myers

QUOTE ITEMS

LINE NUM	LINE NAME	ASSEMBLY SYSTEM	ASSEMBLY	TOTAL QUANTITY
1	OPENINGS 13-15	ES-EL150 - FIXED WINDOW	0	3
16" 15 13/16" 13 7/8" A 13 3/8" 15 5/16" 15 1/2" SIZE AREA FINISH GLASS MUNTIN FRAME TYPE PROTECTIVE FILM PRE-GLAZED? 15 1/2" X 16" 1.72 FT² AAMA 2604 BRONZE 5/32" CLEAR TMP SB70 + 5/16" AIR MA BLACK SPACER + 5/32" CLEAR HS + 0.09 PVB CLEAR + 5/32" GRAY HS NO FLANGE BOTH YES FBC CERTIFICATION INTERNAL PSF EXTERNAL PSF 81.10 81.10 CODE FL 21461 NOA CERTIFICATION INTERNAL PSF EXTERNAL PSF 80.00 80.00 CODE 22-0105.01 NFRC CERTIFICATION U FACTOR SHGC VT 0.52 0.24 0.33				

Scott Berman
7108 Fairway Drive
Suite 120
Palm Beach Gardens, FL 33418
PH: 561-340-4300
FX: 561-624-8037

QUOTE: 161067
QUOTE DATE: 2/6/2024
EST. DELIVERY DATE: 3/27/2024
QUOTE CONTACT:

QUOTE

INVOICE INFORMATION

Fort Myers Valued Customer

SHIPPING INFORMATION

Fort Myers Valued Customer

SHIP VIA:

ORDER	ORDER DATE	PO NUMBER	CUSTOMER REF		TERMS	
161067	2/6/2024	Patala Gholam	Patala Gholam			
ITEM	DESCRIPTION	QTY	SIZE	PRICE	TOTAL	
1	3000s HVHZ Impact Eyebrow FL#: 17162.1 NFRC: UF= 0.41, SHGC= 0.24, VT= 0.32 Frame Color{BRONZE} FLANGE FRAME SHORT LEG HEIGHT (TTT)=[14.5] 1-1/16" O.A. INSULATED IMPACT GLASS PACK 3/16" ANNEALED LOW-E LOE ² -366 ARGON [3/16" GY HS X 090 PVB X 3/16" CL HS] KEEP PVB INTERLAYER CLEAR +/-70 PSF HVHZ Rated{HVHZ} STANDARD HARDWARE MATERIAL LOCATION=[Opening 2] COMMENTS:	1	73 1/4 W X 20 1/4 H TTT: 73.25 W x 20.25 H x 14.5 L DLO: 72.25 W x 19.25 H x 13.5 L			
2	FWI 1000 Aluminum Impact SH FL#: 14604.5 NFRC: UF= 0.64, SHGC= 0.22, VT= 0.33 Frame Color{BRONZE} 11/16" O.A. INSULATED IMPACT GLASS PACK GLASS BY WINDOW 1/8" TEMPERED LOW-E LOE ² -366 ARGON [1/8" GY ANN X 090 PVB X 1/8" CL ANN] CLEAR +/-80 PSF HVHZ Rated{HVHZ} STANDARD HARDWARE MATERIAL DOUBLE LOCK LOCATION=[Opening 3] COMMENTS:	1	52 5/8 W X 72 1/2 H DLO: 51.625 W x 71.5 H			

ORDER	ORDER DATE	PO NUMBER	CUSTOMER REF		TERMS	
161067	2/6/2024	Patala Gholam	Patala Gholam			
ITEM	DESCRIPTION	QTY	SIZE	PRICE	TOTAL	
3	3000s HVHZ Impact Eyebrow	1	52 5/8 W X 19 H			
	FL#: 17162.1		TTT: 52.625 W x 19 H x 13 L DLO: 51.625 W x 18 H x 12 L			
	NFRC: UF= 0.41, SHGC= 0.24, VT= 0.32					
	Frame Color{BRONZE}					
	FLANGE FRAME					
	SHORT LEG HEIGHT (TTT)=[13]					
	1-1/16" O.A. INSULATED IMPACT GLASS					
	PACK					
	3/16" ANNEALED LOW-E					
	LOE ² -366					
	ARGON					
	[3/16" GY HS X 090 PVB X 3/16" CL HS]					
	KEEP PVB INTERLAYER					
	CLEAR					
	+/-70 PSF					
	HVHZ Rated{HVHZ}					
	STANDARD HARDWARE MATERIAL					
	LOCATION=[Opening 4]					
	COMMENTS:					
4	FWI 1000 Aluminum Impact SH	1	36 1/2 W X 72 H			
	FL#: 14604.5		DLO: 35.5 W x 71 H			
	NFRC: UF= 0.64, SHGC= 0.22, VT= 0.33					
	Frame Color{BRONZE}					
	11/16" O.A. INSULATED IMPACT GLASS					
	PACK					
	GLASS BY WINDOW					
	1/8" TEMPERED LOW-E					
	LOE ² -366					
	ARGON					
	[1/8" GY ANN X 090 PVB X 1/8" CL ANN]					
	CLEAR					
	+/-80 PSF					
	HVHZ Rated{HVHZ}					
	STANDARD HARDWARE MATERIAL					
	DOUBLE LOCK					
	LOCATION=[Opening 5]					
	COMMENTS:					
5	FWI 1000 Aluminum Impact SH	1	48 1/2 W X 60 3/4 H			
	FL#: 14604.5		DLO: 47.5 W x 59.75 H			
	NFRC: UF= 0.5, SHGC= 0.7, VT=					
	Frame Color{BRONZE}					
	11/16" O.A. INSULATED IMPACT GLASS					
	PACK					
	GLASS BY WINDOW					
	1/8" TEMPERED LOW-E					
	LOE ² -366					
	ARGON					
	[1/8" GY ANN X 090 PVB X 1/8" CL ANN]					
	WHITE					
	+/-80 PSF					
	HVHZ Rated{HVHZ}					
	STANDARD HARDWARE MATERIAL					
	DOUBLE LOCK					
	LOCATION=[Opening 6]					
	COMMENTS:					

ORDER	ORDER DATE	PO NUMBER	CUSTOMER REF		TERMS	
161067	2/6/2024	Patala Gholam	Patala Gholam			
ITEM	DESCRIPTION		QTY	SIZE	PRICE	TOTAL
6	FWI 1000 Aluminum Impact SH		3	37 W X 72 H		
	FL#: 14604.5 NFRC: UF= 0.64, SHGC= 0.22, VT= 0.33 Frame Color{BRONZE} 11/16" O.A. INSULATED IMPACT GLASS PACK GLASS BY WINDOW 1/8" TEMPERED LOW-E LOE ² -366 ARGON [1/8" GY ANN X 090 PVB X 1/8" CL ANN] CLEAR +/-80 PSF HVHZ Rated{HVHZ} STANDARD HARDWARE MATERIAL DOUBLE LOCK LOCATION=[Openings 7,8,9]			DLO: 36 W x 71 H		
	COMMENTS:					
7	7000s Aluminum Impact 2 Door Bypass		1	71 1/4 W X 95 1/4 H		
	FL#: 27113.13 NFRC: UF= 0.58, SHGC= 0.21, VT= 0.26 Frame Color{BRONZE} BOX FRAME 1" O.A. INSULATED IMPACT GLASS PACK 3/16" TEMPERED LOW-E LOE ² -366 ARGON [3/16" GY ANN X 090 PVB X 3/16" CL ANN] CLEAR 7/16" ANNEALED W/VENDOR INSUL +/- 60 PSF XX (OX) REVERSE CONFIGURATION 7000 SERIES SGD SCREEN STANDARD HARDWARE MATERIAL 2 - OLYMPUS HANDLE (BRONZE) LOCATION=[Opening 10]					
	COMMENTS:					

ORDER	ORDER DATE	PO NUMBER	CUSTOMER REF		TERMS	
161067	2/6/2024	Patala Gholam	Patala Gholam			
ITEM	DESCRIPTION	QTY	SIZE	PRICE	TOTAL	
8	7000s Aluminum Impact 4 Panel Single Pocket (SPQT) Door FL#: 27113.13 NFRC: UF= 0.58, SHGC= 0.21, VT= 0.26 Frame Color{BRONZE} BOX FRAME 1" O.A. INSULATED IMPACT GLASS PACK 3/16" TEMPERED LOW-E LOE ² -366 ARGON [3/16" GY ANN X 090 PVB X 3/16" CL ANN] CLEAR 7/16" ANNEALED W/VENDOR INSUL +/- 60 PSF LEFT POCKET 4 TRACK NO SCREEN TRACK STANDARD HARDWARE MATERIAL 1 - OLYMPUS HANDLE (BRONZE) OVERALL TRACK WIDTH=[179.0312] LOCATION=[Opening 11] COMMENTS:	1	140 1/2 W X 95 1/2 H			
9	FWI 1000 Aluminum Impact SH FL#: 14604.5 NFRC: UF= 0.64, SHGC= 0.22, VT= 0.33 Frame Color{BRONZE} 11/16" O.A. INSULATED IMPACT GLASS PACK GLASS BY WINDOW 1/8" TEMPERED LOW-E LOE ² -366 ARGON [1/8" GY ANN X 090 PVB X 1/8" CL ANN] CLEAR +/-80 PSF HVHZ Rated{HVHZ} STANDARD HARDWARE MATERIAL DOUBLE LOCK LOCATION=[Opening 12] COMMENTS:	1	52 3/4 W X 72 1/4 H			
10	FWI 1000 Aluminum Impact SH FL#: 14604.5 NFRC: UF= 0.64, SHGC= 0.22, VT= 0.33 Frame Color{BRONZE} 11/16" O.A. INSULATED IMPACT GLASS PACK GLASS BY WINDOW 1/8" TEMPERED LOW-E LOE ² -366 ARGON [1/8" GY ANN X 090 PVB X 1/8" CL ANN] CLEAR +/-80 PSF HVHZ Rated{HVHZ} STANDARD HARDWARE MATERIAL DOUBLE LOCK LOCATION=[Opening 16] COMMENTS:	1	26 W X 72 H			

ORDER	ORDER DATE	PO NUMBER	CUSTOMER REF		TERMS	
161067	2/6/2024	Patala Gholam	Patala Gholam			
ITEM	DESCRIPTION	QTY	SIZE	PRICE	TOTAL	
11	FWI 1000 Aluminum Impact SH BH	1	36 3/4 W X 78 H			
	FL#: 14604.5		DLO: 35.75 W x 77 H			
	NFRC: UF= 0.64, SHGC= 0.22, VT= 0.33					
	Frame Color{BRONZE}					
	HALF BOWHEAD TOP					
	LEFT HALF BOWHEAD TOP					
	SPECIAL DROP (DLO)=[6]					
	11/16" O.A. INSULATED IMPACT GLASS					
	PACK					
	GLASS BY WINDOW					
	1/8" TEMPERED LOW-E					
	LOE ² -366					
	ARGON					
	[1/8" GY ANN X 090 PVB X 1/8" CL ANN]					
	CLEAR					
	+/-80 PSF					
	HVHZ Rated{HVHZ}					
	STANDARD HARDWARE MATERIAL					
	DOUBLE LOCK					
	LOCATION=[Opening 17]					
	COMMENTS:					
12	FWI 1000 Aluminum Impact SH BH	1	36 3/4 W X 78 H			
	FL#: 14604.5		DLO: 35.75 W x 77 H			
	NFRC: UF= 0.64, SHGC= 0.22, VT= 0.33					
	Frame Color{BRONZE}					
	HALF BOWHEAD TOP					
	RIGHT HALF BOWHEAD TOP					
	SPECIAL DROP (DLO)=[6]					
	11/16" O.A. INSULATED IMPACT GLASS					
	PACK					
	GLASS BY WINDOW					
	1/8" TEMPERED LOW-E					
	LOE ² -366					
	ARGON					
	[1/8" GY ANN X 090 PVB X 1/8" CL ANN]					
	CLEAR					
	+/-80 PSF					
	HVHZ Rated{HVHZ}					
	STANDARD HARDWARE MATERIAL					
	DOUBLE LOCK					
	LOCATION=[Opening 18]					
	COMMENTS:					
13	1" X 4" HVHZ - Horizontal Mullion	1	53 W X 1 H			
	FL#: 17472.2					
	ALUMINUM FRAME					
	Mullion Color{BRONZE}					
	ONE WAY - 2 WINDOWS					
	H-CLIP (0.125" X 8.25" X 3.375")=[2]					
	COMMENTS:					

ORDER	ORDER DATE	PO NUMBER	CUSTOMER REF		TERMS	
161067	2/6/2024	Patala Gholam	Patala Gholam			
ITEM	DESCRIPTION	QTY	SIZE	PRICE	TOTAL	
14	1" X 4" HVHZ - Vertical Mullion FL#: 17472.2 ALUMINUM FRAME Mullion Color{BRONZE} ONE WAY - 2 WINDOWS H-CLIP (0.125" X 8.25" X 3.375")=[2] COMMENTS:	1	1 W X 79 H			
15	1" X 4" HVHZ - Vertical Mullion FL#: 17472.2 ALUMINUM FRAME Mullion Color{BRONZE} ONE WAY - 2 WINDOWS H-CLIP (0.125" X 8.25" X 3.375")=[2] COMMENTS:	2	1 W X 73 H			
TOTALS:		18		SUBTOTAL:		
				TAX 1 6.5%:		
				TOTAL:		

COMMENT:

By signing the bottom of this order form you agree that this represents a binding agreement to purchase products between your company and Eastern Architectural Systems (EAS) and/or Eastern Metal Supply (EMS). You are responsible for any and all information as it pertains to this order. Delivery dates are subject to material availability and Credit approval.

Quotes are valid for 48 hours after creation of the quote and subject to product availability. Any and all quotes for an order that will require one hundred or more combined products requires prior review and authorization by EAS/EMS to be considered a valid quote. EAS/EMS reserves the right to make changes to product pricing and availability at all times for reasons including, but not limited to, changing market conditions, product discontinuation, restricted material availability, and supplier price changes. EAS/EMS retains the sole right to accept or deny any order.










*** Subject to Applicable Sales Tax. ***

SIGNATURE _____

PRINT NAME _____

DATE _____

Drawings - Order: 161067

ITEM 1	ITEM 2	ITEM 3
		
3000s HVHZ Impact Eyebrow 73 1/4 W X 20 1/4 H QTY: 1	FWI 1000 Aluminum Impact SH 52 5/8 W X 72 1/2 H QTY: 1	3000s HVHZ Impact Eyebrow 52 5/8 W X 19 H QTY: 1
ITEM 4	ITEM 5	ITEM 6
		
FWI 1000 Aluminum Impact SH 36 1/2 W X 72 H QTY: 1	FWI 1000 Aluminum Impact SH 48 1/2 W X 60 3/4 H QTY: 1	FWI 1000 Aluminum Impact SH 37 W X 72 H QTY: 3
ITEM 7	ITEM 8	ITEM 9
		
7000s Aluminum Impact 2 Door Bypass 71 1/4 W X 95 1/4 H QTY: 1	7000s Aluminum Impact 4 Panel Single Pocket (SPQT) Door 140 1/2 W X 95 1/2 H QTY: 1	FWI 1000 Aluminum Impact SH 52 3/4 W X 72 1/4 H QTY: 1

ITEM 10 FWI 1000 Aluminum Impact SH 26 W X 72 H QTY: 1	ITEM 11 FWI 1000 Aluminum Impact SH BH 36 3/4 W X 78 H QTY: 1	ITEM 12 FWI 1000 Aluminum Impact SH BH 36 3/4 W X 78 H QTY: 1
ITEM 13 1" X 4" HVHZ - Horizontal Mullion 53 W X 1 H QTY: 1	ITEM 14 1" X 4" HVHZ - Vertical Mullion 1 W X 79 H QTY: 1	ITEM 15 1" X 4" HVHZ - Vertical Mullion 1 W X 73 H QTY: 2



Ron DeSantis, Governor


Melanie S. Griffin, Secretary



STATE OF FLORIDA
DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

CONSTRUCTION INDUSTRY LICENSING BOARD

THE GENERAL CONTRACTOR HEREIN IS CERTIFIED UNDER THE
PROVISIONS OF CHAPTER 489, FLORIDA STATUTES



BERMAN, SCOTT

FLORIDA WINDOW & DOOR
1125 N DIXIE HIGHWAY
LAKE WORTH FL 33460

LICENSE NUMBER: CGC1509450

EXPIRATION DATE: AUGUST 31, 2024

Always verify licenses online at MyFloridaLicense.com

Do not alter this document in any form.

This is your license. It is unlawful for anyone other than the licensee to use this document.





CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
11/03/2023

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Brown & Brown of Florida, Inc. P.O. Box 2412 Daytona Beach FL 32115-2415		CONTACT NAME: Elinn Peacock PHONE (A/C, No, Ext): (386) 252-9601 FAX (A/C, No): (386) 239-5729 E-MAIL ADDRESS: Elinn.peacock@bbrown.com	
		INSURER(S) AFFORDING COVERAGE	
		INSURER A: Southern Owners Insurance Company	
		INSURER B: Auto Owners Ins Co	
		INSURER C: Bridgefield Casualty Insurance Company	
		INSURER D:	
		INSURER E:	
		INSURER F:	

COVERAGES **CERTIFICATE NUMBER:** 2023-24 **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	☒ COMMERCIAL GENERAL LIABILITY			72390710	11/08/2023	11/08/2024	EACH OCCURRENCE \$ 1,000,000
	☐ CLAIMS-MADE ☒ OCCUR						DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 300,000
							MED EXP (Any one person) \$ 10,000
							PERSONAL & ADV INJURY \$ 1,000,000
	GEN'L AGGREGATE LIMIT APPLIES PER:						GENERAL AGGREGATE \$ 2,000,000
	☐ POLICY ☒ PROJECT ☐ LOC						PRODUCTS - COMP/OP AGG \$ 2,000,000
	OTHER:						\$
B	☒ AUTOMOBILE LIABILITY			53-099240-00	11/10/2023	11/10/2024	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000
	☒ ANY AUTO						BODILY INJURY (Per person) \$
	☐ OWNED AUTOS ONLY ☐ SCHEDULED AUTOS ☐ NON-OWNED AUTOS ONLY						BODILY INJURY (Per accident) \$
	☐ HIRED AUTOS ONLY ☐ NON-OWNED AUTOS ONLY						PROPERTY DAMAGE (Per accident) \$
							PIP \$ 10,000
A	☒ UMBRELLA LIAB ☒ OCCUR			4124079801	11/08/2023	11/08/2024	EACH OCCURRENCE \$ 1,000,000
	☐ EXCESS LIAB ☐ CLAIMS-MADE						AGGREGATE \$ 1,000,000
	☐ DED ☒ RETENTION \$ 0						\$
C	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY			0196-49661	11/08/2023	11/08/2024	☒ PER STATUTE ☐ OTH-ER
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)	Y/N					E.L. EACH ACCIDENT \$ 1,000,000
	If yes, describe under DESCRIPTION OF OPERATIONS below	Y	N/A				E.L. DISEASE - EA EMPLOYEE \$ 1,000,000
							E.L. DISEASE - POLICY LIMIT \$ 1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

SEE NOTES FOR POLICY COVERAGE FORMS

Scope of Work: Window and Door Installation

CERTIFICATE HOLDER

CANCELLATION

LELY RESORT MASTER PROPERTY OWNERS ASSOCIATION, INC.
C/O Cardinal Management Group of Florida, Inc.
4670 Cardinal Way
Suite 302
Naples, FL 34112

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

[Signature]

AGENCY CUSTOMER ID: _____

LOC #: _____



ADDITIONAL REMARKS SCHEDULE

Page ____ of ____

AGENCY Brown & Brown of Florida, Inc.		NAMED INSURED NORTHFIELD HOLDING CORP DBA FLORIDA WINDOW & DOOR	
POLICY NUMBER		EFFECTIVE DATE:	
CARRIER	NAIC CODE		

ADDITIONAL REMARKS

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,

FORM NUMBER: 25 **FORM TITLE:** Certificate of Liability Insurance: Notes

CURRENT POLICY FORMS:

GENERAL LIABILITY

- 1) 55373 0517 - BLANKET ADDITIONAL INSURED (ADDITIONAL INSURED-ONGOING, ADDITIONAL INSURED-COMPLETED OPERATIONS)
- 2) CG 20 01 04 13 - PRIMARY AND NON CONTRIBUTORY - OTHER INSURANCE CONDITION
- 3) 55091 0517-COMMERICAL GENERAL LIABILITY PLUS ENDORSEMENT - (ADDITIONAL INSURED-LESSOR OF LEASED EQUIPMENT, WAIVER OF SUBROGATION)

AUTO LIABILITY:

- 1) 58504 1/15 - DESIGNATED INSURED FOR COVERED AUTOS LIABILITY COVERAGE - BLANKET COVERAGE
- 2) 58583 1/15 - WAIVER OF OUR RIGHT TO RECOVER PAYMENTS (WAIVER OF SUBROGATION) - BLANKET
- 3) 585400 4/15 - PRIMARY AND NON-CONTRIBUTORY - BLANKET COVERAGE

WORKERS COMPENSATION:

- 1) WC000313 0484-WAIVER OF OUR RIGHT FROM OTHERS ENDORSEMENT (BLANKET WAIVER OF SUBROGATION)

UMBRELLA LIABILITY:

- 1) 26800 0705 -COMMERICAL UMBRELLA POLICY(ADDITIONAL INSURED, PRIMARY & NON-CONTRIBUTORY, AND WAIVER OF SUBROGATION)

THE UMBRELLA POLICY APPLIES IN EXCESS OF THE GENERAL LIABILITY, AUTO LIABILITY, AND EMPLOYERS LIABILITY