



# PROFLEX® 90 Day Mosquito Protection Program

**Control Solutions, Inc. guarantees 90 days of no call backs after you apply ProFlex for residential control of Mosquitoes.**

When you combine the three active ingredients in ProFlex, you get superior performance with the security of our ProFlex 90-day Mosquito Protection Program.

### Program Timing:

2020 ProFlex 90 day Mosquito Protection Program is valid April 1, 2020 through November 30, 2020.

### Program Details:

Apply one application of ProFlex at the below recommended application rate one time or about every 90 days per account. It is recommended to use one ounce of ProFlex in 1 gallon of water to treat 1000 ft<sup>2</sup>. Finished liquid amounts will vary based on the size of the account.

If any call-backs occur, CSI will provide the amount of ProFlex required to make the re-application to the treated area free of charge, per the guidelines set forth in the CSI ProFlex 90 Day Mosquito Protection Program.

### Program Terms and Conditions:

Pest management professional (PMP) will provide a service ticket with the following information should a re-treatment be necessary within the 90-day interval:

- Date, time, location of the service and proof of purchase will be required
- The approximate treated area (acres or sq. ft.) per treatment, per customer
- Use rate i.e. oz. concentrate per finished gallon
- The amount of finished gallons per treatment, per customer

If PMP, despite following all label instructions and the requirements within this CSI ProFlex 90 Day Mosquito Protection Program, receives a complaint from a customer requiring a re-treatment, the PMP must contact their CSI Account Manager within 10 business days of the re-treatment.

If CSI determines that a re-treatment is justified, CSI will provide the quantity of ProFlex to cover the re-treatment(s) of the account, as needed, but no later than December 31, 2020. CSI will only provide replacement product to a PMP for re-application. CSI will not pay for the application or other costs associated with a re-treatment(s). CSI reserves the right to investigate each performance complaint, to verify any purchases made by a PMP, and/or modify or discontinue this Program at any time.

Product	Formulation	Application Rate	Mixing/Dilution	Active Ingredient
ProFlex	3.88%+1.3%+1.3% ES	0.03% + 0.01% + 0.01%	1.0 fl.oz/gal	Lambda-cyhalothrin, Pyriproxyfen + Novaluron