



Alexander V. Bogaerts + Associates, P.C. • Planning • Interior Design
 2445 Franklin Road
 Bloomfield Hills, MI 48302
 248-334-5000

SOUTH ELEVATION

PENINSULA 13

BAY HARBOR, MICHIGAN

OVERHANGS & DRAINAGE

PROVIDE GUTTERS & DOWNSPOUTS FOR DRAINAGE OF ROOF WATER. DOWNSPOUTS ARE TO BE LOCATED SO THAT THE DISCHARGE WILL NOT SPILL ON OR FLOW ACROSS ANY PORCHES, WALKS OR DRIVES.

EGRESS WINDOW

NOTE: EVERY SLEEPING ROOM SHALL HAVE AT LEAST ONE OPERABLE WINDOW OR EXTERIOR DOOR APPROVED FOR EMERGENCY EGRESS OR RESCUE. THE UNIT(S) MUST BE OPERABLE FROM THE INSIDE TO A FULL CLEAR OPENING WITHOUT THE USE OF SEPARATE TOOLS. WHERE WINDOWS ARE PROVIDED AS A MEANS OF EGRESS OR RESCUE, THEY SHALL HAVE SILL HEIGHT OR NOT MORE THAN 44 INCHES ABOVE THE FLOOR. ALL EGRESS OR RESCUE WINDOWS FROM SLEEPING ROOMS MUST HAVE A MINIMUM NET CLEAR OPENING HEIGHT DIMENSION SHALL BE 24 INCHES AND WIDTH OF 20 INCHES.



SOUTH ELEVATION

SCALE : 1/4" = 1'-0"

COPYRIGHT 2003
 ALEXANDER V. BOGAERTS & ASSOC.

PRELIMINARY	09-08-03
BIDS	09-19-03
PERMITS	09-19-03
CONSTRUCTION	10-31-03
REVISIONS	10-17-03
	11-24-03
	01-07-04

DRAWN BY	CC
CADD FILE	JOHNSONDC5
CHECKED BY	AM/BN/BC
JOB NUMBER	03-561
DATE	10-31-03
SHEET NUMBER	

