



#### Genesis Administrative Services LLC Confidential Information


This Education Program, in its entirety (slides, workbooks, instructor guides, participant guides, CDs, evaluation forms, competency checklists, etc.), is proprietary to Genesis Administrative Services LLC and is protected by the copyright laws of the United States of America.

Under no circumstances may any part of these materials be copied, transmitted, reproduced, or disclosed to third parties in any form,

either electronically or otherwise, without the prior written consent of Genesis Administrative Services LLC.

References made in this presentation to "Genesis", "the Company", "we" "us" and "our" refer to each of Genesis Healthcare's wholly-owned subsidiaries, acting as employer.

© Copyright 2019 by Genesis Administrative Services LLC. All Rights Reserved.





### **MENTAL DISORDER**

What is it?

A syndrome characterized by a significant disturbance in an individual's cognition, emotion regulation, or behavior that reflects a dysfunction in the person's mental functioning.



# SUBSTANCE USE DISORDER

### What is it?

Recurrent use of alcohol and/or drugs that causes clinically and functionally significant impairment such as health problems or disability.

### **DEPRESSION**

Although people experience loss, it does not necessarily mean that they will become depressed.

Depression is not a natural part of aging. Older adults have an increased risk of depression.

Symptoms include fatigue, sleep and appetite disturbances, agitation, expressions of guilt, difficulty concentrating, apathy, withdrawal, suicidal ideation.





# **DEPRESSION**

- Late life depression may be harder to identify due to a resident's cognitive impairment, loss of functional ability, chronic medical problems, and the loss of significant relationships and roles in the resident's life.
- Depression looks differently in older adults than younger adults.

# **ANXIETY / ANXIETY DISORDERS**



Anxiety is a common reaction to stress that involves symptoms such as fear and occasional worry about events can cause significant distress

Anxiety disorders include

Anxiety disorders are prevalent amongst older adults and may cause debilitating symptoms

# **ANXIETY / ANXIETY DISORDERS**

It may be difficult to tell the difference between general anxiety and an anxiety disorder

#### Anxiety can be:


Triggered by loss of function, changes in relationships, relocation, or medical illness.

#### Anxiety may be:

A symptom of other disorders, such as dementia









# NON-PHARMACOLOGICAL INTERVENTIONS

Approaches to care that do not involve medications, generally directed toward stabilizing and/or improving a resident's mental, physical, and psychosocial well being.

All Direct Care Providers are Responsible for Providing Non-Pharmacologic Interventions






Image Title:

Source:

Licensed under CC by 2.0

The Model


Thomas Leuthard https://www.flickr.com/photos/thomasleuthard/https://flic.kr/p/8XQ6Yh

https://creativecommons.org/licenses/by-nd/2.0/











### **Behavioral Health Care**

Summary

All direct care staff must work effectively with residents who have mental disorders and other behavioral health care needs.

Staff will utilize and implement non-pharmacologic approaches to care based on the resident's abilities, customary daily routine, lifelong patterns, interests, preferences, and choices.

Staff respect the resident's right and promote resident independence.

