# Vedolizumab

**ENTYVIO®** 



# What this medication is used for

Widely used for children with Crohn's disease or ulcerative colitis.



Health Canada also approved for Crohn's disease and ulcerative colitis in adults.



### How this medication works

Vedolizumab works by stopping white blood cells from entering the lining of the gut which drives inflammation.



#### How to use this medication

The first three doses are usually given intravenously at weeks 0, 2 and 6.

- -Subsequent doses may be given intravenously every 8 weeks. Often, individuals may require more frequent doses.
- -Subcutaneous doses may be available an option after the initial loading doses.
- -Although some individuals receive benefit quite quickly, it can take a little longer in others. Keep taking your medication.



#### Where treatment is administered


Intravenous doses will be administered at a hospital or infusion centre.

Subcutaneous doses can be administered at home.



## Special tests done prior to starting

Test to screen for infections including tuberculosis and immunity to various viruses.









## How long to use this medication

This medication will be used to get your IBD under control and keep it under control long-term.



## Monitoring during treatment

Regular blood tests, stool tests, endoscopy and/or other imaging will be done to monitor for response and side-effects to medication.



#### Side Effects

Infusion related reactions such as shortness of breath, fever, rash, changes in blood pressure or heart rate. Medications may be given to treat and/or prevent these side-effects.

- -Medications that affect the immune system may be associated with developing infections.
- -Headaches and joint pain can occur.
- -Nasal congestion/upper respiratory tract infection.



## When I should call my doctor

Please call if:

- -You want to or have already stopped the medicine
- -If you are concerned about any side effects

Other reasons to call your doctor:

- -If you have a fever or think you have an infection
- -If you become pregnant
- -If you develop headaches, seizures, confusion or vision trouble



