

## AMERICANWHIRLPOOL.com

MAAX Spas Industries Corp. • 25605 S. Arizona Ave. • Chandler, AZ 85248

©2018 MAAX Spas Industries Corp. All rights reserved. Manufactured by MAAX Spas Industries Corp. Specifications subject to change without notice. Spas shown at various percentages of actual size. AMERICAN WHIRLPOOL, Foot Relief Zone, Zone Therapy, Comfort Collar, Clean Zone, Clean Zone II, Powerworks, TheraMAAX, BlueMAAX, Northern Exposure, ThermoLock and DuraMaax are official trademarks of MAAX Spas Industries Corp. 3M and Thinsulate are Registered trademarks of 3M.





# The World's Quality Hot Tub

Your AMERICAN WHIRLPOOL® hot tub has been designed for years of hydrotherapy and relaxation. The Northern Exposure® Insulation System, Steel Frame and Dr. designed Zone Therapy® are just a few of the exclusive features you will discover as you experience your new AMERICAN WHIRLPOOL® hot tub.

AMERICAN WHIRLPOOL® offers an entire line of models to personalize your spa experience and fit into any outdoor space.



(
(
C
Υ
Y
Υ

#### 

#### 

#### OPTIONAL FEATURES

OI HONAL I LAIGHES	
CleanZone™ System	١
Rluetooth Music System	١















Specifications subject to change without prior notice.



# 461

Dimensions	78" X 78" /198 x 198 cm
	35" /89 cm
Seating Capacity	
Water Capacity (gal/lite	ers)255 gal /965
Weight (empty)	595 lbs/270 kg
	2,995 lbs/1,359 kg
Lounge	
Illuminated Drink Holde	rs
Illuminated Spa Control	s Ye:
3.5" Underwater Spa L	ightYe:
STANDARD UTILI	TV FEATURES
	Ye
	clesYe:
	Ye:
	Ye
	Ye:Ye
Northarn Evnosura® Inc	ulationYe:
	Ye:
Hand Cushions	
	Ye:
Performance Seating TM	Ye:
Aurora Cascade Water F	eature
	ing (interior only)Ye:
	Ye:
	Ye:
	2.5Hp/5.0bHp, 230V, 2Sp
Pump2	2.5Hp/5.0bHp, 230V, 2Sp
	3.0Hp/6.0bHp, 2Sp
Electrical Requirements	
(4-Wire)	
	230V, 5ÓHz, Íx32 <i>l</i>
Jet Total	28
ODTIONAL FEATU	DEC
OPTIONAL FEATU	
CloanZonoTM System	air jets)Ye. Ye:
CleanZone TM Illtra (Due	ıl Sanitization System) Ye:
	ıı sunınzundn system <i>ı</i> Ye. 1 Ye
	Ye:Ye
Y-Sarias Collar	Ye
V Delles Collai	IG
SPA	
CERTIFIED MANUFACTURER 11400 CERTIFIED COM	GAN.
2017	MINIMA







Dimensions88" X 88" /224 x 224	
Depth35" /89	9 cm
Seating Capacity	6
Seating Capacity	20 I
Weight (empty)	9 kç
Weight (empty)	2 kç
Illuminated Drink Holders	4
Illuminated Spa Controls	. Yes
3.5" Underwater Spa Light	. Yes
STANDARD UTILITY FEATURES	
WiFi Connectivity	Yes
Programmable Filter Cycles	
Steel Sub-Structure	
DuraMAAX® Cabinetry	
ABS Bottom Pan	
Northern Exposure® Insulation	. ال الم
SmartTouch 2 Controls	
Comfort Collar®	
Foot Dome	
Zone Therapy® Seat	. ال الم
Shiatsu Seat	
Head Cushions	
Chromatherapy	
Aurora Cascade Water Feature	
Digital Color Optic Lighting (interior only)	 کم۲
Status Indicator Light	
Stainless Steel Jets	
Pump1 3.0Hp/6.0bHp, 230V,	
Pump2	25r
Flactrical Requirements	
(4-Wire)240/40A/	′60 <i>L</i>
Export	
Jet Total	
OPTIONAL FEATURES	
AeroMAAX™ Plus (10 air jets)	. Yes
CleanZone <sup>TM</sup> System	. Yes
CleanZone™ Ultra (Dual Sanitization System)	
Bluetooth Music System	
Pedestal Lights	
X-Series Collar	. Yes



















# 

Depth35" /8	
Seating Capacity	
Water Capacity (gal/liters)	,
Weight (empty)	12
Weight (full) 3,687 lbs/1,67	7
Lounge	
Illuminated Drink Holders	
Illuminated Spa Controls	
Molded Grab Bar	
3.5" Underwater Spa Light	
CTANDADD LITHITY Fortures	
STANDARD UTILITY Features	
WiFi Connectivity	
Programmable Filter Cycles	
Steel Sub-Structure	
Nowthern Francisco® Inculation	
Northern Exposure® Insulation	
ABS Bottom Pan	
SmartTouch 2 Controls	
Foot Relief Zone®	
Comfort Collar®	
Zone Therapy® Seat	
Shiatsu Seat	
Head Cushions	
ChromaTherapy Aurora Cascade Water Feature	
Aurora Cascade Water Fediure	
Digital Color Optic Lighting (interior only)	
Status Indicator Light	
Stainless Steel Jets	
Pump1 3.0Hp/6.0bHp, 230V	,
Pump2	,
Electrical Requirements	,
(4-Wire)240/40A	/
Export	X,
Jet Total	
OPTIONAL Features	
AeroMAAX™ Plus (10 air jets)	
CleanZone™ System	
CleanZone™ Ultra (Dual Sanitization System)	
Bluetooth Music System	

AeroMAAX <sup>TM</sup> Plus (10 air jets)	Yes
CleanZone™ System	
CleanZone™ Ultra (Dual Sanitization System)	Yes
Bluetooth Music System	Yes
Pedestal Lights	Yes
X-Series Collar	Yes















T/	
Dimensions88" X 88" / 224 c	
Senting Capacity	
Water Capacity (gal/liters) 347 g	al /1,314
Weight (empty)	os/1,817 k
Lounges	
Illuminated Drink Holders	
Illuminated Spa Controls	l Ye
Molded Grab Bars	Ye
3.5" Underwater Spa Light	Y
STANDARD UTILITY FEATURES	
WiFi Connectivity	Y
Programmable Filter Cycles	Y
Steel Sub-Structure	
DuraMAAX® Cabinetry	Y
ABS Bottom Pan	
Northern Exposure® Insulation	Ye
SmartTouch 2 Controls	
F . D !: [7 @	

# Pump1 3.0Hp/6.0bHp, 230V, 2Sp Pump2 3.0Hp/6.0bHp, 230V, 2Sp Electrical Requirements 240/40A/60A Export 230V, 50Hz, 1x32A Jet Total 47

Aurora Cascade Water Feature ...... Digital Color Optic Lighting (interior only) ....

#### OPTIONAL FEATURE

Status Indicator Light... Stainless Steel Jets ....

OF HUNAL FEATURES	
AeroMAAX™ Plus (10 air jets)	Ye
CleanZone™ System	Ye
CleanZone™ Ultra (Dual Sanitization System)	Ye
Bluetooth Music System	Ye
Pedestal Lights	Ye
Y-Sarias Collar	V۵



Calf Zone...... Comfort Collar®...... Zone Therapy® Seat.. Head Cushions ......













Specifications subject to change without prior notice.







The Calf Zone massages the lower legs with 12 precisely located jets, increasing circulation and healing properties. This feature is great if you're on your feet a lot.

# 480

Dimensions ...... 91.5" x 91.5" /232 cm x 232 cm

Depth38" /	97 c
Seating Capacity	
Water Capacity (gal/liters) 351 gal /1,	329
Weight (empty)	56 k
Weight (full)	35 k
Illuminated Drink HoldersIlluminated Spa Controls	
3.5" Underwater Light	Ye
STANDARD UTILITY FEATURES	
WiFi Connectivity	Ye
Programmable Filter Cycles	Ye
Steel Sub-Structure	Ye
DuraMAAX® Cabinetry	Ye
Northern Exposure® Insulation	
ABS Bottom Pan	
SmartTouch 2 Controls	Ye
Comfort Collar®	
Foot Dome	
Zone Therapy® Seat	Ye
Shiatsu Seat	
Head Cushions	
ChromaTherapy	
Illuminated Waterfall Feature	
Digital Color Optic Lighting (interior only)	Ye
Status Indicator Light	
Stainless Steel Jets	Ye
Pump13.0Hp/6.0bHp, 230	V, 29
Pump23.0Hp/6.0bHp, 230	V, 29
Electrical Requirements	
(4-Wire)240/40A	
Export230V, 50Hz, 1	
Jet Total	5
OPTIONAL FEATURES	
	V.
AeroMAAX™ Plus (10 air jets)	۱۱  ۷
CleanZone™ Ultra (Dual Sanitization System)	
Bluetooth Music System	
Pedestal LightsX-Series Collar	
A-Selles Collul	[















Dimensions 91.5" x 91.	5" /232 cm x 232
Depth	38" /97
Seating Capacity	
Water Capacity (gal/liters)	417 gal /1,578
Weight (empty)	938 lbs/425
Weight (full)	
Lounge	
Illuminated Drink Holders	
Illuminated Spa Controls	\
3.5" Underwater Spa Light	
CTANDADD LITHITY FE	ATUDEC
STANDARD UTILITY FE	AIUKES
WiFi Connectivity	'
Programmable Filter Cycles	······································
Steel Sub-Structure	<u> </u>

WiFi Connectivity	Ye
Programmable Filter Cyc	clesYe
	Ye
DuraMAAX® Cabinetry	Ye
Northern Exposure® Ins	ulationYe
	Ye
	Υε
	Υε
	Υε
Shiatsu Seat	Υε
	Ye
	eature
	ng (interior only) Ye
	Ye
	Υε
	3.0Hp/6.0bHp, 230V, 2S
	3.0Hp/6.0bHp, 230V, 2S
Electrical Requirements	1, 1, ,
	240/40A/60
Export	230V, 5ÓHz, 1x32
	5

## OPTIONAL FEATURES

AeroMAAX <sup>TM</sup> Plus (10 air jets)	Y
CleanZone™ System	Y
CleanZone™ Ultra (Dual Sanitization System)	Y
Bluetooth Music System	Y
Pedestal Lights	Y
V-Carias Callar	V.













Specifications subjectory to change without prior notice



# 881

Depth	38" /9	97 cn
Seating Capacity		(
Water Capacity (gal/l	iters) 413 gal /1,:	563
Weight (empty)	810 lbs/3	67 k
Weight (full)	4,504 lbs/2,0	43 k
	ers	
	ols	
3.5" Underwater Spa	Light	Ye
STANDARD UTIL		
WiFi Connectivity		Ye
	ycles	
Northern Exposure® Ir	nsulation	Ye
	5	
oot Dome		Ye
	eature	
	Feature	
	nting (interior only)	
Stainless Steel Jets		Ye
Pump 1	3.0Hp/6.0bHp, 240\	<i>I</i> , 2S <sub> </sub>
Pump2	3.0Hp/6.0bHp, 240\	<i>I</i> , 2S <sub> </sub>
Pump3	3.0Hp/6.0bHp, 240\	<i>I</i> , 1S
Electrical Requirement	\$	// 0
(4-Wire)	240/40A	/60
	230V, 50Hz, 1	
let Total		7
OPTIONAL FEAT	URES	
	ual Sanitization System)	
Rlugtooth Music Systo	m	Yρ















Dimensions 100" x S	92" /254 cm x 234 ci
Depth	
Seating Capacity	
Water Capacity (gal/liters)	
Weight (empty)	900 lbs/408 k
Weight (full)	5,507 lbs/2,498 k
Illuminated Drink Holders	
Illuminated Spa Controls	
3.5" Underwater Spa Light	

#### STANDARD UTILITY FEATURES

WiFi Connectivity	Ye
Programmable Filter Cyc	cles Ye
	Ye
DuraMAAX® Cabinetry	Ye
Northern Exposure® Ins	ulationYe
	Ye
SmartTouch 2 Controls	Υε
	ature
Aurora Cascade Water F	eature
	Ye
	Ye
	Ye
	ng (interior only) Ye
	Ye
	Ye
	3.0Hp/6.0bHp, 240V, 2S
	3.0Hp/6.0bHp, 240V, 2S
	3.0Hp/6.0bHp, 240V, 1S
Electrical Requirements	
	240/40A/60
Export	230V, 50Hz, 1x40

## OPTIONAL FEATURES

CleanZone™ System	Ye
CleanZone™ Ultra (Dual Sanitization System)	
Rluetooth Music System	٧




















## 890 & 982 Acrylic Colors Available

Silver Marble



Midnight Canyon

The 880 & 892 offer the ultimate in American Whirlpool luxury. Every seat and feature is complete with the best we offer in modern hot tub technology. More Jets, More Power and More Luxury are the hallmarks of these models. For those who strive for the best you have found your perfect hot tub.

# 982

	" X 133" /231 cm x 338 cr
Depth	38" /97 cr
Seating Capacity	8-1
Water Capacity (gal/li	ters) 714 gal /2,703
Weight (empty)	1,025 lbs/465 k
Weight (full)	7,408 lbs/3,360 k
Lounges	
Illuminated Drink Hold	ers
	ols Ye
	LightYe
STANDARD UTIL	ITY FEATURES
	Ye
Programmable Filter C	ycles Ye
	Υε
	Υε
	sulationYe
	Υε
SmartTouch 2 Controls	Υε
Foot Dome	Υε
	Ye
	Υε
Illuminated Water Feat	ture
	ting (interior only)Ye
	Ye
	Ye
Pump1	3.0Hp/6.0bHp, 240V, 2S
	3.0Hp/6.0bHp, 240V, 2S
	3.0Hp/6.0bHp, 240V, 2S
Electrical Requirements	
(4-Wire)	240/40A/60
	230V, 50Hz, 1x40
Jet Total	
OPTIONAL FEAT	IRFS
CleanZone™ System	
	al Sanitization System) Ye
	m Ye
	Ye
LAGICISC KII	















# Physician Designed Zone Therapy®

Whether it's diminishing the stresses of everyday life, healing a sports injury, relieving aching joints and stiff muscles due to arthritis or simply helping you achieve a good night's sleep - your AMERICAN WHIRLPOOL® hot tub can help with Physician designed Zone Therapy®. **Zone Therapy®** utilizes strategically positioned jets to target specific pain zones that contain muscular trigger points. More jets don't necessarily mean a more effective massage. Precisely locating the correct size jet and massaging action where they are most effective is key to relieving pain and stiffness throughout the entire body. The Zone Therapy® concept has been designed by medical specialists in the fields of physical rehabilitation and massage therapy.



Zone 1: Suboccipital Trigger points in the area where the neck meets the back of the head is a common cause of headaches. The Comfort Collar® gently cradles your head while targeting this area.

Zone 3: **Paraspinal** 

Increased tension in the back muscles on either side of the spine can be linked to many medical conditions. An effective combination of jets provides soothing stimulation for incredible full body relief.

> Zone 5: Gluteal

Sitting can lead to increased tension in muscular trigger points surrounding the hips and upper thighs. Jets positioned at the sides of the seat bring you a stimulating massage to dissolve tension in these muscles.

Trapezius

Zone 2:

Trigger points can contribute to pain across the shoulders, and upper back. An array of jets target these sensitive areas, providing an improvement in blood circulation and gently dissolving away the feeling of tension.

> Zone 4: Lumbosacral

כלס ואחוס כשני וואמסאת


Aching lower back pain is something most of us will experience. Back pain is linked to excess tension in muscular trigger points in the lower back. The swirling motion of the jets provides a massage to the lower back to loosen your knots of tension and bring relaxing relief.

Zone 6:

Foot Relief Zone® Many important nerve endings in the feet connect to all parts of your body. Sore and tired feet can affect how we feel all over. The ingenious Foot Relief Zone® targets the upper and lower parts of the feet with streams of water that provide a complete massage for relaxation throughout the body.







The convenient X-series option replaces the Comfort Collar® and increases the seat size in the deep corner seat for physical freedom of movement and enhanced comfort for those who need it. Four strategically placed cluster jets provide a deep tissue neck massage to target pressure points, relieving tension.

# **Ultimate Comfort**

At AMERICAN WHIRLPOOL® we know comfort. For over 40 years we have designed the worlds most comfortable hot tubs thanks to patented features like the zero gravity Performance Seat™ and Zone Therapy®. Seats are specifically molded to fit a variety of shapes and sizes so you can find the one that's right for you. Based on years of research and design across industries that create products to fit the human form, your hot tub has been engineered to scientifically balance ergonomic support, water pressure, jet position and body buoyancy. Deep immersion seating provides ultimate comfort, while armrests and Foot Relief Zones® to mold to your body.







## **Performance Seating**<sup>™</sup>

Performance Seating™ means AMERICAN WHIRLPOOL® has the most comfortable spas in the industry. Each seat is designed to provide full body immersion with proper posture, in harmony with their respective jetting pattern, for comfort and superior jet performance. Built-in Comfort Collars® cradle your head while side bolsters hold your body in an ergonomic position. The shape and dimensions of each seat are designed to the curvature of the spine which provides correct posture, reducing stress on your lower back.

# SmartTouch 2 Control

AMERICAN WHIRLPOOL's NEW intuitive SmartTouch 2 control panels are easy to read with large colorful buttons and animations allowing you to easily control the hot tub with the tap of your finger. Unlike most smart devices this control works even when wet. This combined with Powerworks® and fully electronic pumps makes it one of the most advanced hot tubs in the world.

Available on 400-900 series and PowerPool



## **Status Indicator Light**

With your new AMERICAN
WHIRLPOOL® hot tub you now
have the ability to check the status
of your hot tub without even lifting
the cover. Check the status of your
hot tub in just a glance with the
status indicator light. Varied colors
indicate anything from normal status
to service is required.

## Wifi Connectivity

AMERICAN WHIRLPOOL® hot tubs now put your spa's controls in the palm of your hand. Simply download the free app, sync to your home's WiFi system and enjoy complete control. Preset temperature, set filter cycles to save money, or get it ready from the comfort of your home before heading out to enjoy a relaxing spa experience.

## **Powerworks®**

The Powerworks® heater features two durable solid state sensors that mount inside the heater manifold.

These "Smart Sensors" accurately and reliably measure water temperature while monitoring critical water conditions without the possibility of failure due to mechanical switch malfunction.



AMERICAN WHIRLPOOL® hot tubs utilize Direct Drive 56 frame pumps. These are larger, and more powerful than the 48 frame motors found in most spas. Direct Drive technology eliminates mechanical switches allowing the pumps to run for a longer and more energy efficient life.





# Bluetooth Music

State of the art bluetooth technology puts the music at your fingertips.
Enjoy your favorite artists and playlists anytime with this easy to use stereo system. Simply sync any bluetooth compatible device and as you slip into the soothing waters enjoy your favorite artists.

Two fully integrated speakers provide crisp clear fidelity for your listening enjoyment.

When you choose the AMERICAN WHIRLPOOL® Sound System, sound will resonate through the water from the powerful subwoofer, which is integrated directly into your spa's structure. The technology allows you to not only hear, but also feel your music.





# **Crystal Clear Water**

Perfect moments deserve perfect, crystal clear water. The water maintenance of your spa is made easy by the exclusive features of AMERICAN WHIRLPOOL's complete 4 step cleaning system and dual sanitization.



## 4 Step Filtration System

- 1. Weir Door Breaks the water surface tension and traps debris.
- **2. First Filter** Removes oil and ultra fine particulates up to 10 microns.
- **3. Basket** Captures debris before filtering for easy removal.
- **4. Spa Filter** Oversized filter permits the high flow 1000gpm intake of water to be cleaned and returned into the spa.

## **CleanZone™ Ultra**

The CleanZone® Ultra dual sanitization system uses the power of UVC light and ozone, the same technology utilized in many communities around the world to purify drinking water. CleanZone® Ultra kills 99.9% of micro-organisms, bacteria, viruses and parasites. This system is the perfect blend of hygiene, purity and technology.





The CleanZone<sup>™</sup> water purification system will automatically maintain healthy, crystal clear water while greatly reducing chemical maintenance. CleanZone<sup>™</sup> is a cartridge oxidizer that generates oxygen and cleans your spa water.

# Appliance Grade<sup>™</sup>

The steel structure and Northern Exposure® Insulation in AMERICAN WHIRLPOOL® hot tubs allow for complete service of the entire structure and all mechanical parts. Essentially the spa can be serviced and brought back to factory specifications right in your backyard for the lifetime you own it. This is called "Appliance Grade™", since the hot tub is built to the same service and safety standards as many other major home appliances.



## **Steel Sub-Structure**

The Steel Sub-Structure used in AMERICAN
WHIRLPOOL® hot tubs has the highest strength to
weight ratio of any building material available. The
streel frame provides greater structural integrity than
wood, as well as superior corrosion protection for a
much longer life. Unlike wood, steel is dimensionally
stable. It will not expand or contract with moisture,
which over time can damage the spa's exterior. Sturdy
and built to last, the inorganic properties will never rot,
warp, split or crack and eliminate worries of animal
infestation or termite damage. Stronger, more durable,
and ideal for the environment - it's the obvious choice
for a lifetime of worry-free fun.




## **Lifetime Steel Structure Warranty**

The steel frame is the backbone and support for the entire spa. The steel structure of your AMERICAN WHIRLPOOL® hot tub carries a lifetime warranty. This means for the lifetime of your ownership you can feel secure knowing any component of the structural frame will be replaced or fixed to factory specifications should it become damaged in the operation of the spa.



### **ABS Sealed Base**

The ABS Sealed Base is an integral part of the support structure in an AMERICAN WHIRLPOOL® hot tub. Its one-piece construction provides a rugged foundation that seals the bottom of the spa, locking in heat and sealing out moisture.






## **Service**

Conventional foam-filled hot tubs are extremely hard to service and are often damaged in the process. It is very costly to bring these back to factory specifications.



Northern Exposure® is the ultimate hot tub insulation system. This patent pending thermal barrier technology recycles heat energy for more efficient heating and lower energy costs. All four sides of the spa, plus the floor and cover are lined with reflective copper material to reflect radiant heat energy generated from the pumps back into the spa. Heat is absorbed back into the plumbing, helping raise and maintain water temperature. Finally the entire exterior of the hot tub is wrapped in 3M Thinsulate™ Insulation, the same incredible material utilized in winter clothing. This three layer patent pending system ensures energy created by the spa stays in the spa.



### **BlueMAAX®**

The Northern Exposure® Insulation System features our eco-friendly BlueMAAX® insulation. Made from recycled natural fiber, it is approved by the U.S. Green Building Council. The insulation contains no chemical irritants, is treated with a borate based solution to prevent mold/mildew growth, pest infestation, and acts as a fire retardant. BlueMAAX® replaces the urethane foam in "foam filled" hot tubs. [Foam filling produces volatile organic compounds (VOC's) which are harmful to the environment.]



#### **Ultra Quiet**

The same insulation that makes an AMERICAN WHIRLPOOL® hot tub energy efficient also aids in it's ultra quiet operation. Sound energy is trapped and deadened inside the hot tub by the insulation sound barrier. Quet operation is essential to ensure a peaceful relaxing experience throughout the entire backyard.





## **Insulating Cover**

AMERICAN WHIRLPOOL's premium grade insulating covers contain a unique copper lining, removable heat sealing pillows to vent excess heat off in the summer and a tailored fit to keep the heat in when cooler. The cover also acts as an important safety barrier to the spa.



# Lifetime Insulation Warranty

The insulation system in your new AMERICAN WHIRLPOOL® hot tub is warranted to maintain the same insulation value as it had at the time it was manufactured. The high R value, Appliance Grade™ construction will allow a technician to service the entire spa and bring it back to factory specifications at home.

# Set The Mood

Your AMERICAN WHIRLPOOL®
hot tub is available with a beautiful
variety of water and light features.
From the aurora cascade water
fountains to the Chromotherapy
underwater lighting system,
everything you need for the perfect
scene is available with the touch
of a button. Set the color for the
perfect mood or turn on the
soothing water features to help
you drift off and forget the stress
of the day.





## Illuminated Ergonomic Massage Controller

The Ergonomic Massage Controller is illuminated to work in harmony with the other lighting options.

It provides an ergonomic grip for easy adjustment of the jet pressure






# Illuminated Drink Holders

The illuminated drink holders turn into a visual piece of art that makes any evening special.

# **Continuous Cast Acrylic**

Every AMERICAN WHIRLPOOL™ hot tub has an attractive interior finish made from continuous cast acrylic. This is superior to Ethelyene "soft plastic" surfaces. The hard, non-porous surface resists stains, fading, scratches and chemical abuse. With the look of granite, pearl or metalescence, the extremely rugged and durable finish offers beauty and peace of mind.

## Acrylic Colors 400-900 Series



## **DuraMAAX®** Siding

DuraMAAX® is a state of the art wood-alternative material that has the look and feel of natural wood, without the maintenance. This material is impact resistant, impervious to weather or insect damage and will never splinter, crack or rot. The attractive exterior locks in heat and seals out cold air providing a beautiful look and feel.

## Cabinet Colors 400-900 Series







#### STRUCTURAL FEATURES

Dimensions	.76'' / 193 cm Diameter
Depth	36"/91 cm
Seating Capacity	4
Water Capacity (gal/liters)	
Weight (empty)	440 lbs /200 kg
Weight (full)	
3.5" Underwater Spa Light	Yes

3.5" Underwater Spa LightYes
STANDARD UTILITY FEATURES
Programmable Filter CyclesYes
Treated Wooden FrameYes
DuraMAAX® CabinetryYes
Thermo-Lock® InsulationYes
HDPE Sealed BaseYes
Stainless Steel JetsYes
Dynamic LED LightingYes
Pump11.5Hp/3.0bHp, 115V, 2Sp
Pump1 (Export)2.0Hp/4.0bHp, 230V, 2Sp
Electrical Requirements
(4-Wire)240V/40A/50A
(3-Wire)120V/20A/40A
Export230V, 50 Hz, 1x16A
Jet Total
OPTIONAL FEATURES
CleanZone™ SystemYes
Dealer Installed Option:
GFCI Cord



#### STRUCTURAL FEATURES

Dimensions 83"	x 63"/211 cm x 160 cm
Depth	30"/76 cm
Seating Capacity	3
Water Capacity (gal/liters)	
Weight (empty)	430 lbs /195 kg
Weight (full)	2,422 lbs /1,099 kg
Waterfall	
3.5" Underwater Spa Light	Yes

STANDARD UTILITY FEATURES
Programmable Filter CyclesYes
Treated Wooden FrameYes
DuraMAAX® CabinetryYes
Thermo-Lock® InsulationYes
HDPE Sealed BaseYes
Stainless Steel Jets
Dynamic LED LightingYes
Pump11.5Hp/3.0bHp, 115V, 2Sp
Pump1 (Export)2.0Hp/4.0bHp, 230V, 2Sp
Electrical Requirements
(4-Wire) 240V/40A/50A
(3-Wire)120V/20A/40A
Export230V, 50 Hz, 1x16A
Jet Total20
OPTIONAL FEATURES
CleanZone™ SystemYes
Dealer Installed Option:
GFCI Cord

# 160



#### STRUCTURAL FEATURES

Dimensions71" x	71" /180 cm x 180 cm
Depth	35"/89 cm
Seating Capacity	4
Water Capacity (gal/liters)	229 gal/867 L
Weight (empty)	440 lbs /200 kg
Weight (full)	2,349 lbs /1,065 kg
3.5" Underwater Spa Light	Yes

STANDARD UTILITY FEATURES
Programmable Filter CyclesYes
Treated Wooden Frame Yes
DuraMAAX® CabinetryYes
Thermo-Lock® Insulation Yes
HDPE Sealed BaseYes
Stainless Steel Jets
Dynamic LED LightingYes
Pump11.5Hp/3.0bHp, 115V, 2Sp
Pump1 (Export)2.0Hp/4.0bHp, 230V, 2Sp
Electrical Requirements
(4-Wire)240V/40A/50A
(3-Wire)
Export230V, 50 Hz, 1x16A
Jet Total
OPTIONAL FEATURES
CleanZone™ SystemYes
Dealer Installed Option:
GFCI Cord 15ft, 15A

.. 15ft, 15A



#### STRUCTURAL FEATURES

Dimensions 83"	x 83" /211 cm x 211 cm
Depth	35"/89 cm
Seating Capacity	5-6
Water Capacity (gal/liters).	336 gal/1,272 L
Weight (empty)	690 lbs /313 kg
Weight (full)	
Lounge	1
Waterfall	Yes
3.5" Underwater Spa Light.	Yes

#### STANDARD UTILITY FEATURES

CleanZone™ System..

**Dealer Installed Option:**GFCI Cord .....

SIMILEAND SIIEIIII	EATORES
Programmable Filter Cycles	Yes
Treated Wooden Frame	Yes
DuraMAAX® Cabinetry	Yes
Thermo-Lock® Insulation	Yes
HDPE Sealed Base	Yes
Stainless Steel Jets	Yes
Dynamic LED Lighting	Yes
Pump12	.5Hp/5.0bHp, 240V, 2Sp
Pump 22	
Pump1 (Export)2	.OHp/4.0bHp, 230V, 2Sp
Pump2(Export)2	.OHp/4.0bHp, 230V, 1Sp
Electrical Requirements	
(4-Wire)	240V/40A/50A
Export	230V, 50 Hz, 1x32A
Jet Total	
OPTIONAL FEATURES	

. 15ft, 15A





#### STRUCTURAL FEATURES

Dimensions63"	X 83" /160 cm x 211 cm
Depth	33"/84 cm
Seating Capacity	4
Water Capacity (gal/liters).	242 gal/916 L
Weight (empty)	707 lbs /321 kg
Weight (full)	2,718 lbs /1,233 kg
Drink Holders	1
Pillows	
3.5" Underwater Spa Light.	Yes

3.5" Underwater Spa Light	Yes
STANDARD UTILITY FEATURES	
Programmable Filter Cycles	Yes
Hybrid Sub-Structure	
DuraMAAX® Cabinetry	
Thermo-Lock® Insulation	
Molded Bottom Pan	
Stainless Steel Jets	
Dynamic LED Lighting	
Aurora Cascade Water Feature	
Pump13.0Hp/6.0bHp, 240\	
Electrical Requirements	,
(4-Wire)240V/30A	/404
Export	
Jet Total	
301 10101	20
OPTIONAL FEATURES	
CleanZone™ System	Yes
Bluetooth Music System	
•	

..Yes

..Yes



JINGTIONAL I LAIGN	
Dimensions72" X 2	72" / 183 cm x 183 cm
Depth	33"/84 cm
Seating Capacity	2-3
Water Capacity (gal/liters)	242 gal/916 l
Weight (empty)	435 lbs /197 kg
Weight (full)	
Drink Holders	
Pillows	2
3.5" Underwater Spa Light	

#### STANDARD UTILITY FEATURES

rogrammable Filter Cycles	Υ
	Υ
uraMAAX® Cabinetry	Υ
	Υ
Nolded Bottom Pan	Υ
tainless Steel Jets	Υ
ynamic LED Lighting	Υ
	ure
ump1	3.0Hp/6.0bHp, 240V, 29
lectrical Requirements	., .,
	240V/30A/40
	230V, 50 Hz, 1x16

#### **OPTIONAL FEATURES**

CleanZone™ System	Ye
Bluetooth Music System	
WiFi Connectivity	
Dealer Installed Option:	
Aqua Klean® Filtration	Ye





#### STRUCTURAL FEATURES

Dimensions83"	X 83" /211 cm	n x 211 cm
Depth		36"/91 cm
Seating Capacity	·····	6-7
Water Capacity (gal/liters)		
Weight (empty)		
Weight (full)	3,921lbs	/1,779 kg
Drink Holders		2
Pillows		4
3.5" Underwater Spa Light		Yes

#### STANDARD UTILITY FEATURES

Programmable Filter Cycl	esYe
	Ye
DuraMAAX® Cabinetry	Ye
	ıYe
	Ye
	Ye
	Ye
	ature
	3.0Hp/6.0bHp, 240V, 2S
	3.0Hp/6.0bHp, 240V, 2S
Electrical Requirements	μ,,
	240V/40A/60A
	230V, 50 Hz, 1x32
	4

#### OPTIONAL FEATURES

OI HONAL I LAIUNES	
CleanZone™ System	Yes
CleanZone™ Ultra (Dual Sanitization System)	Yes
Bluetooth Music System	Yes
WiFi Connectivity	Yes
Dealer Installed Option:	
Aqua Klean® Filtration	Yes



#### STRUCTURAL FEATURES

Dimensions 83"	x 83" /211 cm x 211 cm
Depth	36"/91 cm
Seating Capacity	6
Water Capacity (gal/liters)	374 gal/1,416 L
Weight (empty)	934 lbs /424 kg
Weight (full)	4,043 lbs /1,833kg
Drink Holders	3
Lounge	1
Pillows	
3.5" Underwater Spa Light	
STANDARD UTILITY	EEATIIDEC
Programmable Filter Cycles :	
Hybrid Sub-Structure	Yes

## DuraMAAX® Cabinetry..

Thermo-Lock® Insulation	Υ
	Υ
Stainless Steel Jets	Υ
Dynamic LED Lighting	Υ
Aurora Cascade Water Fea	ture
Pump1	.3.0Hp/6.0bHp, 240V, 29
Pump2	.3.0Hp/6.0bHp, 240V, 29
Electrical Requirements (4	-Wire) 240V/40A/60
Export	230V, 50 Hz, 1x32
Jet Total	4

#### ODTIONAL CEATURES

OPTIONAL FEATURES	
CleanZone™ SystemY	es
CleanZone™ Ultra (Dual Sanitization System)Y	es
Bluetooth Music SystemY	es
WiFi ConnectivityY	es
Dealer Installed Option:	
Agua Klean® FiltrationY	es



## 200 Series

## 100-200 Series Colors and Controls

## Acrylic Colors

Glacier Mountain







Storm Clouds



Pacific Rim



Sahara



**Cabinet Colors** 



**Control Panel** 



280



#### STRUCTURAL FEATURES

Dimensions	2" /234 cm x 234 cm
Depth	36"/91 cm
Seating Capacity	7-8
Water Capacity (gal/liters)	434 gal/1,643 L
Weight (empty)	1,000 lbs /453 kg
Weight (full)	.4,599 lbs /2,086 kg
Drink Holders	3
Pillows	4
3.5" Underwater Spa Light	Yes

#### STANDARD UTILITY FEATURES

Programmable Filter Cycle	sYes
Hybrid Sub-Structure	Yes
	Yes
	Yes
Molded Bottom Pan	Yes
Stainless Steel Jets	Yes
Dynamic LED Lighting	Yes
	ture 2
Pump1	.3.0Hp/6.0bHp, 240V, 2Sp
	.3.0Hp/6.0bHp, 240V, 2Sp
Electrical Requirements	.,
(4-Wire)	240V/40A/60A
	230V, 50 Hz, 1x32A
•	46

#### **OPTIONAL FEATURES**

OI HONAL I LAIUNES	
CleanZone™ System	Yes
CleanZone™ Ultra (Dual Sanitization System)	Yes
Bluetooth Music System	Yes
WiFi Connectivity	
Dealer Installed Option:	
Agua Klean® Filtration	Yes

# 281



#### STRUCTURAL FEATURES

Dimensions	X 92" /234 cm x 234 cm
Depth	36"/91 cm
Seating Capacity	
Water Capacity (gal/liters)	
Weight (empty)	
Weight (full)	
Drink Holders	
Lounge	
Pillows	
3.5" Underwater Spa Light	
1 0	

#### STANDARD UTILITY FEATURES

JIANDARD UIILII I ILAI	OKL	
Programmable Filter Cycles		١١
Hybrid Sub-Structure		Υ
DuraMAAX® Cabinetry		
Thermo-Lock® Insulation		
Molded Bottom Pan		Υ
Stainless Steel Jets		Y
Dynamic LED Lighting		Υ
Aurora Cascade Water Feature		
Pump 1 3.0Hp	/6.0bHp, 240V,	2
Pump23.0Hp		
Electrical Requirements (4-Wire).	• •	
Export		
Jet Total		4

#### OPTIONAL FEATURES

OI HORAL I LAIGHES	
CleanZone™ System	Ye
CleanZone™ Ultra (Dual Sanitization System)	Ye
Bluetooth Music System	Ye
WiFi Connectivity	
Dealer Installed Option:	
Aqua Klean® Filtration	Ye

# 282



#### STRUCTURAL FEATURES

Dimensions	
Depth	
Seating Capacity5	
Water Capacity (gal/liters) 408 gal/1,545 L	
Weight (empty)992 lbs /450 kg	
Weight (full)4,376 lbs /1,985 kg	
Lounges2	
Pillows 3	
3.5" Underwater Spa LightYes	
STANDARD UTILITY FEATURES	

Programmable Filter Cycles	۱۱
Hybrid Sub-Structure	
DuraMAAX® Cabinetry	
Thermo-Lock® Insulation	
Molded Bottom Pan	
Stainless Steel Jets	
Dynamic LED Lighting	
Aurora Cascade Water Feature	
Pump13.0Hp/6.0bHp, 2	40V, 2
Pump23.0Hp/6.0bHp, 2	
Electrical Requirements	,
(4-Wire)240V/4	40A/6
Export230V, 50 H	,
Jet Total	•

#### **OPTIONAL FEATURES**

CleanZone™ System	Yes
CleanZone™ Ultra (Dual Sanitization System) .	Yes
Bluetooth Music System	Yes
ViFi Connectivity	Yes
Dealer Installed Option:	
Agua Klean® Filtration	Yes








The MAAX Force Jet Propulsion Swim System has a 30 inch wide swim lane offering a superior swimming experience.



MAAX® Force Jet propulsion has advantages over propellers or paddles when creating a better swim stream. It is over 30" wide and easily produces a powerful swimming experience. You can also turn on the hydrotherapy mode to add air for a massage while you work out in the jet stream.



Propeller and Impeller Systems



Propeller system turbulance





## MX6

Length in/cm 198"/501 cm 90"/228 cm Width in/cm 61"/155cm Height in/cm 3,000 lbs/1361 kg Weight (empty) Weight (full) 15,800 lbs/7161 kg Water Capacity (gal/liters) 1900 gal/7192 L Seats 57"/145 cm Depth in/cm Grab Bar Steel Substructure Yes Northern Exposure® Insulation Prog. Filter Cycles Yes 3.5" Underwater Light Yes LED Illuminated swim lane 3.0Hp/6.0bHp 2Sp Pump 1 3.0Hp/6.0bHp 2Sp Pump 2 3.0Hp/6.0bHp 2Sp Pump 3 3.0Hp/6.0bHp 2Sp Pump 4 240V/40A/60A Elct Reg. 2.0Hp/4.0bHp 2Sp Export Pump 1 2.0Hp/4.0bHp 2Sp Export Pump 2 Export Pump 3 2.0Hp/4.0bHp 2Sp 2.0Hp/4.0bHp 2Sp Export Pump 4 230V, 50 Hz, 1x40A Export **Head Cushions** Digital Color Optics Yes Status Indicator Light Yes **MAAXForce Swim Jets** Hydrotherapy Jets 25 Aurora Cascade Jets Stainless Steel Jets Wifi Connectivity

#### **Options**

Bluetooth Music System
CleanZone™
CleanZone™ Ultra (Dual Sanitization System)
Exercise Kit
Swim Tether

Note: Specifications are subject to change without prior notice.
See retailer for current specifications.

## RS2


Length in/cm 144"/366 cm 90"/228 cm Width in/cm 50"/127 cm Height in/cm 2,200 lbs/ 998 kg Weight (empty) 14,808 lbs/6717 kg Weight (full) Weight Capacity (gal/liters) 1576 gal/5968 L Seats 46"/117 cm Depth in/cm Grab Bar Steel Substructure Northern Exposure® Insulation Prog. Filter Cycles 3.5" Underwater Light LED Illuminated swim lane 3.0Hp/6.0bHp 2Sp Pump 1 3.0Hp/6.0bHp 2Sp Pump 2 3.0Hp/6.0bHp 2Sp Pump 3 240V/40A/60A Elct Reg. 230V, 50 Hz, 1x40A Export **Head Cushions** Digital Color Optics Status Indicator Light Turbo Swim Jets Hydrotherapy Jets Aurora Cascade Jets Stainless Steel Jets Wifi Connectivity

#### **Options**

Bluetooth Music System CleanZone™

CleanZone™ Ultra (Dual Sanitization System)

Exercise Kit
Exercise Kit with Oars





# RL4/ML4

168"/427 cm Length in/cm Width in/cm 90"/228 cm 50"/127 cm Height in/cm Weight (empty) 2,000 lbs/ 907 kg Weight (full) 13,200 lbs/5987 kg 1400 gal/5300 L Water Capacity (gal/liters) Seats 47"/119 cm Depth in/cm Illuminated Drink Holders Grab Bar Steel Substructure Yes Northern Exposure® Insulation Yes Prog. Filter Cycles Yes 3.5" Underwater Light Yes LED Illuminated swim lane Pump 1 3.0Hp/6.0bHp 2Sp 3.0Hp/6.0bHp 2Sp Pump 2 Pump 3 (ML4 only) 3.0Hp/6.0bHp 2Sp 240V/40A/60A Elct Reg. 230V, 50 Hz, 1x40A Export **Head Cushions** Digital Color Optics Status Indicator Light Turbo Swim Jets / RL4 MAAXForce Swim Jets / ML4 Hydrotherapy Jets 19 Aurora Cascade Jets Stainless Steel Jets Yes Wifi Connectivity

#### **Options**

Exercise Kit with Oars

Swim Tether

Bluetooth Music System
CleanZone™
CleanZone™ Ultra (Dual Sanitization System)
Exercise Kit

Note: Specifications are subject to change without prior notice.
See retailer for current specifications.



# RB4/MB4

168"/427 cm Length in/cm Width in/cm 90"/228 cm Height in/cm 50"/127 cm Weight (empty) 2,200 lbs/ 998 kg Weight (full) 11,400 lbs/5170 kg Water Capacity (gal/liters) 1150 gal/4353 L Seats 47"/119 cm Depth in/cm Illuminated Drink Holders Grab Bar Steel Substructure Northern Exposure® Insulation Prog. Filter Cycles 3.5" Underwater Light LED Illuminated swim lane Pump 1 3.0Hp/6.0bHp 2Sp 3.0Hp/6.0bHp 2Sp Pump 2 3.0Hp/6.0bHp 2Sp Pump 3 (MB4 only) 240V/40A/60A Elct Reg. 230V, 50 Hz, 1x40A Export **Head Cushions** Digital Color Optics Status Indicator Light Turbo Swim Jets / RB4 MAAXForce Swim Jets / MB4 Hydrotherapy Jets Aurora Cascade Jets Stainless Steel Jets Wifi Connectivity

#### **Options**

Bluetooth Music System
CleanZone™
CleanZone™ Ultra (Dual Sanitization System)
Exercise Kit
Exercise Kit with Oars
Swim Tether





## DM8

Swim Seating

 Length in/cm
 218"/553 cm

 Width in/cm
 90"/229 cm

 Height in/cm
 53"/135 cm

 Weight (empty)
 3,000 lbs/1361 kg

 Weight (full)
 19,574 lbs/8879 kg

 Water Capacity (gal/liters)

swim end 1615 gal/6113 L spa end 375 gal/1420 L

Spa Seating 5
Depth in/cm 48"/122 cm
Illuminated Drink Holders 1
Grab Bar 1
Steel Substructure Yes
Northern Exposure® Insulation Yes
Prog. Filter Cycles Yes
3.5" Underwater Light Yes

3.5" Underwater Light
LED Illuminated swim lane
Pump 1
3.0Hp/6.0bHp 2Sp
Pump 2
3.0Hp/6.0bHp 2Sp
Pump 3
3.0Hp/6.0bHp 2Sp
Spa Pump
3.0Hp/6.0bHp 2Sp
Elct Req.

swim end 240V/40A/60A
spa end 240V/40A/50A
Export swim end 230V, 50 Hz, 1x40A
Export spa end 230V, 50 Hz, 1x16A
Head Cushions 2

Head Cushions 2
Digital Color Optics Yes
MAAXForce Swim Jets 2
Hydrotherapy Jets 31
Aurora Cascade Jets 4
Stainless Steel Jets Yes
Wifi Connectivity Yes

#### **Options**

Bluetooth Music System
CleanZone™ Ultra (Dual Sanitization System)
Exercise Kit
Exercise Kit with Oars
Swim Tether



#### ORIGIN OF MODERN **FIBERGLASS**

Begins with the production of snowmobile shrouds and swimming pools 1987

#### MAAX IS BORN

Listing on Montreal Stock Exchange

The name MAAX is coined

2001

#### MAAX SPAS

First Appliance Grade hot tubs with steel frames manufactured

2008

#### MAAX ACQUIRED BY BROOKFIELD

Becomes part of the largest company in the world

involved in the manufacturing of spas 2015

#### CONTINUED **GROWTH**

MAAX Spas grows to become the 3rd largest hot tub manufacturer in the world



MAAX MERGES WITH

synergies between

bath and spas in

North America.

AMERICAN BATH GROUP

Creating one of the largest









## Brookfield







1973

#### BATH PRODUCTION **BEGINS**

Production of progressive fiberglass bath tubs and showers begins



997

#### MAAX ENTERS SPA CATEGORY

Acquisition of 15yr, old Coleman Spas Acquisition of 23yr. old California Cooperage



#### MAAX COMPANY

MAAX Inc. ranks among the five largest firms in North America

24 plants and independent distributtion centers

2,900 employees







#### **ACQUISITION**

MAAX Spas acquires Vita Spa and L.A. Spas



Northern Exposure

2016

#### NORTHERN EXPOSURE®

Another innovation from MAAX Spas, Northern Exposure® featuring

a breakthrough in hot tub insulation.



2017

AMERICAN° WHIRLPOOL

2018

#### AMERICAN WHIRLPOOL®

MAAX Spas launches the AMERICAN WHIRLPOOL brand, a new line of innovative hot tubs.