PP, LSD, TW

Sample ID: BIA251020S0612
Strain: PP, LSD, TW
Harvest Lot:
Matrix: Plant
Type: Flower - Cured
Sample Size:
Lot#:

Produced:
Collected:
Received: 10/29/2025
Completed: 11/05/2025
Batch#:

Client
Cannamentals
Lic. # SCLT0178
PO Box 97
Orleans, VT 05860



Summary

Test	Date Tested	Result
Sample		Complete
Moisture	10/30/2025	Not Tested
Pesticides	11/03/2025	Complete

Luke Emerson-Mason
Laboratory Director
11/05/2025

PP, LSD, TW

Sample ID: BIA251020S0612
Strain: PP, LSD, TW
Harvest Lot:
Matrix: Plant
Type: Flower - Cured
Sample Size:
Lot#:

Produced:
Collected:
Received: 10/29/2025
Completed: 11/05/2025
Batch#:

Client
Cannamentals
Lic. # SCLT0178
PO Box 97
Orleans, VT 05860

Pesticides

Completed

Category 1 Pesticides	LOD	LOQ	Results
	PPM	PPM	PPM
Chlorpyrifos	0.0003	0.0010	ND
Imazalil	0.0003	0.0010	ND

Category 2 Pesticides	LOD	LOQ	Results
	PPM	PPM	PPM
Abamectin	0.0003	0.0010	ND
Acephate	0.001	0.0050	ND
Acequinocyl	0.0003	0.0010	ND
Azoxystrobin	0.00005	0.0010	ND
Bifenazate	0.0001	0.0010	ND
Bifenthrin	0.0001	0.0010	ND
Carbaryl	0.0001	0.0010	ND
Cypermethrin	0.001	0.0050	ND
Etoxazole	0.0001	0.0010	ND
Imidacloprid	0.00005	0.0010	ND
Myclobutanil	0.0001	0.0010	ND
Pyrethrins	0.001	0.0050	ND
Spinosyn A	0.0001	0.0010	ND
Spinosyn D	0.0003	0.0010	ND

Analyst: 056
Pesticides Methodology: Liquid Chromatography with Tandem Mass Spectrometry using PerkinElme QSight® LX50 UHPLC and QSight 220 Mass Spectrometer
LOQ = The lowest quantity this method can reliably quantify. Any pesticides or mycotoxins that were not quantifiable are less than the stated LOQ (<LOQ).
ppm = parts per million
All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.
ND = Not Detected (<LOD)

Luke Emerson-Mason
Laboratory Director
11/05/2025

LSD

Sample ID: BIA251019S0564
Strain: Lot 6
Harvest Lot:
Matrix: Plant
Type: Flower - Cured
Sample Size: 7 g
Lot#:

Produced:
Collected:
Received: 10/29/2025
Completed: 11/05/2025
Batch#:

Client
Cannamentals
Lic. # SCLT0178
PO Box 97
Orleans, VT 05860



Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	11/03/2025	Complete
Moisture	10/31/2025	9.90% - Complete
Water Activity	10/31/2025	0.489 aw - Complete
Terpenes	10/31/2025	Complete
Microbials	11/05/2025	Complete

Cannabinoids

Completed

19.32% Total THC	ND Total CBD	23.70% Total Cannabinoids

Analyte	LOQ	Results	Results	Mass
	mg/g	%	mg/g	mg/serving
CBDVa	0.0003	<LOQ	<LOQ	
CBDV	0.0003	<LOQ	<LOQ	
CBDa	0.0005	<LOQ	<LOQ	
CBGa	0.0005	1.44	14.4	
CBG	0.0005	<LOQ	<LOQ	
CBD	0.0005	<LOQ	<LOQ	
THCV	0.0003	<LOQ	<LOQ	
CBLV	0.0003	0.10	1.0	
CBCV	0.0003	<LOQ	<LOQ	
THCVa	0.0003	0.14	1.4	
CBN	0.0005	<LOQ	<LOQ	

Analyte	LOQ	Results	Results	Mass
	mg/g	%	mg/g	mg/serving
CBCVa	0.0003	<LOQ	<LOQ	
CBNa	0.0003	0.05	0.5	
Δ9-THC	0.0005	1.99	19.9	
Δ8-THC	0.0003	<LOQ	<LOQ	
Δ10-THC*	0.0002	<LOQ	<LOQ	
CBL	0.0005	<LOQ	<LOQ	
CBC	0.0003	<LOQ	<LOQ	
THCa	0.0005	19.75	197.5	
CBCa	0.0006	0.23	2.3	
CBLa	0.0005	<LOQ	<LOQ	
Total THC		**19.32**	**193.16**	
Total CBD		**ND**	**ND**	**ND**
Total		**23.70**	**237.01**	**0.00**

Analyst: 056
Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)
Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:
TotalTHC=(THCAx0.877)+Δ9-THC
Total CBD = (CBDA x 0.877) + CBD Reagent
Blanks: < LOQs for all analytes
LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).
All results reflect dry weight of material, based on % moisture of the sample.
Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%
All other cannabinoid MU values are available upon request.
All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.
*The result is the sum of delta-10 isomers.

Luke Emerson-Mason
Laboratory Director
11/05/2025

LSD

Sample ID: BIA251019S0564
Strain: Lot 6
Harvest Lot:
Matrix: Plant
Type: Flower - Cured
Sample Size: 7 g
Lot#:

Produced:
Collected:
Received: 10/29/2025
Completed: 11/05/2025
Batch#:

Client
Cannamentals
Lic. # SCLT0178
PO Box 97
Orleans, VT 05860

Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
β-Myrcene	0.010	3.182	0.318
Ocimene	0.010	2.956	0.296
Limonene	0.010	2.483	0.248
α-Pinene	0.010	2.122	0.212
β-Caryophyllene	0.010	2.050	0.205
β-Pinene	0.010	1.930	0.193
α-Humulene	0.010	0.752	0.075
Linalool	0.010	0.707	0.071
Isopulegol	0.010	0.420	0.042
3-Carene	0.010	0.167	0.017
Terpinolene	0.010	0.097	0.010
Camphene	0.010	0.059	0.006
α-Terpinene	0.010	0.038	0.004
γ-Terpinene	0.010	0.019	0.002
α-Bisabolol	0.010	0.016	0.002
Eucalyptol	0.010	0.015	0.001
Geraniol	0.010	0.013	0.001
Caryophyllene Oxide	0.010	<LOQ	<LOQ
cis-Nerolidol	0.010	<LOQ	<LOQ
Guaiol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
Total		**17.027**	**1.703**

Primary Aromas

Hops | Earthy | Orange | Pine | Cinnamon

Analyst: 052
LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).
Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS
Reagent Blanks: < LOQs for all analytes
All results reflect dry weight of material, based on % moisture of the sample.
All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

Luke Emerson-Mason
Laboratory Director
11/05/2025

LSD

Sample ID: BIA251019S0564
Strain: Lot 6
Harvest Lot:
Matrix: Plant
Type: Flower - Cured
Sample Size: 7 g
Lot#:

Produced:
Collected:
Received: 10/29/2025
Completed: 11/05/2025
Batch#:

Client
Cannamentals
Lic. # SCLT0178
PO Box 97
Orleans, VT 05860

Pathogens

Completed

Pathogens	LOD	Results
	CFU/g	CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 018
Test Methodology: Bio-Rad IQ-Check PCR Kits
cfu/g = colony forming units per gram
LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).
Reagent Blanks: <LOD for all analytes

Luke E-M

Luke Emerson-Mason
Laboratory Director
11/05/2025

Trainwreck

Sample ID: BIA251019S0565
Strain: Lot 6
Harvest Lot:
Matrix: Plant
Type: Flower - Cured
Sample Size: 7 g
Lot#:

Produced:
Collected:
Received: 10/29/2025
Completed: 11/05/2025
Batch#:

Client
Cannamentals
Lic. # SCLT0178
PO Box 97
Orleans, VT 05860



Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	11/03/2025	Complete
Moisture	10/31/2025	9.40% - Complete
Water Activity	10/31/2025	0.456 aw - Complete
Terpenes	10/31/2025	Complete
Microbials	11/05/2025	Complete

Cannabinoids

Completed

23.74% Total THC	0.07% Total CBD	29.50% Total Cannabinoids

Analyte	LOQ	Results	Results	Mass
	mg/g	%	mg/g	mg/serving
CBDVa	0.0003	<LOQ	<LOQ	
CBDV	0.0003	<LOQ	<LOQ	
CBDa	0.0005	0.08	0.8	
CBGa	0.0005	1.43	14.3	
CBG	0.0005	<LOQ	<LOQ	
CBD	0.0005	<LOQ	<LOQ	
THCV	0.0003	<LOQ	<LOQ	
CBLV	0.0003	0.04	0.4	
CBCV	0.0003	<LOQ	<LOQ	
THCVa	0.0003	0.22	2.2	
CBN	0.0005	<LOQ	<LOQ	

Analyte	LOQ	Results	Results	Mass
	mg/g	%	mg/g	mg/serving
CBCVa	0.0003	<LOQ	<LOQ	
CBNa	0.0003	<LOQ	<LOQ	
Δ9-THC	0.0005	0.27	2.7	
Δ8-THC	0.0003	0.05	0.5	
Δ10-THC*	0.0002	<LOQ	<LOQ	
CBL	0.0005	<LOQ	<LOQ	
CBC	0.0003	<LOQ	<LOQ	
THCa	0.0005	26.76	267.6	
CBCa	0.0006	0.65	6.5	
CBLa	0.0005	<LOQ	<LOQ	
Total THC		**23.74**	**237.40**	
Total CBD		**0.07**	**0.69**	
Total		**29.50**	**295.01**	**0.00**

Analyst: 056
Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)
Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:
TotalTHC=(THCAx0.877)+Δ9-THC
Total CBD = (CBDA x 0.877) + CBD Reagent
Blanks: < LOQs for all analytes
LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).
All results reflect dry weight of material, based on % moisture of the sample.
Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%
All other cannabinoid MU values are available upon request.
All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.
*The result is the sum of delta-10 isomers.

Luke Emerson-Mason
Laboratory Director
11/05/2025

Trainwreck

Sample ID: BIA251019S0565
Strain: Lot 6
Harvest Lot:
Matrix: Plant
Type: Flower - Cured
Sample Size: 7 g
Lot#:

Produced:
Collected:
Received: 10/29/2025
Completed: 11/05/2025
Batch#:

Client
Cannamentals
Lic. # SCLT0178
PO Box 97
Orleans, VT 05860

Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
β-Myrcene	0.010	2.924	0.292
Limonene	0.010	2.366	0.237
β-Caryophyllene	0.010	2.359	0.236
Ocimene	0.010	2.200	0.220
α-Humulene	0.010	0.899	0.090
β-Pinene	0.010	0.730	0.073
α-Pinene	0.010	0.510	0.051
Linalool	0.010	0.298	0.030
Camphene	0.010	0.094	0.009
Terpinolene	0.010	0.067	0.007
Eucalyptol	0.010	0.057	0.006
α-Bisabolol	0.010	0.024	0.002
Guaiol	0.010	0.023	0.002
α-Terpinene	0.010	0.016	0.002
γ-Terpinene	0.010	0.016	0.002
3-Carene	0.010	<LOQ	<LOQ
Caryophyllene Oxide	0.010	<LOQ	<LOQ
cis-Nerolidol	0.010	<LOQ	<LOQ
Geraniol	0.010	<LOQ	<LOQ
Isopulegol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
Total		**12.580**	**1.258**

Primary Aromas

Hops | Orange | Cinnamon | Earthy | Pine

Analyst: 052
LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).
Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS
Reagent Blanks: < LOQs for all analytes
All results reflect dry weight of material, based on % moisture of the sample.
All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

Luke E-M

Luke Emerson-Mason
Laboratory Director
11/05/2025

Trainwreck

Sample ID: BIA251019S0565
Strain: Lot 6
Harvest Lot:
Matrix: Plant
Type: Flower - Cured
Sample Size: 7 g
Lot#:

Produced:
Collected:
Received: 10/29/2025
Completed: 11/05/2025
Batch#:

Client
Cannamentals
Lic. # SCLT0178
PO Box 97
Orleans, VT 05860

Pathogens

Completed

Pathogens	LOD	Results
	CFU/g	CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 018
Test Methodology: Bio-Rad IQ-Check PCR Kits
cfu/g = colony forming units per gram
LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).
Reagent Blanks: <LOD for all analytes

Luke Emerson-Mason
Laboratory Director
11/05/2025

Purple Punch

Sample ID: BIA251019S0563
Strain: Lot 6
Harvest Lot:
Matrix: Plant
Type: Flower - Cured
Sample Size: 8 g
Lot#:

Produced:
Collected:
Received: 10/29/2025
Completed: 11/05/2025
Batch#:

Client
Cannamentals
Lic. # SCLT0178
PO Box 97
Orleans, VT 05860



Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	11/03/2025	Complete
Moisture	10/31/2025	10.30% - Complete
Water Activity	10/31/2025	0.510 aw - Complete
Terpenes	10/31/2025	Complete
Microbials	11/05/2025	Complete

Cannabinoids

Completed

18.58% Total THC	0.06% Total CBD	22.77% Total Cannabinoids

Analyte	LOQ	Results	Results	Mass
	mg/g	%	mg/g	mg/serving
CBDVa	0.0003	<LOQ	<LOQ	
CBDV	0.0003	<LOQ	<LOQ	
CBDa	0.0005	0.07	0.7	
CBGa	0.0005	1.05	10.5	
CBG	0.0005	<LOQ	<LOQ	
CBD	0.0005	<LOQ	<LOQ	
THCV	0.0003	<LOQ	<LOQ	
CBLV	0.0003	0.06	0.6	
CBCV	0.0003	<LOQ	<LOQ	
THCVa	0.0003	0.08	0.8	
CBN	0.0005	<LOQ	<LOQ	

Analyte	LOQ	Results	Results	Mass
	mg/g	%	mg/g	mg/serving
CBCVa	0.0003	<LOQ	<LOQ	
CBNa	0.0003	<LOQ	<LOQ	
Δ9-THC	0.0005	0.60	6.0	
Δ8-THC	0.0003	<LOQ	<LOQ	
Δ10-THC*	0.0002	<LOQ	<LOQ	
CBL	0.0005	<LOQ	<LOQ	
CBC	0.0003	<LOQ	<LOQ	
THCa	0.0005	20.50	205.0	
CBCa	0.0006	0.40	4.0	
CBLa	0.0005	<LOQ	<LOQ	
Total THC		**18.58**	**185.82**	
Total CBD		**0.06**	**0.59**	
Total		**22.77**	**227.68**	**0.00**

Analyst: 056
Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)
Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:
TotalTHC=(THCAx0.877)+Δ9-THC
Total CBD = (CBDA x 0.877) + CBD Reagent
Blanks: < LOQs for all analytes
LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).
All results reflect dry weight of material, based on % moisture of the sample.
Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%
All other cannabinoid MU values are available upon request.
All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.
*The result is the sum of delta-10 isomers.

Luke E-M

Luke Emerson-Mason
Laboratory Director
11/05/2025

Purple Punch

Sample ID: BIA251019S0563
Strain: Lot 6
Harvest Lot:
Matrix: Plant
Type: Flower - Cured
Sample Size: 8 g
Lot#:

Produced:
Collected:
Received: 10/29/2025
Completed: 11/05/2025
Batch#:

Client
Cannamentals
Lic. # SCLT0178
PO Box 97
Orleans, VT 05860

Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
β-Caryophyllene	0.010	2.426	0.243
Limonene	0.010	2.230	0.223
β-Myrcene	0.010	2.136	0.214
Ocimene	0.010	2.060	0.206
Linalool	0.010	1.033	0.103
α-Humulene	0.010	0.892	0.089
α-Pinene	0.010	0.610	0.061
β-Pinene	0.010	0.556	0.056
Isopulegol	0.010	0.069	0.007
Terpinolene	0.010	0.066	0.007
Camphene	0.010	0.061	0.006
Eucalyptol	0.010	0.057	0.006
α-Bisabolol	0.010	0.055	0.005
3-Carene	0.010	0.034	0.003
Guaiol	0.010	0.033	0.003
Geraniol	0.010	0.025	0.003
γ-Terpinene	0.010	0.013	0.001
α-Terpinene	0.010	<LOQ	<LOQ
Caryophyllene Oxide	0.010	<LOQ	<LOQ
cis-Nerolidol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
Total		**12.358**	**1.236**

Primary Aromas

Analyst: 052
LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).
Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS
Reagent Blanks: < LOQs for all analytes
All results reflect dry weight of material, based on % moisture of the sample.
All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

Luke Emerson-Mason
Laboratory Director
11/05/2025

Purple Punch

Sample ID: BIA251019S0563
Strain: Lot 6
Harvest Lot:
Matrix: Plant
Type: Flower - Cured
Sample Size: 8 g
Lot#:

Produced:
Collected:
Received: 10/29/2025
Completed: 11/05/2025
Batch#:

Client
Cannamentals
Lic. # SCLT0178
PO Box 97
Orleans, VT 05860

Pathogens

Completed

Pathogens	LOD	Results
	CFU/g	CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 018
Test Methodology: Bio-Rad IQ-Check PCR Kits
cfu/g = colony forming units per gram
LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).
Reagent Blanks: <LOD for all analytes

Luke Emerson-Mason
Laboratory Director
11/05/2025