

Magix Stix

Sample ID: BIA260128S0513
Strain: Sour Sherbet
Harvest Lot:
Matrix: Plant
Type: Enhanced/Infused Preroll
Sample Size: 4 units
Lot#: MANU0104-DRMIX02-MSSS02

Produced:
Collected:
Received: 01/28/2026
Completed: 02/06/2026
Batch#: DRMIX02-MSSS02

Client:
Magic Mann
Lic. # MANU0104
 21 Essex Way
 Essex, VT 05452



Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	02/03/2026	Complete
Moisture	01/28/2026	6.20% - Complete
Water Activity	01/28/2026	0.157 aw - Complete

Cannabinoids

Completed

46.69%				0.09%				51.76%			
Total THC				Total CBD				Total Cannabinoids			
Analyte	LOQ	Mass	Mass	Analyte	LOQ	Mass	Mass	Analyte	LOQ	Mass	Mass
	mg/g	%	mg/g		mg/g	%	mg/g		mg/g	%	mg/g
CBDVa	0.0003	<LOQ	<LOQ	CBCVa	0.0003	<LOQ	<LOQ				
CBDV	0.0003	<LOQ	<LOQ	CBNa	0.0003	0.08	0.8				
CBDa	0.0005	0.05	0.5	Δ9-THC	0.0005	33.26	332.6				
CBGa	0.0005	0.60	6.0	Δ8-THC	0.0003	<LOQ	<LOQ				
CBG	0.0005	1.00	10.0	Δ10-THC*	0.0002	<LOQ	<LOQ				
CBD	0.0005	0.04	0.4	CBL	0.0005	<LOQ	<LOQ				
THCV	0.0003	0.69	6.9	CBC	0.0003	0.38	3.8				
CBLV	0.0003	<LOQ	<LOQ	THCa	0.0005	15.32	153.2				
CBCV	0.0003	<LOQ	<LOQ	CBCa	0.0006	0.08	0.8				
THCVa	0.0003	0.14	1.4	CBLa	0.0005	<LOQ	<LOQ				
CBN	0.0005	0.10	1.0	Total THC		46.69	466.95				
				Total CBD		0.09	0.90				
				Total		51.76	517.58				

Analyst: 048

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

$$\text{Total THC} = (\text{THCA} \times 0.877) + \Delta 9\text{-THC}$$

$$\text{Total CBD} = (\text{CBDA} \times 0.877) + \text{CBD Reagent}$$

Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

*The result is the sum of delta-10 isomers.




Luke Emerson-Mason
 Laboratory Director
 02/06/2026

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



Decarbed Rosin

Sample ID: BIA260113S0274
Strain: Mix
Harvest Lot:
Matrix: Concentrates & Extracts
Type: Rosin
Sample Size: 1 units
Lot#: MANU0104-DRMIX02

Produced:
Collected:
Received: 01/13/2026
Completed: 01/22/2026
Batch#: DRMIX02

Client:
Magic Mann
Lic. # MANU0104
 21 Essex Way
 Essex, VT 05452



Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	01/15/2026	Complete
Microbials	01/22/2026	Complete

Cannabinoids

Completed

88.22% Total THC						ND Total CBD						94.44% Total Cannabinoids					
Analyte	LOQ	Results	Results	Mass	Mass	Analyte	LOQ	Results	Results	Mass	Mass	Analyte	LOQ	Results	Results	Mass	Mass
	mg/g	%	mg/g	mg/mL	mg/container		mg/g	%	mg/g	mg/mL	mg/container		mg/g	%	mg/g	mg/mL	mg/container
CBDVa	0.0003	<LOQ	<LOQ			CBCVa	0.0003	<LOQ	<LOQ								
CBDV	0.0003	<LOQ	<LOQ			CBNa	0.0003	<LOQ	<LOQ								
CBDa	0.0005	<LOQ	<LOQ			Δ9-THC	0.0005	88.22	882.2								
CBGa	0.0005	<LOQ	<LOQ			Δ8-THC	0.0003	<LOQ	<LOQ								
CBG	0.0005	3.27	32.7			Δ10-THC*	0.0002	<LOQ	<LOQ								
CBD	0.0005	<LOQ	<LOQ			CBL	0.0005	<LOQ	<LOQ								
THCV	0.0003	2.26	22.6			CBC	0.0003	0.68	6.8								
CBLV	0.0003	<LOQ	<LOQ			THCa	0.0005	<LOQ	<LOQ								
CBCV	0.0003	<LOQ	<LOQ			CBCa	0.0006	<LOQ	<LOQ								
THCVa	0.0003	<LOQ	<LOQ			CBLa	0.0005	<LOQ	<LOQ								
CBN	0.0005	<LOQ	<LOQ			Total THC		88.22	882.24								
						Total CBD		ND	ND	ND	ND						
						Total		94.44	944.37	0.00	0.00						

Analyst: 052

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

$$\text{Total THC} = (\text{THCA} \times 0.877) + \Delta 9\text{-THC}$$

$$\text{Total CBD} = (\text{CBDA} \times 0.877) + \text{CBD Reagent}$$

Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

*The result is the sum of delta-10 isomers.




Luke Emerson-Mason
 Laboratory Director
 01/22/2026

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



Decarbed Rosin

Sample ID: BIA260113S0274
Strain: Mix
Harvest Lot:
Matrix: Concentrates & Extracts
Type: Rosin
Sample Size: 1 units
Lot#: MANU0104-DRMIX02

Produced:
Collected:
Received: 01/13/2026
Completed: 01/22/2026
Batch#: DRMIX02

Client
Magic Mann
Lic. # MANU0104
 21 Essex Way
 Essex, VT 05452

Pathogens

Completed

Pathogens	LOD	Results
	CFU/g	CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 018

Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).

Reagent Blanks: <LOD for all analytes




Luke Emerson-Mason
 Laboratory Director
 01/22/2026

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



Sour Sherbert

 Sample ID: BIA250414S0011
 Strain: CLTV0367-005-5

 Matrix: Plant
 Type: Flower - Cured
 Sample Size: 4.02 g
 Lot#:

 Produced:
 Collected:
 Received: 04/14/2025
 Completed: 04/17/2025
 Batch#:

 Client
Magic Mann
 Lic. # CLTV0367
 21 Essex Way
 Essex, VT 05452


Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	04/15/2025	Complete
Moisture	04/14/2025	11.30% - Complete
Water Activity	04/14/2025	0.567 aw - Complete
Terpenes	04/15/2025	Complete
Microbials	04/17/2025	Complete

Cannabinoids

Completed

24.67%		0.08%		29.17%	
Total THC		Total CBD		Total Cannabinoids	
Analyte	LOQ	Results	Results	Mass	
	mg/g	%	mg/g	mg/serving	
CBDVa	0.0005	<LOQ	<LOQ		
CBDV	0.0012	<LOQ	<LOQ		
CBDa	0.0008	0.09	0.9		
CBGa	0.0008	0.90	9.0		
CBG	0.0019	0.12	1.2		
CBD	0.0019	<LOQ	<LOQ		
THCV	0.0021	<LOQ	<LOQ		
CBN	0.0013	<LOQ	<LOQ		
Δ9-THC	0.0020	1.00	10.0		
Δ8-THC	0.0019	0.08	0.8		
Δ10-THC	0.0002	<LOQ	<LOQ		
CBC	0.0024	<LOQ	<LOQ		
THCa	0.0034	26.99	269.9		
Total THC		24.67	246.69		
Total CBD		0.08	0.76		
Total		29.17	291.74	0.00	

Analyst: 048

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

$$\text{Total THC} = (\text{THCA} \times 0.877) + \Delta 9\text{-THC}$$

$$\text{Total CBD} = (\text{CBDA} \times 0.877) + \text{CBD Reagent}$$

Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




 Luke Emerson-Mason
 Laboratory Director
 04/17/2025

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


Sour Sherbert

 Sample ID: BIA250414S0011
 Strain: CLTV0367-005-5

 Matrix: Plant
 Type: Flower - Cured
 Sample Size: 4.02 g
 Lot#:

 Produced:
 Collected:
 Received: 04/14/2025
 Completed: 04/17/2025
 Batch#:



 Client
Magic Mann
 Lic. # CLTV0367
 21 Essex Way
 Essex, VT 05452

Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
Limonene	0.010	5.467	0.547
β -Myrcene	0.010	4.081	0.408
Ocimene	0.010	3.661	0.366
β -Caryophyllene	0.010	2.898	0.290
Linalool	0.010	2.746	0.275
β -Pinene	0.010	1.807	0.181
α -Humulene	0.010	1.049	0.105
α -Pinene	0.010	0.961	0.096
cis-Nerolidol	0.010	0.441	0.044
Isopulegol	0.010	0.229	0.023
Camphene	0.010	0.155	0.015
Terpinolene	0.010	0.144	0.014
Geraniol	0.010	0.046	0.005
3-Carene	0.010	0.017	0.002
γ -Terpinene	0.010	0.014	0.001
α -Terpinene	0.010	0.010	0.001
Caryophyllene Oxide	0.010	0.010	0.001
α -Bisabolol	0.010	<LOQ	<LOQ
Eucalyptol	0.010	<LOQ	<LOQ
Guaiol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
Total		23.736	2.374

Primary Aromas



Analyst: 048

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




 Luke Emerson-Mason
 Laboratory Director
 04/17/2025

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com




Sour Sherbert

Sample ID: BIA250414S0011
Strain: CLTV0367-005-5

Matrix: Plant
Type: Flower - Cured
Sample Size: 4.02 g
Lot#:

Produced:
Collected:
Received: 04/14/2025
Completed: 04/17/2025
Batch#:

Client
Magic Mann
Lic. # CLTV0367
21 Essex Way
Essex, VT 05452

Pathogens

Completed

Pathogens	LOD	Results
	CFU/g	CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 018

Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).

Reagent Blanks: <LOD for all analytes



Luke Emerson-Mason
Laboratory Director
04/17/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

