



Customer ID: 221007-0

## **Certificate of Analysis**

Company: VT Green Castle Reserve Sample ID: PLANET OF THE GRAPES

 Lot:
 SCLT0023-03
 Report Date:
 4/19/2023

 atrix:
 Flower
 Date Analyzed:
 4/18/2023

Matrix: Flower Date Analyzed: 4/18/2
Date Sampled: N/A Analyst: 035

Grower License #: SCLT0023 Date Received: 4/4/2023 Report ID: C230404AY

## **Terpenes Summary**

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α- Pinene	0.010	1.904	0.190
Camphene	0.010	0.246	0.025
β-Myrcene	0.010	3.860	0.386
b-Pinene	0.010	2.079	0.208
3-Carene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
α-Terpinene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Limonene	0.010	5.971	0.597
ρ-Cymene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Ocimene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Eucalyptol	0.010	0.058	0.006
Y-Terpinene	0.010	0.023	0.002
Terpinolene	0.010	0.245	0.025
Linalool	0.010	1.041	0.104
Isopulegol	0.010	0.243	0.024
Geraniol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene	0.010	4.340	0.434
α-Humulene	0.010	1.917	0.192
Trans-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Cis-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Guaiol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene Oxide	0.010	0.068	0.007
α-Bisabolol	0.010	0.455	0.046
Total Terpenes		22.450	2.246

10.46%

Percent Moisture LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:



C230404AY

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)