



MAVERICIA CLEARS AND ACTIVATORS





CLEARCOAT

MAV 498 UNIVERSAL CLEARCOAT - One Gallon

ACTIVATORS FOR MAV 498

MAV 49870 FAST UNIVERSAL HARDENER - 1 Quart - <64°F MAV 49880 MEDIUM UNIVERSAL HARDENER - 1 Quart - 64-86°F MAV 49890 SLOW UNIVERSAL HARDENER - 1 Quart - >86°F

DESCRIPTION

MAV 498 Plus Crystal Clearcoat 4:1 is economical eco-friendly acrylic clearcoat, easy application, durable gloss, fast drying, suitable for metallic basecoats.



CLEARCOAT

MAV AB-100 SPEED CLEAR - One Gallon

ACTIVATORS FOR MAV AB-100

MAV ABA-101 SPEED CLEAR ACTIVATOR-FAST - 1 Quart - <64°F MAV ABA-102 SPEED CLEAR ACTIVATOR-MEDIUM - 1 Quart - 64-86°F MAV ABA-103 SPEED CLEAR ACTIVATOR-SLOW - 1 Quart - >86°F

DESCRIPTION

AB-100 Super Fast Clearcoat (4:1) is an eco-friendly extra fast drying clear coat with certain amount of exempt solvent, made from modified acrylic polyols, low VOC emission, high gloss, suitable for metal surface.



CLEARCOAT

MAV 650 SUPER SONIC EURO CLEARCOAT 2:1 - 5L

HARDENER FOR MAV 650

MAV 670 SUPER SONIC EURO CLEAR HARDENER-FAST - 2.5L - <64°F MAV 680 SUPER SONIC EURO CLEAR HARDENER-MEDIUM - 2.5L - <64°F MAV 690 SUPER SONIC EURO CLEAR HARDENER-SLOW - 2.5L - <64°F

DESCRIPTION

MAV-650 Super Sonic Euro Clearcoat 2:1 is standard double component acrylic clear coat, easy application, good gloss, excellent gloss protective power, suitable for metal and basecoat.



CLEARCOAT

MAV 301 ULTIMATE GLOSS CLEARCOAT - One Gallon

ACTIVATOR FOR MAV 301

MAV 30170 ULTIMATE GLOSS ACTIVATOR-FAST - One Quart MAV 30180 ULTIMATE GLOSS ACTIVATOR-MEDIUM - One Quart MAV 30190 ULTIMATE GLOSS ACTIVATOR-SLOW - One Quart

DESCRIPTION

301 (4:1) is a general purpose clearcoat for automotive, truck and mobile equipment refinishing.



CLEARCOAT

MAV MVC 60 CRYSTAL CLEAR - 5L

HARDENER FOR MAV MVC 60

MAV MVH 70 CRYSTAL CLEAR HARDENER-FAST - 2.5L MAV MVH 80 CRYSTAL CLEAR HARDENER-MEDIUM- 2.5L MAV MVH 90 CRYSTAL CLEAR HARDENER-SLOW- 2.5L

DESCRIPTION

MAV MVC-60 Plus MS Crystal Clear Coat 2:1 is medium clearcoat designed for overall and panel refinishing. Good gloss and is the economical choice for body shops.



2

MIX

MIX

MIX

RATIO

1

= RATIO







SEALERS & PRIMERS



1K SEALER

MAV 60101 1K SEALER
Color Black Size Gallon

MAV 60104 1K SEALER
Color Black Size Quart

MAV 60201 1K SEALER
Color Red Size Gallon

MAV 60204 1K SEALER Color Red Size Quart

MAV 60301 1K SEALER
Color White Size Gallon

MAV 60304 1K SEALER
Color White Size Ouart

MAV 60401 1K SEALER
Color Grey Size Gallon

MAV 60404 1K SEALER Color Grey Size Quart

DESCRIPTION

1K Sealers are premium high quality, ready-to-spray, low build non-sanding primer/sealers with excellent color holdout. These products provide great adhesion to fully cured painted surfaces, treated and primed steel, properly prepared aluminum and fiberglass. 1K Sealers are fast drying and can create a uniform surface without a lot of film build. Ideal for spot & panel refinishing and can be top-coated with a variety of topcoats such as basecoat, urethane or enamel.



2K SEALER WHITE / BLACK

MAV 751B Black One Gallon MAV 741W White One Gallon

ACTIVATOR FOR MAY 751B AND MAY 741W

MAV 7415 FAST One Quart MAV 7416 MEDIUM One Quart MAV 7417 SLOW One Quart

DESCRIPTION

2K Sealer White/Black multi-purpose 2K sealer, with strong filling power and fine adhesion, has excellent flexibility and impact resistance which can increase gloss and build of topcoat. Smooth paint film and non-sanding application.



MAVERICK GEFINISHING PRODUCTS HS Lacquer Primer Surfacer 540 AUTOMOTIVE REFINISH FOLLERS A COLUNTORS STREET STREET ACTIVATORS STREET STREET ACTIVATORS COUR. NET. 1 U.S. GAL / 3781

HGH BUILD PRIMER

MAV CP41 4:1:1 High Build Urethane Primer GREY - One Gallon

ACTIVATOR FOR CP41

MAV CA42 Fast Activator Use<77°F - One Quart MAV CA43 Medium Activator - One Quart

4 - MIX - RATIO -

REDUCER FOR CP41

MAV 192 Acetone or MAV 99 Virgin Lacquer Thinner (Page 6)

DESCRIPTION

Multi-purpose fast drying primer surfacer, with strong filling power, fine adhesion between coats. Has excellent flexibility and impact resistance and good sanding properties, can increase gloss and build of topcoat.

HI-SOLIDS PRIMER

MAV 540-14.58 VOC HI-SOLIDS Acrylic Lacquer Primer Surfacer – Gray- One Gallon REDUCER FOR MAV 540-1

MAV 192 Acetone or MAV 99 Virgin Lacquer Thinner

DESCRIPTION

Offers you high build, fast dry times, and easy sanding to a fine featheredge. #540 provides great color holdout, minimal shrinkage andgood adhesion to properly prepared substrates. Grey color.

Mix with 1 part 540 1 part MAV 192 Acetone / MAV 99 Virgin Lacquer Thinner

MAYERICK BASECOATS





9 Popular Factory Color Packs Available in One Gallon Sizes

MAV 400-1 GM WA-8555 Black Stripe MAV 401-1 TOY 218 Attitude Black MAV 406-1 Toyota 040 Super White II

MAV 407-1 FORD YZ Oxford White MAV 408-1 GM WA-8624 Frost White MAV 409-1 Toyota IF7 Classic Silver

MAV 410-1 GM WA-636R Switchblade Silver

MAV 415-1 GM WA-9260 Victory Red MAV 416-1 FORD RR Ruby Red Metallic

DESCRIPTION

Single component basecoats with solid colors, metallic and pearl effects, made from weathering resistant resins, high quality, strong coveraging resins, high quality, strong coveraging power, and excellent adhesion power.

POUR OFF LABELS

FACTORY PACK BASECOAT

MAV 40X-4 - QUART SIZE Pour Off Label MAV 40X-8 - PINT SIZE Pour Off Label

DESCRIPTION

Labels for use with empty cans to pour off our factory basecoats in smaller sizes for customers. These labels are designed for use with a Dymo label #30323 4in x 2-1/8 in Labels to label color contents.

Great for over the counter sales!





POLISHING/COMPOUNDS PADS



MAV 910 Finishing Pad

Black Foam Polishing Pad 8 inch Diameter 1.25 inch Depth Hook & Loop Backing





MAV 913 Heavy Pad

100% NATURAL WOOL COMPOUNDING PAD #1 8 inch Diameter 1.25 inch Depth Hook & Loop Backing





MAV 911 Coarse Pad

White Foam Polishing Pad 8 inch Diameter 1.25 inch Depth Hook & Loop Backing




MAV 914

POLISHING/FINISHING GRIP PAD #2 WOOL BLEND WITH HOOK AND LOOP BACKING 8 inch Diameter 1.25 inch Depth

Hook & Loop Backing





MAV 912 Ultra Fine Pad

Light Blue Foam Polishing Pad 8 inch Diameter 1.25 inch Depth Hook & Loop Backing



MAV 918

Large Backing Plate 7.125 in. Diameter Fits 5/8"-11 Thread



MAV 918

ASSORTED WAFFLE PADS 3/PACK POLISHING, BUFFING, & FINISHING KIT WITH HOOK BACKING PLATE

CONTAINS 1 EACH

MAV910 Black Waffle Polishing Pad MAV911 White Waffle Buffing Pad MAV912 Light Blue Waffle Finishing Pad MAV919 Hook Backing Plate

www.MaverickRefinish.com

NAVERICK SOLVENTS & REDUCERS





SOLVENT

MAV 9901 VIRGIN LACQUER THINNER (ECONOMY)
MAV 9905 VIRIGIN LACQUER THINNER (ECONOMY)
MAV 9955 VIRIGIN LACQUER THINNER (ECONOMY)

General Purpose Lacquer Thinner is a high quality, low cost thinner designed for automotive industry application and uses.



SOLVENT

MAV 19001 WAX & GREASE REMOVER MAV 19004 WAX & GREASE REMOVER MAV 19005 WAX & GREASE REMOVER

Wax Grease Remover is used for removing wax, grease, tar and other contaminants prior to body repair.





SOLVENT

MAV 12301 XYLENE MAV 12305 XYLENE

Xylene is a high quality, low cost cleaner designed for automotive industry application and uses.







SOLVENT

MAV 19201 ACETONE MAV 19205 ACETONE MAV 19255 ACETONE

100% Virgin Solvents Powerful Thinning and Clean-up Solvent Use with Resins, Epoxies, Adhesives, Fiberglass and Lacquers. Fast Drying - Leaves No Residue



SOLVENT

MAV 10101 VIRGIN LACQUER THINNER

Fast Lacquer Thinner is a high quality, low cost thinner designed for automotive industry application and uses.



SOLVENTS & REDUCERS







REDUCER

MAV 11201 URETHANE REDUCER (FAST)
MAV 11204 URETHANE REDUCER (FAST)
MAV 11205 URETHANE REDUCER (FAST)

Fast Dry Urethane Reducer is made with 100% virgin solvents, recommended for all Urethane base coats and clear coats and Urethane primers if needed







REDUCER

MAV 11401 URETHANE REDUCER (MEDIUM)
MAV 11404 URETHANE REDUCER (MEDIUM)
MAV 11405 URETHANE REDUCER (MEDIUM)

Medium Dry Urethane Reducer is made with 100% virgin solvents, recommended for all Urethane base coats and clear coats and Urethane primers if needed.





REDUCER

MAV 11601 URETHANE REDUCER (SLOW)
MAV 11605 URETHANE REDUCER (SLOW)

Slow Dry Urethane Reducer is made with 100% virgin solvents, recommended for all Urethane base coats and clear coats and Urethane primers if needed.



SOLVENT

MAV 128 TOP GUN SPRAY GUN CLEANER

Rubber seal creates a high-pressure clean with PPS adapter. Comes with plastic tube for high pressure tight area spray. High power spray all the way to the bottom. Works to clean any paint spray gun & related components, hoses, atomizing heads, spray gun adapters, and PPS hard cups, metal or plastic paint spray cups.

MAYERICK HARD CUPS, & LINERS





The Maverick disposable cup system works excellent with all types of paints, primers, epoxies, and commercial coatings. Use the cup system with automotive paint basecoats, clearcoats, topcoats and primers, as well as with stains, sealers, gel coats, varnishes, urethanes, enamels, and lacquers.

The disposable spray gun cup system's outer hard cup connectors are compatible to work with all original styles of PPS series 1.0 spray gun adapters. Cannot be used with the new PPS 2.0 series spray gun adapters. An adapter is required to use the system with most spray guns (Adapter not included in Kits - Order Info Located Below)

Each Kits Contain

20 Cup Sealing Plugs

50 Lids w/Built-In Fluid Strainers

50 Liners

1 Hard Cup w/Retainer Ring

PAINT LINER KITS

MAV 3180 DPC73802 200ML KIT MAV 3400 DPC73804 400ML KIT MAV 3600 DPC73809 600ML KIT MAV 3800 DPC73808 800ML KIT

HARD CUPS AND LINERS (PACK OF 10)

MAV 3181 180ML OUTER HARD CUP MAV 3401 400ML OUTER HARD CUP MAV 3801 800ML OUTER HARD CUP MAV 3182 180ML OUTER COLLAR MAV 3402 400ML OUTER COLLAR

ADAPTERS

Our Spray Gun Adapters are a high-quality and designed to be compatible with the PPS 1.0 Only and our Disposable Spray Gun Cup Liners and Lid System. This adapter allows for a seamless connection between your spray gun and the PPS system.



MAV ADP2 IWATA, SATA ADAPTOR [16003]



MAV ADP5 **DEFYNIK ADAPTER** [16006]



MAV ADP6 IWATA LPH-300 ADAPTER [16007]



MAV ADP8 CP ADAPTER (16015)



MAV ADP9 SATA **ADAPTER** [16016]



MAV ADP11 SHARPE-GRACO ADAPTOR (16018)



MAV ADP12 SATA-MINIJET3 **ADAPTOR (16022)**



MAV ADP14 **DEVILIBISS** SRI-PRO **ADAPTER** [16053]



MAV ADP15 **DEVILIBISS** ADAPTOR [16046]



MAV ADP18 **DEVILIBISS ADAPTOR** [16054]



MAV ADP21 PRO-TEK MINI ADAPTER [16105]



MAV ADP26 STARTING-LINE ADAPTER [16118]



MAV ADP27 **DEVILIBISS ADAPTER** (16119)



MAV ADP31 **IWATA LPH-80** MINI **ADAPTER**

[16127]



MAV ADP32 SAGOLA **ADAPTER** [16136]



MAV ADP35 MATCO ADAPTER [16130]



MAV ADP40 SATA JET **ADAPTER** (16135)



MAV ADP41 SATA MINIJET **ADAPTER** [16137]



MAV ADP43 **IWATA ADAPTER** [16139]



MIXING CUPS, CANS, & ABRASIVES

MIXING CUPS







PINTS

MAV 90078 1 PINT MIXING CUP (PACK OF 100) MAV 90079 1 PINT MIXING CUP LIDS (PACK OF 10)

QUARTS

MAV 90080 1 QUART MIXING CUP (PACK OF 100) MAV 90081 1 QUART MIXING CUP LIDS (PACK OF100)

2-1/2 AND 5QT

MAV 90082 2-1/2 QUART MIXNG CUP (PACK OF100) MAV 90084 5 QUART MIXING CUP (PACK OF100)

EMPTY CANS



High-Quality Cans, Made from durable material, these empty paint cans are built to last. They resist wear and tear amd each can comes with a secure lid that creates a tight seal, preventing leaks and spills. This keeps your paints, liquids, and other materials contained and protected. Designed to work with most mixing systems.

EMPTY CANS

MAV EGC9077 ROUND GALLON CANS (36 per case) MAV GSP 304 ROUND QUART CANS (56 per case) MAV EPC9073 ROUND PINT CANS (50per case)

SURFACE CONDITIONING DISCS



Versatile and general purpose metalworking disc, designed to help with a variety of applications from grinding, weld removal & finishing to blending on common metals like carbon steel. The stiff fibre backing is extremely durable, withstanding wear, while standing up to tough applications like beveling. Available in Both Rol-Loc and Standard

FEATURES

- Rapidly cuts carbon steel
- Premium mineral excels at heavyweight applications such as weld grinding, beveling, and edge chamfering
- · Long-lasting abrasive helps reduce cost
- Stiff fiber backing and strong resin bond provide durability and tear-resistance

2" ROL-LOCK FIBER DISC 25/BAG

MAV 23-020000: 2" FIBER DISC-COARSE 25/BAG MAV 23-020030: 2" FIBER DISC-MEDIUM 25/BAG

3" ROL-LOCK FIBER DISC 25/BAG

MAV 23-030000: 3" FIBER DISC-COARSE 25/BAG MAV 23-030030: 3" FIBER DISC-MEDIUM 25/BAG

2" ROL-LOCK GRINDING DISC 50/BAG

MAV 09-922024: 2" ROL-LOC DISC 24G 50/BAG MAV 09-922036: 2" ROL-LOC DISC 36G 50/BAG MAV 09-922050: 2" ROL-LOC DISC 50G 50/BAG

3" ROL-LOCK GRINDING DISC 25/BAG

MAV 09-923024: 3" ROL-LOC DISC 24G 25/BAG MAV 09-923036: 3" ROL-LOC DISC 36G 25/BAG MAV 09-923050: 3" ROL-LOC DISC 50G 25/BAG

www.MaverickRefinish.com

MAVERICK

MASKING PAPER & PLASTIC





WHITE FLOURO-TREATED - 750FT BOXED

MAV 66006: 146MM WHITE MAV 66012: 292MM WHITE MAV 66018: 438MM WHITE MAV 66036: 876MM WHITE

DESCRIPTION

White masking paper with excellent resistance to paint solvents, urethanes, base coats and clear coats. Little or no lint and fiber contamination. Conformable.

Recommended for all paint systems.

BLUE POLY - 700FT BOX

MAV 64006 146MM BLUE MAV 64012 292MM BLUE MAV 64018 438MM BLUE MAV 64036 876MM BLUE

DESCRIPTION

Poly-film coating provides paint anchorage and water-resistance. Blue color provides better natural light reflection. Tough, coated and durable masking paper that stops penetration from urethane paints, solvents and water. Available in multiple sizes. Excellent solvent and water resistance.

GREEN - 700FT BOX

MAV 61006 146MM35LB 500FT MAV 61012 292MM 35LB 500FT MAV 61018 438MM 35LB 500FT MAV 61024 584MM 35LB 500FT MAV 61036 876MM 35LB 500FT MAV 61048 48" 40Lb. 600FT MAV 61212 292MM 30LB 1000FT MAV 61218 438MM 30LB 1000FT MAV 61236 876MM 30LB 1000FT

DESCRIPTION

Machine finish green masking paper makes masking jobs easier. Strong. Durable. Fits all standard masking machines. Designed to fit all hand and standard masking machines.

GATORBACK - 500FT BOX

MAV 63006 146MM GB MAV 63012 292MM GB MAV 63018 438MM GB MAV 63036 876MM GB

DESCRIPTION

Gatorback Masking Paper 500ft is a Green Poly Coated Paper designed especially to hold out the toughest urethane paints on the market today. Economically priced per foot to compete with all other green papers. Gatorback is a Quality Paper at an Economical Price.

PLASTIC SHEETING



WHITE PLASTIC SHEETING

MAV 5541 WHITE (12" X400')

MAV 5543 WHITE [16" X 350']

MAV 5545 WHITE (20" X 250')

Premium Plastic Sheeting exhibits extreme cling that stays where you put it! Pull down folding, paintable and resists solvents. Great paint anchorage to eliminate flaking. Comes white in color.

- PROTECT ANY SURFACE
- VARIOUS APPLICATIONS
- EASY TO USE
- ANTI-FLAKING PLASTIC SHEETING
- BUILT TO LAST



BLUE PLASTIC SHEETING

MAV MFB8999 BLUE PLASTIC SHEETING 16'X350'

Our Plastic Sheeting is corona-treated and has excellent cling. It features an easy-to-open fold pattern and it comes on a standard core to fit all current plastic masking dispensers, so one person can mask the vehicle alone.

www.MaverickRefinish.com



ACCESSORIES





3









7-9

_ . _ .

ACCESSORIES

- 1. MAV 1 #1 ACID BRUSH 3/8" 144/BX
- 2. MAV 2 #1 ACID BRUSH 1/2" 144/BX
- 3. MAV 90001 RAZOR BLADES (100)
- 4. MAV 90009 DISPONSABLE MIXING PALLETS
- 5. MAV 99908 PAINT PADDLES 1000/CS
- MAV 90016-190 STRAINERS 1000/CS
- 7. MAV 90224 3"/4" SPREADERS 50 PER BOX
- 8. MAV 90225 3"/5" SPREADERS 50 PER BOX
- 9. MAV 90226 3"X6" SPREADERS 50 PER BOX

COLLISION WRAP

MASKING TAPE



ORANGE MASKING TAPE (SERIES 313)

MAV 19540 3/4" Orange Tape (48 per Case)

MAV 19541 1-1/2" Orange Tape (24 per Case)

MAV 19542 2" Orange Tape (20 per Case)

CLEAR COLLISION WRAP

MAV 5507 COLLISION WRAP- (36" X100')

DESCRIPTION

For Damaged Vehicles & Car Windows, Removes Cleanly

- MULTI-USE COLLISION WRAP
- STRONG AND DURABLE
- CLEAN REMOVAL
- GUARDS FROM THE ELEMENTS

DESCRIPTION

- Orange Automotive Refinishing Masking Tape are designed specifically for the collision repair and refinishing industry.
- Specially formulated adhesive bonds instantly
- Special adhesive resists lifting and edge curl
- Waterproof and UV resistant for 5 days
- Withstand temperature up to 120°C / 248°F (60 min)



