

Metal Tower Stand Setup Instructions



Safety

At no time shall 360 Hunting Blinds be liable for any accidents due to falls from the hunting blind. We recommend that you follow standard safety procedures when entering and exiting the blind, such as the use of safety harnesses, climbing ropes, etc.

1

Lay out your metal tower stand kit so you can see all the individual pieces.



2

Attach the feet to each of the four stand legs with the included hardware.



3

Tighten the hardware on the feet so the lock nut is snug, but doesn't prevent movement as the legs are leveled up.



4

Find the two legs that are setup for the ladder bracket and position them like this on each side of the widest side of your 360 tower floor.



5

This layout is incorrect.




6

Securely fasten the legs to the tower floor.



7

Use the included hardware to attach the braces between each of the legs as shown.



8

Slide the ladder attachment pipe through the ladder mounting brackets on the tower stand legs as shown.



9

use the included hardware to keep the ladder attachment pipe from sliding out of the brackets.



10

Gently tip the assembled tower stand onto its side.



11

Flip the tower stand upright and adjust it on its future site as needed.



12

Place a level on the braces between each of the legs to determine if the stand needs to be leveled. Wooden shims, or rocks can be used to build up the low sides. Alternately you can use a shovel to dig away soil under the stand foot that needs to be lowered.



13

Hook each included cable brace onto the tabs as shown here.



14

Grab the adjustable hook end of each cable brace and hook it into the hole designed for it on the opposite corner.

When finished the cable braces should create an X on each side of the tower stand.



15

Tighten each of the adjustable hooks on the cable braces equally with a sturdy tool until cables are snug. Be careful not to over-tighten.



16

Use a heavy sledge hammer to secure the tower stand in place with the included stakes which should be driven through the holes provided in each tower stand foot.




17

Begin assembly of the ladder by aligning the holes on the ladder to the holes on the face of the ladder platform.



18

Use the included hardware to fasten the ladder to the platform.



19

Fasten a foot to each leg of the ladder with the included hardware.



20

Move the ladder into position on the stand so it fits snugly into place against the ladder attachment pipe. The included u-bolts should be used to fasten the ladder platform to the ladder attachment pipe on the tower stand.



21

Refer to your 360 Hunting Blind Assembly manual to setup your wall panels before proceeding to the next step.

22

Attach the hand rails to the ladder platform.



23

Use the included hardware to securely fasten each of the handrails to the ladder platform as shown.



24

Finished product.





www.360huntingblinds.com