

# Wood Tower Stand Setup Instructions



---

# Safety

At no time shall 360 Hunting Blinds be liable for any accidents due to falls from the hunting blind. We recommend that you follow standard safety procedures when entering and exiting the blind, such as the use of safety harnesses, climbing ropes, etc.

1

Layout the included pieces of your wooden tower stand kit.



2

Set the 4x4 legs into the pockets on the floor of the tower stand.



3

When each of the legs is in the pockets of the upside-down 360 Blind floor, it should look like this.



4

Use the included lags to secure the legs to the floor.



5

Use a measuring tape to create marks on each leg at 12" where the leg braces will be attached.



6

Attach the leg braces with the included screws, lining them up with your 12" mark as shown. (pro tip: start your screws in the braces so that you don't need to fumble with the screws when holding the brace into position)



7

The setup should look like this after each brace has been fastened between the legs.



8

Attach the angle braces into position at the top as shown.



9

Angle brace attachment closeup.



10

Measure from corner to corner as shown to make sure your leg structure is not twisted before finishing your angle brace attachment.



11

Second view of measuring across the corner to make sure your structure is square.



12

Finish fastening the angle braces to the legs.



# 13

When all of the angle braces are installed they will create an X on each side of the tower stand as shown here.



# 14

Secure the angle braces to each other with a screw in the center of the X as shown.



# 15

Gently tip the tower stand onto its side.



# 16

Set the tower stand right side up.



# 17

Place a level on the braces between each of the legs to determine if the stand needs to be leveled. Wooden shims, or rocks can be used to build up the low sides. Alternately you can use a shovel to dig away soil under the stand foot that needs to be lowered.



# 18

Use a blade bit to drill a hole through each tower stand leg at an angle as shown.



# 19

Insert one of the included stakes into the hole in each leg as shown.



# 20

Drive the included stakes through the holes with a heavy hammer to secure the stand to its new site.



**21**

Bring the stair risers into place at the widest side of the floor where the door panel will be installed.



**22**

Attach each stair riser into place with screws as shown.



**23**

Make sure to secure the risers firmly to the tower.



**24**

Attach the stair treads to the risers with the included stairs.



# 25

Refer to your 360 Hunting Blind setup instruction manual to complete the Blind setup before attaching your ladder railings in the next step.

After your blind kit has been installed on the new tower stand, complete the final step of adding the railing to the tower stand stairs.



# 26

Fasten the rail posts on each side of the stairway as shown.



# 27

Fasten the railing to the stairway posts as shown.



# 28

Fasten the railing to the stairway posts as shown.



29

Fasten the railing to the stairway posts as shown.





[www.360huntingblinds.com](http://www.360huntingblinds.com)