



Patient Information	Specimen Information	Client Information
<b>GOLDBERG, MICHAEL</b> <b>DOB: **/**/1978    AGE: 46</b> Gender: M    Fasting: N Phone:    ***.***.5278 Patient ID: B93077D3EA Health ID: 8573036049141553	Specimen: CZ880707C Requisition: 0022621 Lab Ref #: B93077D3EA  01/14/2025 / 12:08 EST Collected: 01/15/2025 / 03:30 EST Received: 01/15/2025 / 11:51 EST Reported:	Client #: 97555165    MAIL992 KAVANAGH, PATRICK FPK ANALYTE HEALTH 11150 S WILCREST DR STE 100 HOUSTON, TX 77099-4343

**COMMENTS:**    FASTING:NO

Test Name	In Range	Out Of Range	Reference Range	Lab
HEPATITIS B CORE				Z99
ANTIBODY (IGM)	NON-REACTIVE		NON-REACTIVE	

For additional information, please refer to  
<http://education.questdiagnostics.com/faq/FAQ202>  
 (This link is being provided for informational/  
 educational purposes only.)

HSV 1 IGG, TYPE SPECIFIC				Z99
AB	<0.90		index	
	Index	Interpretation		
	-----	-----		
	<0.90	Negative		
	0.90-1.09	Equivocal		
	>1.09	Positive		

This assay utilizes recombinant type-specific antigens to differentiate HSV-1 from HSV-2 infections. A positive result cannot distinguish between recent and past infection. If recent HSV infection is suspected but the results are negative or equivocal, the assay should be repeated in 4-6 weeks. The performance characteristics of the assay have not been established for pediatric populations, immunocompromised patients, or neonatal screening.

**See Endnote 1**

HSV 2 IGG, TYPE SPECIFIC				Z99
--------------------------	--	--	--	-----



Patient Information	Specimen Information	Client Information
<b>GOLDBERG, MICHAEL</b> <b>DOB: **/**/1978    AGE: 46</b> Gender: M    Fasting: N Patient ID: B93077D3EA Health ID: 8573036049141553	Specimen: CZ880707C Collected: 01/14/2025 / 12:08 EST Received: 01/15/2025 / 03:30 EST Reported: 01/15/2025 / 11:51 EST	Client #: 97555165 KAVANAGH, PATRICK

AB	<0.90	index
	Index	Interpretation
	-----	-----
	<0.90	Negative
	0.90-1.09	Equivocal
	>1.09	Positive

This assay utilizes recombinant type-specific antigens to differentiate HSV-1 from HSV-2 infections. A positive result cannot distinguish between recent and past infection. If recent HSV infection is suspected but the results are negative or equivocal, the assay should be repeated in 4-6 weeks. The performance characteristics of the assay have not been established for pediatric populations, immunocompromised patients, or neonatal screening.

**See Endnote 1**

HEPATITIS A IGM	NON-REACTIVE	NON-REACTIVE	Z99
-----------------	--------------	--------------	-----

For additional information, please refer to <http://education.questdiagnostics.com/faq/FAQ202>  
(This link is being provided for informational/

Test Name	In Range	Out Of Range	Reference Range	Lab
educational purposes only.)				
CHLAMYDIA/N. GONORRHOEAE				Z99
RNA, TMA, UROGENITAL				
CHLAMYDIA TRACHOMATIS				
RNA, TMA, UROGENITAL	NOT DETECTED		NOT DETECTED	
NEISSERIA GONORRHOEAE				
RNA, TMA, UROGENITAL	NOT DETECTED		NOT DETECTED	
<b>See Endnote 2</b>				
RPR (DX) W/REFL TITER AND				Z99



T. PALLIDUM AB, IA

RPR (DX) W/REFL TITER AND

CONFIRMATORY TESTING

NON-REACTIVE

NON-REACTIVE

No laboratory evidence of syphilis. If recent exposure is suspected, submit a new sample in 2-4 weeks.

ABO GROUP AND RH TYPE

Z99

ABO GROUP

O

RH TYPE

RH(D) POSITIVE

For additional information, please refer to <http://education.QuestDiagnostics.com/faq/FAQ111> (This link is being provided for informational/ educational purposes only.)

**Endnote 1** For additional information, please refer to <http://education.QuestDiagnostics.com/faq/FAQ118> (This link is being provided for informational/ educational purposes only.)

**Endnote 2** The analytical performance characteristics of this assay, when used to test SurePath(TM) specimens have been determined by Quest Diagnostics. The modifications have not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes. For additional information, please refer to <https://education.questdiagnostics.com/faq/FAQ154> (This link is being provided for information/ educational purposes only.)

Infectious Diseases

Test Name	Result	Reference Range	Lab
HIV 1/2 ANTIGEN/ANTIBODY, FOURTH GENERATION W/RFL			Z99
HIV AG/AB, 4TH GEN	NON-REACTIVE	NON-REACTIVE	
HIV-1 antigen and HIV-1/HIV-2 antibodies were not detected. There is no laboratory evidence of HIV infection.			
PLEASE NOTE: This information has been disclosed to you from records whose confidentiality may be protected by state law. If your state requires such protection, then the state law prohibits you from making any further disclosure of the information without the specific written consent of the person to whom it pertains, or as otherwise permitted by law. A general authorization for the release of medical or other information is NOT sufficient for this purpose.			
For additional information please refer to <a href="http://education.questdiagnostics.com/faq/FAQ106">http://education.questdiagnostics.com/faq/FAQ106</a> (This link is being provided for informational/ educational purposes only.)			
The performance of this assay has not been clinically validated in patients less than 2 years old.			
Physician Comments:			



Patient Information	Specimen Information	Client Information
<b>GOLDBERG, MICHAEL</b> <b>DOB: **/**/1978    AGE: 46</b> Gender: M    Fasting: N Patient ID: B93077D3EA Health ID: 8573036049141553	Specimen: CZ880707C Collected: 01/14/2025 / 12:08 EST Received: 01/15/2025 / 03:30 EST Reported: 01/15/2025 / 11:51 EST	Client #: 97555165 KAVANAGH, PATRICK

Infectious Diseases			
Test Name	Result	Reference Range	Lab
HEPATITIS B SURFACE ANTIGEN W/REFL CONFIRM			Z99
HEPATITIS B SURFACE ANTIGEN	NON-REACTIVE	NON-REACTIVE	
For additional information, please refer to <a href="http://education.questdiagnostics.com/faq/FAQ202">http://education.questdiagnostics.com/faq/FAQ202</a> (This link is being provided for informational/ educational purposes only.)			
HEPATITIS C AB W/REFL TO HCV RNA, QN, PCR			Z99
HEPATITIS C ANTIBODY	NON-REACTIVE	NON-REACTIVE	
HCV antibody was non-reactive. There is no laboratory evidence of HCV infection.  In most cases, no further action is required. However, if recent HCV exposure is suspected, a test for HCV RNA (test code 35645) is suggested.  For additional information please refer to <a href="http://education.questdiagnostics.com/faq/FAQ22v1">http://education.questdiagnostics.com/faq/FAQ22v1</a> (This link is being provided for informational/ educational purposes only.)			
Physician Comments:			

**PERFORMING SITE:**

Z99    QUEST DIAGNOSTICS CLIFTON, 1 INSIGHTS DRIVE, CLIFTON, NJ 07012-2355 Laboratory Director: PETER E. FISHER,MD, CLIA: 31D0696246