



Patient Information	Specimen Information	Client Information
GOLDBERG, MICHAEL DOB: **/**/1978 AGE: 46 Gender: M Fasting: N Phone: ***** Patient ID: 6A5461C539 Health ID: 8573035479447738	Specimen: CZ553302H Requisition: 0028858 Lab Ref #: 6A5461C539 09/08/2025 / 09:49 EDT Collected: 09/08/2025 / 20:02 EDT Received: 09/09/2025 / 19:15 EDT Reported:	Client #: 97555165 MAIL992 KAVANAGH, PATRICK FPK ANALYTE HEALTH 11150 S WILCREST DR STE 100 HOUSTON, TX 77099-4343

COMMENTS: FASTING:NO

Test Name	In Range	Out Of Range	Reference Range	Lab
HSV 1 IGG, TYPE SPECIFIC				Z99

AB	<0.90		index
	Index	Interpretation	
	-----	-----	
	<0.90	Negative	
	0.90-1.09	Equivocal	
	>1.09	Positive	

This assay utilizes recombinant type-specific antigens to differentiate HSV-1 from HSV-2 infections. A positive result cannot distinguish between recent and past infection. If recent HSV infection is suspected but the results are negative or equivocal, the assay should be repeated in 4-6 weeks. The performance characteristics of the assay have not been established for pediatric populations, immunocompromised patients, or neonatal screening.

See Endnote 1

HSV 2 IGG, TYPE SPECIFIC

Z99

AB	<0.90		index
	Index	Interpretation	
	-----	-----	
	<0.90	Negative	
	0.90-1.09	Equivocal	
	>1.09	Positive	

This assay utilizes recombinant type-specific antigens to differentiate HSV-1 from HSV-2 infections. A positive result cannot distinguish between recent and past infection. If recent HSV infection is suspected but the results are negative or equivocal, the assay should be repeated in 4-6 weeks. The performance characteristics of the assay have not been established for pediatric populations, immunocompromised patients, or neonatal screening.



CONFIRMATORY TESTING

NON-REACTIVE

NON-REACTIVE

No laboratory evidence of syphilis. If recent exposure is suspected, submit a new sample in 2-4 weeks.

Endnote 1 For additional information, please refer to <http://education.QuestDiagnostics.com/faq/FAQ118> (This link is being provided for informational/ educational purposes only.)

Endnote 2 The analytical performance characteristics of this assay, when used to test SurePath(TM) specimens have been determined by Quest Diagnostics. The modifications have not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes. For additional information, please refer to <https://education.questdiagnostics.com/faq/FAQ154> (This link is being provided for information/ educational purposes only.)

Infectious Diseases

Test Name	Result	Reference Range	Lab
HIV 1/2 ANTIGEN/ANTIBODY,FOURTH GENERATION W/RFL			
HIV FINAL INTERPRETATION	HIV NEGATIVE		Z99
HIV-1 antigen and HIV-1/HIV-2 antibodies were not detected. There is no laboratory evidence of HIV infection.			
HIV AG/AB, SCREEN	NON-REACTIVE	NON-REACTIVE	Z99
Physician Comments:			

Infectious Diseases

Test Name	Result	Reference Range	Lab
HEPATITIS B SURFACE ANTIGEN W/REFL CONFIRM			
HEPATITIS B SURFACE ANTIGEN	NON-REACTIVE	NON-REACTIVE	Z99
For additional information, please refer to http://education.questdiagnostics.com/faq/FAQ202 (This link is being provided for informational/ educational purposes only.)			
HEPATITIS C AB W/REFL TO HCV RNA, QN, PCR			
HEPATITIS C ANTIBODY	NON-REACTIVE	NON-REACTIVE	Z99
HCV antibody was non-reactive. There is no laboratory evidence of HCV infection.			
In most cases, no further action is required. However, if recent HCV exposure is suspected, a test for HCV RNA (test code 35645) is suggested.			
For additional information please refer to http://education.questdiagnostics.com/faq/FAQ22v1 (This link is being provided for informational/ educational purposes only.)			



Patient Information	Specimen Information	Client Information
GOLDBERG, MICHAEL DOB: **/**/1978 AGE: 46 Gender: M Fasting: N Patient ID: 6A5461C539 Health ID: 8573035479447738	Specimen: CZ553302H Collected: 09/08/2025 / 09:49 EDT Received: 09/08/2025 / 20:02 EDT Reported: 09/09/2025 / 19:15 EDT	Client #: 97555165 KAVANAGH, PATRICK
Physician Comments:		

PERFORMING SITE:

Z99 QUEST DIAGNOSTICS CLIFTON, 1 INSIGHTS DRIVE, CLIFTON, NJ 07012-2355 Laboratory Director: DR. PETER E. FISHER, CLIA: 31D0696246