



Patient Information	Specimen Information	Client Information
<b>GOLDBERG, MICHAEL</b>  <b>DOB: **/**/1978    AGE: 45</b> Gender: M    Fasting: Y Phone:    ***.***.*** Patient ID: B64B172696 Health ID: 8573034894358810	Specimen: CZ262061Y Requisition: 0017977 Lab Ref #: B64B172696  07/08/2024 / 10:00 EDT Collected: 07/09/2024 / 04:00 EDT Received: 07/09/2024 / 13:46 EDT Reported:	Client #: 97555165    MAIL992 KAVANAGH, PATRICK FPK ANALYTE HEALTH 11150 S WILCREST DR STE 100 HOUSTON, TX 77099-4343

**COMMENTS:** FASTING:YES

Test Name	In Range	Out Of Range	Reference Range	Lab
HSV 1 IGG, TYPE SPECIFIC				Z99
AB	<0.90		index	
	Index	Interpretation		
	-----	-----		
	<0.90	Negative		
	0.90-1.09	Equivocal		
	>1.09	Positive		

This assay utilizes recombinant type-specific antigens to differentiate HSV-1 from HSV-2 infections. A positive result cannot distinguish between recent and past infection. If recent HSV infection is suspected but the results are negative or equivocal, the assay should be repeated in 4-6 weeks. The performance characteristics of the assay have not been established for pediatric populations, immunocompromised patients, or neonatal screening.

**See Endnote 1**

Test Name	In Range	Out Of Range	Reference Range	Lab
HSV 2 IGG, TYPE SPECIFIC				Z99
AB	<0.90		index	
	Index	Interpretation		
	-----	-----		
	<0.90	Negative		
	0.90-1.09	Equivocal		
	>1.09	Positive		

This assay utilizes recombinant type-specific antigens to differentiate HSV-1 from HSV-2 infections. A positive result cannot distinguish between recent and past infection. If recent HSV infection is suspected but the results are negative or equivocal, the assay should be repeated in 4-6 weeks. The performance characteristics of the assay have not been established for pediatric populations, immunocompromised patients, or neonatal screening.





CONFIRMATORY TESTING

NON-REACTIVE

NON-REACTIVE

No laboratory evidence of syphilis. If recent exposure is suspected, submit a new sample in 2-4 weeks.

**Endnote 1** For additional information, please refer to <http://education.QuestDiagnostics.com/faq/FAQ118> (This link is being provided for informational/ educational purposes only.)

**Endnote 2** The analytical performance characteristics of this assay, when used to test SurePath(TM) specimens have been determined by Quest Diagnostics. The modifications have not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes. For additional information, please refer to <https://education.questdiagnostics.com/faq/FAQ154> (This link is being provided for information/ educational purposes only.)

Infectious Diseases			
Test Name	Result	Reference Range	Lab
HIV 1/2 ANTIGEN/ANTIBODY, FOURTH GENERATION W/RFL			Z99
HIV AG/AB, 4TH GEN	NON-REACTIVE	NON-REACTIVE	
<p>HIV-1 antigen and HIV-1/HIV-2 antibodies were not detected. There is no laboratory evidence of HIV infection.</p> <p>PLEASE NOTE: This information has been disclosed to you from records whose confidentiality may be protected by state law. If your state requires such protection, then the state law prohibits you from making any further disclosure of the information without the specific written consent of the person to whom it pertains, or as otherwise permitted by law. A general authorization for the release of medical or other information is NOT sufficient for this purpose.</p> <p>For additional information please refer to <a href="http://education.questdiagnostics.com/faq/FAQ106">http://education.questdiagnostics.com/faq/FAQ106</a> (This link is being provided for informational/ educational purposes only.)</p> <p>The performance of this assay has not been clinically validated in patients less than 2 years old.</p>			
Physician Comments:			

Infectious Diseases			
Test Name	Result	Reference Range	Lab
HEPATITIS B SURFACE ANTIGEN W/REFL CONFIRM			Z99
HEPATITIS B SURFACE ANTIGEN	NON-REACTIVE	NON-REACTIVE	
For additional information, please refer to <a href="http://education.questdiagnostics.com/faq/FAQ202">http://education.questdiagnostics.com/faq/FAQ202</a> (This link is being provided for informational/ educational purposes only.)			
HEPATITIS C AB W/REFL TO HCV RNA, QN, PCR			Z99
HEPATITIS C ANTIBODY	NON-REACTIVE	NON-REACTIVE	



Patient Information	Specimen Information	Client Information
<p><b>GOLDBERG, MICHAEL</b></p> <p><b>DOB: **/**/1978    AGE: 45</b></p> <p>Gender: M    Fasting: Y</p> <p>Patient ID: B64B172696</p> <p>Health ID: 8573034894358810</p>	<p>Specimen: CZ262061Y</p> <p>Collected: 07/08/2024 / 10:00 EDT</p> <p>Received: 07/09/2024 / 04:00 EDT</p> <p>Reported: 07/09/2024 / 13:46 EDT</p>	<p>Client #: 97555165</p> <p>KAVANAGH, PATRICK</p>

HCV antibody was non-reactive. There is no laboratory evidence of HCV infection.

In most cases, no further action is required. However, if recent HCV exposure is suspected, a test for HCV RNA (test code 35645) is suggested.

For additional information please refer to <http://education.questdiagnostics.com/faq/FAQ22v1> (This link is being provided for informational/ educational purposes only.)

Physician  
Comments:

**PERFORMING SITE:**

Z99 QUEST DIAGNOSTICS CLIFTON, 1 INSIGHTS DRIVE, CLIFTON, NJ 07012-2355 Laboratory Director: PETER E. FISHER,MD, CLIA: 31D0696246