

www.strawblanket.com

E2000 Double Net Excelsior Blanket

Contents:	100% Excelsior
Netting:	Double Polypropylene Photodegradable
Thread:	Photodegradable
Roll Size:	100.0 sq yards/ 83.6 sq meters
Width:	8.00 feet/ 2.44 meters
Functional Longevity:	12 – 24 months
Best Use:	2:1 slopes, Medium-flow, roadways

E2000 is a fully Photodegradable blanket. The netting is made from Double Polypropylene. The thread is Photodegradable, while the filament of matrix is 100% Excelsior.

Blankets can be produced from 50 SY to 1,000 SY and be from 4 ft. to 16 ft. wide.

As described in Federal Highway Administration’s Standard Specification FP-03 in Section 713.17 and as described by ECTC as a Type 2.D.



Test Method Description	MARV*
Mass/Unit Area ASTM D 6475	11.70 oz/sq yd
Tensile Strength –MD ASTM D 6818	75 lbs/ft*
Tensile Strength –TD ASTM D 6818	75 lbs/ft*
Thickness ASTM D 6525	0.25+ inches*
Light Penetration ASTM D 6567	32.0%
Water Absorption ASTM D 1117, ECTC TASC 00197	256%
Elongation –MD ASTM D 6818	19 lb/in
Elongation –TD ASTM D 6818	18.5 lb/in
C Factor	<0.20@2:1*
Permissible Shear Stress	1.75 lbs/ft.*
Permissible rate of flow	6 ft/s*

Enviroscape ECM certifies that the above criteria is met by this specified product and that it meets requirements as described in the Federal Highway Administration’s Standard Specification FP-03 in Section 713.17 and as described by ECTC as a Type 2.D.
 *MARV-Minimum Average Roll Value