

Panel Finishing Equipment for an unsurpassed level of uniformity and quality

Up to 7200 sqf (720 sqm) per hour with single operator on a two station machine



PRODUCTION EFFICIENCY AND QUALITY



UNIFORMITY OF FINISH LABOR REDUCTION FAST FINISHES NOT ATTAINABLE BY MANUAL PROCESS 100% WATER RECYCLING

for Washing, Sandblasting and Etching







There are two models of the machine:

- Straight Pressure Washing
- Pressure Washing with Brushes

Straight Pressure Washing offers the most flexibility for surface finishes

- Exposed Aggregate

Sand blast wherein the sand is
carried by the water under pressure
Acid etch

Multiple finishes are possible in the same panel

Over 40 years experience in precast panel surface finishing!

Pressure washing with Brushes for Exposed Aggregate

The vertical and continuous movement between the panel brush and the front surface allows a rapid evacuation of removed material, preventing it from falling on the already washed surface

Moreover, the large contact surface of the brush allows for the use of lowpressure waterworks resulting in reduced maintenance

Finally, the brush's continuous transfer eliminates the phenomenon of the brush showing localized wear when processing panels of different width

With more than 40 years of experience, we are experts in plant production for surface treatment of concrete panels









Panel Finishing Equipment Will handle panels up to 3.65 m / 12 ft Wide and unlimited length






Panel Finishing Equipment Available in either a single station or a double station design for maximum production and efficiency




We also offer a Complete Panel Handling Solution - From the bed to the stockyard on either rails or rubber tires including finishing processes and water recycling









Gemini Impianti Srl

via Vittorio Veneto 52 43046 Rubbiano di Solignano (Parma) – Italy

Phone: +39 0525 54886

E-mail: info@gi-tech.eu - www.gi-tech.eu