



# FEED CHART FOR POWDER A,B,C

## GROW STAGE

## FLOWER STAGE

PRODUCT	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8
<b>Premium A</b>	1gml/L	1gml/L	1gml/L	1gml/L	1gm/1L	1gm/1L	1gm/1L	1gm/1L	1gm/1L	1gm/1L	1gm/1L	—
<b>Premium B</b>	1gml/L	1gml/L	1gml/L	1gml/L	1gm/1L	1gm/1L	1gm/1L	0.75gm/1L	0.75gm/1L	0.75gm/1L	0.75gm/1L	0.75gm/1L
<b>Premium C</b>	-	-	-	-	0.25gm/1L	0.25gm/1L	0.25gm/1L	0.5gm/1L	0.5gm/1L	0.5gm/1L	0.5gm/1L	0.5gm/1L
<b>TrichomeX</b>	—	—	—	—	1ml/L	1ml/L	1ml/L	1ml/L	2ml/L	2ml/L	2ml/L	2ml/L
<b>EC PPM</b>	1.8 1260	2.2 1540	2.4 1680	2.4 1680	2.6 1820	2.6 1820	2.6 1820	2.6 1820	2.6 1820	2.6 1820	2.4 1680	2.4 1680
<b>pH</b>	5.5-6.2	5.5-6.2	5.5-6.2	5.5-6.2	5.9-6.4	5.9-6.4	5.9-6.4	5.9-6.4	5.9-6.4	5.9-6.4	5.9-6.4	5.9-6.4

If the grow cycle exceeds eight (8) weeks, repeat **Week 7** until harvest. Use the feeding chart as a general guide. Adjust nutrient strength as required based on plant response, environmental conditions, genetics, and any additional products used. During the final week before harvest, flush the growing medium using **water only**. All nutrient rates are calculated per litre of water or nutrient solution.