



# A Bright Idea.

continuously looking forward  
to offer you best LEDs

# A Bright Idea.

continuously looking forward  
to offer you best LEDs






Multtifab Lights are a smart innovation of Mali Product India. We provide a simple and lasting lighting solution to the end of our customers. Its advanced technology, energy efficiency and its durability takes it light years ahead, giving it a clear edge in today's market.

Since its inception in 2008, Multtifab brand built a strong positioned leading in the lighting market.

We provide BIS Certified products to all our esteemed customers. Our Leading area in the Retail, Commercial Residential Industrial Lighting Fixture.





# Contents

## LED Mini Spotlights

Dot, Crystal, Karizma, Jelly Acrylic, Craxa, M-One, Ferxo, Eagon

## LED Cob Downlights

Ertiga, Moon, ERA, Crystal, Verve, Circle, I -Power, I Ball, Jet-I Rangoli (SMD), Colours(SMD), Nexa , Sparkle, Verve+.

## LED Panel Lights

Super Saver, Prime, Max Bright, Air, Satrangi,

## LED Surface Panel Lights

Satrangi, Super Saver, Max Bright,

## LED Surface Lights

Ultramax, Alexa ,Ocular, Coin, Twist, Zero Edge, Power.

## LED Linear Light

Ultra Slim , Smart Line Next , Netries

## LED COB Wall & Track Light

Pro , Zoom ,Pilot

## LED Street Lights

Stellar Bright , Solar X, Vista

## LED Flood Light


Xuv, Neo, Netvue, Multistar

## LED Bulkhead

Plano, Creta

## LED Wall Mirror Lights

Milan, Unicorn, Curve , Mirror, Promax , Victus,



# Contents

## LED Garden Light

Aqua, Solar Smart , Fludex

## LED Wall Light

Xylo, Camry, S-Cross, Elantra, Dzire, Ciaz, Eeco, Starz, Alto, Breeza, Fiesta, Atmos, Step , Accent, Major , Compass , Tigor, Thar, Altroz, Xylo Gold,

## LED Gate Light

Radial LED , Radial Pro

## LED Filament Bulb's

Click, Crom, Glow, Spark, Gola, Linear

## LED Strip Light

Twinkle Star

## LED Highbay Light

## LED SMPS / LED Driver

Power Booster

## Isolator

Magic line

## RCCB

Protech

## Bell Switch

Aqua

## 3 Pin Adaptor


Point

## GI Sheet Metal Box


# LEDs *Lighting*



**DOT**  
MINI SPOT LIGHT

 **Mini Crystal**



 **Mini Crystal**

**86%**  
SAVINGS


  
EXCELLENT  
CRI

**100**  
LUMENS  
PER WATT

  
LONG  
LIFE

  
EYE  
COMFORT




ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>DOT MINI SPOTLIGHT</b>								
MP-1W-DOT	1W	3000K	>0.5	38x23	31	80	38	200
MP-1W-DOT	1W	4000K	>0.5	38x23	31	80	38	200
MP-1W-DOT	1W	6500K	>0.5	38x23	31	80	38	200
MP-1W-DOT	1W		>0.5	38x23	31	80	38	200



<b>CRYSTAL MINI SPOTLIGHT- DRIVER BASED</b>								
MP-1W-CRY	1W	3000K	>0.9	33x23	25	80	38	100
MP-1W-CRY	1W	4000K	>0.9	33x23	25	80	38	100
MP-1W-CRY	1W	6500K	>0.9	33x23	25	80	38	100



<b>CRYSTAL MINI SPOTLIGHT-DRIVER BASED</b>								
MP-3W-CRY	3W	3000K	>0.9	45x28	35	80	38	100
MP-3W-CRY	3W	4000K	>0.9	45x28	35	80	38	100
MP-3W-CRY	3W	6500K	>0.9	45x28	35	80	38	100
MP-3W-CRY	3W		>0.9	45x28	35	80	38	100



<b>CRYSTAL MINI SPOTLIGHT( ADJUSTABLE)-DRIVER BASED</b>								
MP-1W-CRY	1W	3000K	>0.9	45x28	35	80	38	100
MP-1W-CRY	1W	4000K	>0.9	45x28	35	80	38	100
MP-1W-CRY	1W	6500K	>0.9	45x28	35	80	38	100
MP-1W-CRY	1W		>0.9	45x28	35	80	38	100



<b>EAGON MINI SPOTLIGHT</b>								
MP-2W-EAG	2W	3K/4K/6K	>0.9	45x28	35	80	38	100
MP-2W-EAG	2W		>0.9	45x28	35	80	38	100



# LEDs *Lighting*



**KARIZMA**  
MINI SOPTLIGHT

 **JellyAcrylic**  
MINI SOPTLIGHT



 **JellyAcrylic**  
MINI SOPTLIGHT




86%  
SAVINGS

  
EXCELLENT  
CRI

100  
LUMENS  
PER WATT

  
LONG  
LIFE


  
EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>KARIZMA DEEP MINI SPOTLIGHT-DRIVER BASED</b>								
MP-3W-KAR	3W	3000K	>0.9	45x28	35	80	38	100
MP-3W-KAR	3W	4000K	>0.9	45x28	35	80	38	100
MP-3W-KAR	3W	6500K	>0.9	45x28	35	80	38	100
MP-3W-KAR	3W		>0.9	45x28	35	80	38	100




ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>KARIZMA MINI SPOTLIGHT-DRIVER BASED</b>								
MP-3W-KAR	3W	3000K	>0.9	45x28	35	80	38	100
MP-3W-KAR	3W	4000K	>0.9	45x28	35	80	38	100
MP-3W-KAR	3W	6500K	>0.9	45x28	35	80	38	100
MP-3W-KAR	3W		>0.9	45x28	35	80	38	100



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>JELLY ACRYLIC MINI SPOTLIGHT-DRIVER BASED</b>								
MP-3W-J.ACR	3W		>0.9	45x28	35	80	38	100



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>JELLY CRYSTAL MINI SPOTLIGHT-DRIVER BASED</b>								
MP-3W-J.ACR	3W		>0.9	45X28	35	80	38	100





## KARIZMA

MINI SOPTLIGHT

86%

SAVINGS

EXCELLENT CRI

100

LUMENS PER WATT

LONG LIFE

ANTI-GLARE OPTIC

LEDs *Lighting*

**BE BOLD .**  
Be Bright



**CRAXA** **DOB**  
LED SPOT LIGHT


86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE


EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>CRAXA MINI SPOTLIGHT (DOB)</b>								
MP-1W-CRAXA	1W	3000K	>0.9	33x23	25	80	38	100
MP-1W-CRAXA	1W	4000K	>0.9	33x23	25	80	38	100
MP-1W-CRAXA	1W	6500K	>0.9	33x23	25	80	38	100
MP-1W-CRAXA	1W		>0.9	33x23	25	80	38	100



<b>CRAXA MINI SPOTLIGHT (DOB)</b>								
MP-3W-CRAXA	3W	3000K	>0.9	45x28	35	80	38	100
MP-3W-CRAXA	3W	4000K	>0.9	45x28	35	80	38	100
MP-3W-CRAXA	3W	6500K	>0.9	45x28	35	80	38	100
MP-3W-CRAXA	3W		>0.9	45x28	35	80	38	100



<b>ERTIGA MINI SPOTLIGHT - DRIVER BASED</b>								
MP-1W-ERTIGA	1W	3000K	>0.9	67x45	45	80	38	100
MP-1W-ERTIGA	1W	4000K	>0.9	67x45	45	80	38	100
MP-1W-ERTIGA	1W	6500K	>0.9	67x45	45	80	38	100
MP-1W-ERTIGA	1W		>0.9	67x45	45	80	38	100





## ERTIGA

LED SPOT LIGHT

86%

EFFICIENCY



DROUGHT DYE

100

LUMENS PER WATT




LIFE



NO BLUE LIGHT

LEDs *Lighting*

ANTIQUE  
DESIGN.



**M-ONE**  
LED SPOT LIGHT

86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>M-ONE MINI SPOTLIGHT-DRIVER BASED</b>								
MP-1W-M-ONE	1W	3000K	>0.9	30x30	25	80	38	100
MP-1W-M-ONE	1W	4000K	>0.9	30x30	25	80	38	100
MP-1W-M-ONE	1W	6500K	>0.9	30x30	25	80	38	100

M-ONE



\*Also Available in White & Black Fixture Housing.

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>M-ONE MINI SPOTLIGHT-DRIVER BASED</b>								
MP-3W-M-ONE	3W	3000K	>0.9	38x30	35	80	38	100
MP-3W-M-ONE	3W	4000K	>0.9	38x30	35	80	38	100
MP-3W-M-ONE	3W	6500K	>0.9	38x30	35	80	38	100

M-ONE




All dimensions in mm



LEDs *Lighting*

**EXTRA  
BRIGHT**  
Lighting



**Ferxo USB**  
LED SPOT LIGHT

86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE


EYE  
COMFORT



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>FERXO MINI SPOTLIGHT(DOB)</b>								
MP-1W-FERXO	1W	3000K	>0.9	30x30	25	80	38	100
MP-1W-FERXO	1W	4000K	>0.9	30x30	25	80	38	100
MP-1W-FERXO	1W	6500K	>0.9	30x30	25	80	38	100



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>FERXO MINI SPOTLIGHT(DOB)</b>								
MP-3W-FERXO	3W	3000K	>0.9	38x30	35	80	38	100
MP-3W-FERXO	3W	4000K	>0.9	38x30	35	80	38	100
MP-3W-FERXO	3W	6500K	>0.9	38x30	35	80 <td 38	100	



All dimensions in mm



LEDs *Lighting*

Twist in  
twist out



**MOON**  
LED DOWN LIGHT


86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE



EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>MOON MINI SPOTLIGHT -INBUILT DRIVER</b>								
MP-3W-MOON	3W	3000K	>0.9	70x45	52	80	120	100
MP-3W-MOON	3W	4000K	>0.9	70x45	52	80	120	100
MP-3W-MOON	3W	6500K	>0.9	70x45	52	80	120	100
MP-3W-MOON	3W		>0.9	70x45	52	80	120	100



<b>MOON MINI SPOTLIGHT -INBUILT DRIVER</b>								
MP-7W-MOON	7W	3000K	>0.9	110x60	70	80	120	100
MP-7W-MOON	7W	4000K	>0.9	110x60	70	80	120	100
MP-7W-MOON	7W	6500K	>0.9	110x60	70	80	120	100
MP-7W-MOON	7W		>0.9	110x60	70	80	120	100



<b>MOON MINI SPOTLIGHT -INBUILT DRIVER-3in1</b>								
MP-3W-MOON	3W		>0.9	70x45	52	80	120	100
MP-3W-MOON	3W		>0.9	70x45	52	80	120	100



<b>MOON MINI SPOTLIGHT -INBUILT DRIVER-3in1</b>								
MP-7W-MOON	7W		>0.9	110x60	70	80	120	50
MP-7W-MOON	7W		>0.9	110x60	70	80	120	50



**3W**

Suitable For 2 Inch  
Junction Box



**7W**

Suitable For 3 Inch  
Junction Box

LEDs *Lighting*

Payless,  
get more  
*Brightness*

# SPARKLE SERIES



86%  
SAVINGS

✓  
EXCELLENT  
CRI

100  
LUMENS  
PER WATT



♻️  
LONG  
LIFE


👁️👍  
EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
-----------	-------	----------	----	-----------	----------	-----	-------	------

**SPARKLE**

**SPARKLE LED SPOT LIGHT**

MP-SPARK-8+8W	8+8W		>0.95	110x57	72	30	120	50
MP-SPARK-8+8W	8+8W		>0.95	110x57	72	30	120	50



All dimensions in mm



50%  
Energy saving  
over CFLs



Zero  
Maintenance



4 times  
more life  
over CFLs



Zero  
Mercury



LEDs *Lighting*



TILTABLE

ERA




86%  
SAVINGS

EXCELLENT  
CRI


100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>ERA SMD SPOTLIGHT -INBUILT DRIVER</b>								
MP-3W-ERA	3W	3000K	>0.9	75x35	55	80	120	100
MP-3W-ERA	3W	4000K	>0.9	75x35	55	80	120	100
MP-3W-ERA	3W	6500K	>0.9	75x35	55	80	120	100
MP-3W-ERA	3W		>0.9	75x35	55	80	120	100





<b>ERA SMD SPOTLIGHT -INBUILT DRIVER</b>								
MP-6W-ERA	6W	3000K	>0.9	90x45	75	80	120	100
MP-6W-ERA	6W	4000K	>0.9	90x45	75	80	120	100
MP-6W-ERA	6W	6500K	>0.9	90x45	75	80	120	100
MP-6W-ERA	6W		>0.9	90x45	75	80	120	100



<b>ERA SMD SPOTLIGHT -INBUILT DRIVER-3in1</b>								
MP-3W-ERA	3W		>0.9	75x35	55	80	120	100
MP-3W-ERA	3W		>0.9	75x35	55	80	120	100



<b>ERA SMD SPOTLIGHT -INBUILT DRIVER-3in1</b>								
MP-6W-ERA	6W		>0.9	90x45	75	80	120	100
MP-6W-ERA	6W		>0.9	90x45	75	80	120	100



**3W**

Suitable For 2 Inch Junction Box



All dimensions in mm

LEDs *Lighting*

# Crystal



86%  
SAVINGS


EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>CRYSTAL</b> CRYSTAL COB SPOTLIGHT - DRIVER BASED								
MP-3W-CRYSTAL	3W	3000K	>0.9	70x50	55	80	38	100
MP-3W-CRYSTAL	3W	4000K	>0.9	70x50	55	80	38	100
MP-3W-CRYSTAL	3W	6500K	>0.9	70x50	55	80	38	100
MP-3W-CRYSTAL	3W		>0.9	70x50	55	80	38	100



<b>CRYSTAL</b> CRYSTAL COB SPOTLIGHT - DRIVER BASED								
MP-6W-CRYSTAL	6W	3000K	>0.9	85x56	75	80	38	50
MP-6W-CRYSTAL	6W	4000K	>0.9	85x56	75	80	38	50
MP-6W-CRYSTAL	6W	6500K	>0.9	85x56	75	80	38	50



<b>CRYSTAL</b> CRYSTAL COB SPOTLIGHT - DRIVER BASED								
MP-9W-CRYSTAL	9W	3000K	>0.9	85x66	75	80	38	50
MP-9W-CRYSTAL	9W	4000K	>0.9	85x66	75	80	38	50
MP-9W-CRYSTAL	9W	6500K	>0.9	85x66	75	80	38	50



<b>CRYSTAL+</b> CRYSTAL+LED SPOT LIGHT								
MP-CRYSTAL-20W	20W	3000K	>0.95	115x70	100	80	120	20
MP-CRYSTAL-20W	20W	4000K	>0.95	115x70	100	80	120	20
MP-CRYSTAL-20W	20W	6500K	>0.95	115x70	100	80	120	20



<b>CRYSTAL+</b> CRYSTAL+LED SPOT LIGHT								
MP-CRYSTAL-30W	30W	3000K	>0.95	160x90	145	80	120	10
MP-CRYSTAL-30W	30W	4000K	>0.95	160x90	145	80	120	10
MP-CRYSTAL-30W	30W	6500K	>0.95	160x90	145	80	120	10



<b>CRYSTAL+</b> CRYSTAL+LED SPOT LIGHT								
MP-CRYSTAL-50W	50W	3000K	>0.95	160x90	145	80	120	10
MP-CRYSTAL-50W	50W	4000K	>0.95	160x90	145	80	120	10
MP-CRYSTAL-50W	50W	6500K	>0.95	160x90	145	80	120	10



All dimensions in mm

LEDs *Lighting*



**VERVE**  
COPPER GOLD SERIES



**OIROLE**  
LED SPOTLIGHT

86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
<b>VERVE COB SPOTLIGHT - DRIVER BASED</b>									
MP-7W-VERVE	7W	3000K	>0.9	68x56	63	80	38	670/-	50
MP-7W-VERVE	7W	4000K	>0.9	68x56	63	80	38	670/-	50
MP-7W-VERVE	7W	6500K	>0.9	68x56	63	80	38	670/-	50



White & Black Color Fixture Available In Verve Series\*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
<b>VERVE COB SPOTLIGHT - DRIVER BASED</b>									
MP-12W-VERVE	12W	3000K	>0.9	85x80	75	80	38	890/-	50
MP-12W-VERVE	12W	4000K	>0.9	85x80	75	80	38	890/-	50
MP-12W-VERVE	12W	6500K	>0.9	85x80	75	80	38	890/-	50



White & Black Color Fixture Available In Verve Series\*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
<b>VERVE COB SPOTLIGHT - DRIVER BASED</b>									
MP-18W-VERVE	18W	3000K	>0.9	100x105	90	80	38	1225/-	30
MP-18W-VERVE	18W	4000K	>0.9	100x105	90	80	38	1225/-	30
MP-18W-VERVE	18W	6500K	>0.9	100x105	90	80	38	1225/-	20



White & Black Color Fixture Available In Verve Series\*

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
<b>CIRCLE COB SPOTLIGHT - DRIVER BASED</b>									
MP-7W-CIRCLE	7W	3000K	>0.9	65x53	58	80	38	630/-	50
MP-7W-CIRCLE	7W	4000K	>0.9	65x53	58	80	38	630/-	50
MP-7W-CIRCLE	7W	6500K	>0.9	65x53	58	80	38	630/-	50



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
<b>CIRCLE COB SPOTLIGHT - DRIVER BASED</b>									
MP-12W-CIRCLE	12W	3000K	>0.9	80x75	75	80	38	820/-	50
MP-12W-CIRCLE	12W	4000K	>0.9	80x75	75	80	38	820/-	50
MP-12W-CIRCLE	12W	6500K	>0.9	80x75	75	80	38	820/-	50





ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	MRP. ₹	PKG.
<b>CIRCLE COB SPOTLIGHT - DRIVER BASED</b>									
MP-18W-CIRCLE	18W	3000K	>0.9	95x95	85	80	38	1155/-	30
MP-18W-CIRCLE	18W	4000K	>0.9	95x95	85	80	38	1155/-	30
MP-18W-CIRCLE	18W	6500K	>0.9	95x95	85	80	38	1155/-	30



White & Black Color Fixture Available In **CIROLE** Series\*

All dimensions in mm

LEDs *Lighting*



# VERVE<sup>+</sup>

LED DOWN LIGHT



ROBUST  
DESIGN

**IP20**

Indoor Use  
Only

**4KV  
440V  
SURGE**

**86%**  
SAVINGS



EXCELLENT  
CRI

**120**  
LUMENS  
PER WATT



LONG  
LIFE



EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	ANGLE	PKG.
-----------	-------	----------	----	-----------	-------	------

VERVE+

**VERVE + LED DOWNLIGHT**

MP-VERVE <sup>+</sup> -7W	7W	3000K	>0.9	85x90	120	50
MP-VERVE <sup>+</sup> -7W	7W	4000K	>0.9	85x90	120	50
MP-VERVE <sup>+</sup> -7W	7W	6500K	>0.9	85x90	120	50
MP-VERVE <sup>+</sup> -7W	7W	③IN①	>0.9	85x90	120	50



VERVE+

**VERVE + LED DOWNLIGHT**

MP-VERVE <sup>+</sup> -12W	12W	3000K	>0.9	95x100	120	50
MP-VERVE <sup>+</sup> -12W	12W	4000K	>0.9	95x100	120	50
MP-VERVE <sup>+</sup> -12W	12W	6500K	>0.9	95x100	120	50
MP-VERVE <sup>+</sup> -12W	12W	③IN①	>0.9	95x100	120	50



VERVE+

**VERVE + LED DOWNLIGHT**

MP-VERVE <sup>+</sup> -18W	18W	3000K	>0.9	105x120	120	30
MP-VERVE <sup>+</sup> -18W	18W	4000K	>0.9	105x120	120	30
MP-VERVE <sup>+</sup> -18W	18W	6500K	>0.9	105x120	120	30
MP-VERVE <sup>+</sup> -18W	18W	③IN①	>0.9	105x120	120	30



Available Fixture Colour Black & White



**Choose Your Desire Reflector.!**

**VERVE<sup>+</sup>**  
LED DOWN LIGHT

LEDs *Lighting*

*Extreme*  
Quality  
Multiple  
Downlight.



**Loop**  
Multiple Downlight

86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
-----------	-------	----------	----	-----------	----------	-----	-------	------

LOOP

**LOOP LED DOWNLIGHT**

MP-3X2-LOOP	3X2W	3000K	>0.9	111x45	-	80	38	100
MP-3X2-LOOP	3X2W	4000K	>0.9	111x45	-	80	38	100
MP-3X2-LOOP	3X2W	6500K	>0.9	111x45	-	80	38	100



LOOP

**LOOP LED DOWNLIGHT**

MP-5x2-LOOP	5X2W	3000K	>0.9	164x45	-	80	38	50
MP-5x2-LOOP	5X2W	4000K	>0.9	164x45	-	80	38	50
MP-5x2-LOOP	5X2W	6500K	>0.9	164x45	-	80	38	50



All dimensions in mm

LEDs *Lighting*



 power

86%  
SAVINGS

  
EXCELLENT  
CRI

100  
LUMENS  
PER WATT

  
LONG  
LIFE


  
EYE  
COMFORT



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
-----------	-------	----------	----	-----------	----------	-----	-------	------

1 POWER


**1 POWER COB SPOTLIGHT - DRIVER BASED**

MP-3W-I POWER	3W	3000K	>0.6	65x50	55	80	38	100
MP-3W-I POWER	3W	4000K	>0.6	65x50	55	80	38	100
MP-3W-I POWER	3W	6500K	>0.6	65x50	55	80	38	100
MP-3W-I POWER	3W		>0.6	65x50	55	80	38	100



1 POWER

**1 POWER COB SPOTLIGHT - DRIVER BASED**

MP-6W-I POWER	6W	3000K	>0.6	80x55	70	80	38	50
MP-6W-I POWER	6W	4000K	>0.6	80x55	70	80	38	50
MP-6W-I POWER	6W	6500K	>0.6	80x55	70	80	38	50
MP-6W-I POWER	6W		>0.6	80x55	70	80	38	50



1 POWER

**1 POWER COB SPOTLIGHT - DRIVER BASED**

MP-9W-I POWER	9W	3000K	>0.9	100x55	85	80	38	50
MP-9W-I POWER	9W	4000K	>0.9	100x55	85	80	38	50
MP-9W-I POWER	9W	6500K	>0.9	100x55	85	80	38	50



1 POWER

**1 POWER COB SPOTLIGHT - DRIVER BASED**

MP-16W-I POWER	16W	3000K	>0.9	130x65	115	80	38	30
MP-16W-I POWER	16W	4000K	>0.9	130x65	115	80	38	30
MP-16W-I POWER	16W	6500K	>0.9	130x65	115	80	38	30



**3W**

Suitable For 2 Inch Mini Junction Box



**9W**

Suitable For 4 Inch Spot Junction Box



All dimensions in mm

LEDs *Lighting*

**NEXA**



86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT


LONG  
LIFE

EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
-----------	-------	----------	----	-----------	----------	-----	-------	------

**NEXA DOB SPOTLIGHT**


NEXA

MP-3W-NEXA	3W	3000K	>0.9	70x35	52	80	38	200
MP-3W-NEXA	3W	4000K	>0.9	70x35	52	80	38	200
MP-3W-NEXA	3W	6500K	>0.9	70x35	52	80	38	200
MP-3W-NEXA	3W		>0.9	70x35	52	80	38	200



**I BALL COB SPOTLIGHT**

I BALL

MP-3W-I BALL	3W	3000K	>0.9	67x35	45	80	38	100
MP-3W-I BALL	3W	4000K	>0.9	67x35	45	80	38	100
MP-3W-I BALL	3W	6500K	>0.9	67x35	45	80	38	100
MP-3W-I BALL	3W		>0.9	67x35	45	80	38	100



**3W**

Suitable For 2 Inch  
Mini Junction Box



All dimensions in mm

LEDs *Lighting*



**netris**  
HANGING LINEAR LIGHT

86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
-----------	-------	----------	----	-----------	-----	-------	------

NETRIS

**NETRIS (A) LED LINEAR LIGHT**


MP-NETRIS-45W	45W	3000K	>0.95	75x50x1200	80	120	10
MP-NETRIS-45W	45W	4000K	>0.95	75x50x1200	80	120	10
MP-NETRIS-45W	45W	6500K	>0.95	75x50x1200	80	120	10



NETRIS

**NETRIS (B) LED LINEAR LIGHT**


MP-NETRIS-45W	45W	3000K	>0.95	75x50x1200	80	120	10
MP-NETRIS-45W	45W	4000K	>0.95	75x50x1200	80	120	10
MP-NETRIS-45W	45W	6500K	>0.95	75x50x1200	80	120	10



All dimensions in mm



# LED*s* Lighting



86%  
SAVINGS

✓  
EXCELLENT  
CRI

100  
LUMENS  
PER WATT

⌚  
LONG  
LIFE

👁️  
EYE  
COMFORT

 **JET-i**  
LED ABOVE THE REST

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	MOUNT	CRI	ANGLE	PKG.
-----------	-------	----------	----	-----------	-------	-----	-------	------

JET-I

**JET-I MINI COB SURFACE SPOTLIGHT - INBUILT**

MP-3W-JET.I	3W	3000K	>0.6	34x60	34	80	120	100
MP-3W-JET.I	3W	4000K	>0.6	34x60	34	80	120	100
MP-3W-JET.I	3W	6500K	>0.6	34x60	34	80	120	100



JET-I

**JET-I COB SURFACE SPOTLIGHT - DRIVER BASED**

MP-5W-JET.I	5W	3000K	>0.6	55x75	55	80	120	50
MP-5W-JET.I	5W	4000K	>0.6	55x75	55	80	120	50
MP-5W-JET.I	5W	6500K	>0.6	55x75	55	80	120	50



\*Also Available in White & Black Fixture Housing.

JET-I

**JET-I COB SURFACE SPOTLIGHT - DRIVER BASED**

MP-12W-JET.I	12W	3000K	>0.6	73x90	73	80	120	40
MP-12W-JET.I	12W	4000K	>0.6	73x90	73	80	120	40
MP-12W-JET.I	12W	6500K	>0.6	73x90	73	80	120	40



\*Also Available in White & Black Fixture Housing.

JET-I

**JET-I COB SURFACE SPOTLIGHT - DRIVER BASED**

MP-20W-JET.I	20W	3000K	>0.6	95x110	95	80	120	20
MP-20W-JET.I	20W	4000K	>0.6	95x110	95	80	120	20
MP-20W-JET.I	20W	6500K	>0.6	95x110	95	80	120	20



JET-I TWIST+

**JET-I COB SURFACE LIGHT SPOTLIGHT- DRIVER BASED**

MP-JET-I-TWIST-7W	7W	3 IN 1	>0.95	55x75	55	80	360	40
MP-JET-I-TWIST-12W	12W	3 IN 1	>0.95	73x90	73	80	360	40
MP-JET-I-TWIST-20W	20W	3 IN 1	>0.95	95x110	95	80	360	40



JET-I TWIST+

**JET-I TWIST- LED SURFACE LIGHT**

MP-JET-I-TWIST-12W	12W	3000K	>0.95	95	75x110	80	360	40
MP-JET-I-TWIST-12W	12W	4000K	>0.95	95	75x110	80	360	40
MP-JET-I-TWIST-12W	12W	6500K	>0.95	95	75x110	80	360	40



All dimensions in mm

LEDs *Lighting*



Rangoli<sup>+</sup>



COLOURS

86%  
SAVINGS


EXCELLENT  
CRI

100  
LUMENS  
PER WATT




LONG  
LIFE

EYE  
COMFORT




ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>RANGOLI SMD SPOTLIGHT</b>								
MP-3W-RANGOLI	3W	3000K	>0.9	75x35	52	80	38	100
MP-3W-RANGOLI	3W	4000K	>0.9	75x35	52	80	38	100
MP-3W-RANGOLI	3W	6500K	>0.9	75x35	52	80	38	100
MP-3W-RANGOLI	3W		>0.9	75x35	52	80	38	100



<b>RANGOLI SMD SPOTLIGHT-3in1</b>								
MP-3W-RANGOLI	3W		>0.9	75x35	52	80	38	100
MP-3W-RANGOLI	3W		>0.9	75x35	52	80	38	100
MP-3W-RANGOLI	3W		>0.9	75x35	52	80	38	100



<b>COLOURS SMD SPOTLIGHT</b>								
MP-7W-COLOURS	7W	3000K	>0.9	110x45	75	80	38	100
MP-7W-COLOURS	7W	4000K	>0.9	110x45	75	80	38	100
MP-7W-COLOURS	7W	6500K	>0.9	110x45	75	80	38	100
MP-7W-COLOURS	7W		>0.9	110x45	75	80	38	100



<b>COLOURS SMD SPOTLIGHT-3in1</b>								
MP-7W-COLOURS	7W		>0.9	110x45	75	80	38	100
MP-7W-COLOURS	7W		>0.9	110x45	75	80	38	100



**3W**

Suitable For 2 Inch  
Mini Junction Box



**7W**

Suitable For 3 Inch  
Spot Junction Box



LEDs *Lighting*



A hand in a white sleeve holds a glowing, textured orb in the upper left corner. The background is a soft-focus sunset with a bright sun low on the horizon, casting a golden glow over a green field and silhouetted trees.

# A Better Way To *Light* Up Ur Life

Introducing The Best Technology Of Led.Multifab Premium Panel Light Series  
With Elegant Design And Quality Uniform & Anti Glare Technology ,  
Multifab Panel Lights Are Truly A Class Apart

LEDs *Lighting*



**SUPER** ₹  
**SAVE** ₹

86%  
SAVINGS

EXCELLENT  
CRI

80  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>SUPER SAVER LED PANEL</b>								
MP-4W-SSPL	4W	3000K	>0.9	85x20	75	80	120	100
MP-4W-SSPL	4W	4000K	>0.9	85x20	75	80	120	100
MP-4W-SSPL	4W	6500K	>0.9	85x20	75	80	120	100
MP-4W-SSPL	4W	3000K	>0.9	85x20	75	80	120	100



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>SUPER SAVER LED PANE</b>								
MP-8W-SSPL	8W	3000K	>0.9	120x20	100	80	120	50
MP-8W-SSPL	8W	4000K	>0.9	120x20	100	80	120	50
MP-8W-SSPL	8W	6500K	>0.9	120x20	100	80	120	50
MP-8W-SSPL	8W	3000K	>0.9	120x20	100	80	120	50



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>SUPER SAVER LED PANE</b>								
MP-15W-SSPL	15W	3000K	>0.9	174x20	150	80	120	40
MP-15W-SSPL	15W	4000K	>0.9	174x20	150	80	120	40
MP-15W-SSPL	15W	6500K	>0.9	174x20	150	80	120	40
MP-15W-SSPL	15W	3000K	>0.9	174x20	150	80	120	40



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>SUPER SAVER LED PANEL</b>								
MP-22W-SSPL	22W	3000K	>0.9	225x20	200	80	120	30
MP-22W-SSPL	22W	4000K	>0.9	225x20	200	80	120	30
MP-22W-SSPL	22W	6500K	>0.9	225x20	200	80	120	30
MP-22W-SSPL	22W	3000K	>0.9	225x20	200	80	120	30



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>SUPER SAVER LED PANEL</b>								
MP-30W-SSPL	30W	3000K	>0.9	300x20	270	80	120	10
MP-30W-SSPL	30W	4000K	>0.9	300x20	270	80	120	10
MP-30W-SSPL	30W	6500K	>0.9	300x20	270	80	120	10
MP-30W-SSPL	30W	3000K	>0.9	300x20	270	80	120	10



All dimensions in mm

# LEDs *Lighting*



86%  
SAVINGS

EXCELLENT  
CRI

80  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

**MAX**brite  
LED LIGHTING TECHNOLOGY


ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>MAX BRIGHT LED PANEL</b>								
MP-8W-MAX BRIGHT	8W	3000K	>0.9	90x10	75	80	120	50
MP-8W-MAX BRIGHT	8W	4000K	>0.9	90x10	75	80	120	50
MP-8W-MAX BRIGHT	8W	6500K	>0.9	90x10	75	80	120	50



<b>MAX BRIGHT LED PANE</b>								
MF-15W-MAX BRIGHT	15W	3000K	>0.9	145x10	125	80	120	20
MF-15W-MAX BRIGHT	15W	4000K	>0.9	145x10	125	80	120	20
MF-15W-MAX BRIGHT	15W	6500K	>0.9	145x10	125	80	120	20



<b>MAX BRIGHT LED PANE</b>								
MP-22W-MAX BRIGHT	22W	3000K	>0.9	170x10	155	80	120	20
MP-22W-MAX BRIGHT	22W	4000K	>0.9	170x10	155	80	120	20
MP-22W-MAX BRIGHT	22W	6500K	>0.9	170x10	155	80	120	20



# LEDs *Lighting*



## Air

86% SAVINGS	EXCELLENT CRI	100 LUMENS PER WATT	LONG LIFE	EYE COMFORT
----------------	------------------	---------------------------	--------------	----------------



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>AIR LED PANEL</b>								
MP-8W-AIR	8W	3000K	>0.9	115x35	100	80	120	50
MP-8W-AIR	8W	4000K	>0.9	115x35	100	80	120	50
MP-8W-AIR	8W	6500K	>0.9	115x35	100	80	120	50
MP-8W-AIR	8W	3000K	>0.9	115x35	100	80	120	50



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>AIR LED PANEL</b>								
MP-15W-AIR	15W	3000K	>0.9	165x35	150	80	120	40
MP-15W-AIR	15W	4000K	>0.9	165x35	150	80	120	40
MP-15W-AIR	15W	6500K	>0.9	165x35	150	80	120	40
MP-15W-AIR	15W	3000K	>0.9	165x35	150	80	120	40





ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>AIR LED PANEL</b>								
MP-22W-AIR	22W	3000K	>0.9	220x35	205	80	120	30
MP-22W-AIR	22W	4000K	>0.9	220x35	205	80	120	30
MP-22W-AIR	22W	6500K	>0.9	220x35	205	80	120	30
MP-22W-AIR	22W	3000K	>0.9	220x35	205	80	120	30



All dimensions in mm



# LEDs *Lighting*



- |                |                  |                           |              |                |
|----------------|------------------|---------------------------|--------------|----------------|
| 86%<br>SAVINGS | EXCELLENT<br>CRI | 100<br>LUMENS<br>PER WATT | LONG<br>LIFE | EYE<br>COMFORT |
|----------------|------------------|---------------------------|--------------|----------------|

**SATRANGI JELLY**

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
<b>SATRANGI JELLY LED PANEL</b>								
MP-3W-SATRANGI	3+3W	5000K	>0.9	105x10	75	80	120	100
MP-3W-SATRANGI	3+3W	4000K	>0.9	105x10	75	80	120	100
MP-3W-SATRANGI	3+3W	3000K	>0.9	105x10	75	80	120	100
MP-3W-SATRANGI	3+3W	2700K	>0.9	105x10	75	80	120	100
MP-3W-SATRANGI	3+3W	2200K	>0.9	105x10	75	80	120	100




**SATRANGI JELLY**

<b>SATRANGI JELLY LED PANEL</b>								
MP-6W-SATRANGI	6+6W	5000K	>0.9	140x10	110	80	120	40
MP-6W-SATRANGI	6+6W	4000K	>0.9	140x10	110	80	120	40
MP-6W-SATRANGI	6+6W	3000K	>0.9	140x10	110	80	120	40
MP-6W-SATRANGI	6+6W	2700K	>0.9	140x10	110	80	120	40
MP-6W-SATRANGI	6+6W	2200K	>0.9	140x10	110	80	120	40



**SATRANGI JELLY**

<b>SATRANGI JELLY LED PANEL</b>								
MP-12W-SATRANGI	12+6W	5000K	>0.9	190x10	155	80	120	40
MP-12W-SATRANGI	12+6W	4000K	>0.9	190x10	155	80	120	40
MP-12W-SATRANGI	12+6W	3000K	>0.9	190x10	155	80	120	40
MP-12W-SATRANGI	12+6W	2700K	>0.9	190x10	155	80	120	40
MP-12W-SATRANGI	12+6W	2200K	>0.9	190x10	155	80	120	40



LEDs *Lighting*

Less Power

Consumption,

More

*light*

# GlarE+

Recessed, LED Down lighter



86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
-----------	-------	----------	----	-----------	----------	-----	-------	------

GLARE+

**GLARE+ LED DOWNLIGHT**

MP-GLARE-12W	12W	3000K	>0.95	120x50	110	80	120	40
MP-GLARE-12W	12W	4000K	>0.95	120x50	110	80	120	40
MP-GLARE-12W	12W	6000K	>0.95	120x50	110	80	120	40
MP-GLARE-12W	12W	③ IN ①	>0.95	120x50	110	80	120	40



GLARE+

**GLARE+ LED DOWNLIGHT**

MP-GLARE-18W	18W	3000K	>0.95	150x50	140	80	120	30
MP-GLARE-18W	18W	4000K	>0.95	150x50	140	80	120	30
MP-GLARE-18W	18W	6000K	>0.95	150x50	140	80	120	30
MP-GLARE-18W	18W	③ IN ①	>0.95	150x50	140	80	120	30



# GlarE+

Recessed, LED Down lighter



All dimensions in mm



LEDs *Lighting*

*Intelligent* way of  
brightening up lives

Multifab LED Lights offer you a wide range of LED Surface Panel Lights. they are easy to use, highly energy saver and eco friendly.



# LEDs *Lighting*



86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE






EYE  
COMFORT

 **SATRANGI**  
JELLY SERIES







ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	MOUNT.DIA.	CRI	ANGLE	PKG.
-----------	-------	----------	----	-----------	------------	-----	-------	------

**SATRANGI JELLY LED SURFACE PANEL**

MP-3W-SATRANGI	3+3W		>0.9	105x32	105	80	120	100
MP-3W-SATRANGI	3+3W		>0.9	105x32	105	80	120	100
MP-3W-SATRANGI	3+3W		>0.9	105x32	105	80	120	100
MP-3W-SATRANGI	3+3W		>0.9	105x32	105	80	120	100
MP-3W-SATRANGI	3+3W		>0.9	105x32	105	80	120	100







**SATRANGI JELLY LED SURFACE PANEL**

MP-6W-SATRANGI	6+6W		>0.9	140x32	140	80	120	40
MP-6W-SATRANGI	6+6W		>0.9	140x32	140	80	120	40
MP-6W-SATRANGI	6+6W		>0.9	140x32	140	80	120	40
MP-6W-SATRANGI	6+6W		>0.9	140x32	140	80	120	40
MP-6W-SATRANGI	6+6W		>0.9	140x32	140	80	120	40



**SATRANGI JELLY LED SURFACE PANEL**

MP-12W-SATRANGI	12+6W		>0.9	190x32	190	80	120	30
MP-12W-SATRANGI	12+6W		>0.9	190x32	190	80	120	30
MP-12W-SATRANGI	12+6W		>0.9	190x32	190	80	120	30
MP-12W-SATRANGI	12+6W		>0.9	190x32	190	80	120	30
MP-12W-SATRANGI	12+6W		>0.9	190x32	190	80	120	30



LEDs *Lighting*



**SUPE ₹**  
**SAVE ₹**

86%  
SAVINGS

EXCELLENT  
CRI

80  
LUMENS  
PER WATT


LONG  
LIFE

EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	MOUNT.DIA.	CRI	ANGLE	PKG.
-----------	-------	----------	----	-----------	------------	-----	-------	------

SUPER SAVER


**SUPER SAVER LED PANEL**

MP-8W-SS-SFPL	8W	3000K	>0.9	120x32	120	80	120	50
MP-8W-SS-SFPL	8W	4000K	>0.9	120x32	120	80	120	50
MP-8W-SS-SFPL	8W	6500K	>0.9	120x32	120	80	120	50
MP-8W-SS-SFPL	8W		>0.9	120x32	120	80	120	50



SUPER SAVER

**SUPER SAVER LED PANEL**

MP-15W-SS-SFPL	15W	3000K	>0.9	170x32	170	80	120	40
MP-15W-SS-SFPL	15W	4000K	>0.9	170x32	170	80	120	40
MP-15W-SS-SFPL	15W	6500K	>0.9	170x32	170	80	120	40
MP-15W-SS-SFPL	15W		>0.9	170x32	170	80	120	40



SUPER SAVER

**SUPER SAVER LED PANEL**

MP-22W-SS-SFPL	22W	3000K	>0.9	210x32	210	80	120	30
MP-22W-SS-SFPL	22W	4000K	>0.9	210x32	210	80	120	30
MP-22W-SS-SFPL	22W	6500K	>0.9	210x32	210	80	120	30
MP-22W-SS-SFPL	22W		>0.9	210x32	210	80	120	30



All dimensions in mm

LEDs *Lighting*



**MAX**brite  
LED LIGHTING TECHNOLOGY

86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

**MAX BRIGHT** **MAX BRIGHT LED SURFACE PANEL**

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	MOUNT.DIA.	CRI	ANGLE	PKG.
MP-8W-MAX BRIGHT	8W	3000K	>0.9	90x28	90	80	120	50
MP-8W-MAX BRIGHT	8W	4000K	>0.9	90x28	90	80	120	50
MP-8W-MAX BRIGHT	8W	6500K	>0.9	90x28	90	80	120	50



**MAX BRIGHT** **MAX BRIGHT LED SURFACE PANEL**

MP-15W-MAX BRIGHT	15W	3000K	>0.9	145x28	145	80	120	20
MP-15W-MAX BRIGHT	15W	4000K	>0.9	145x28	145	80	120	20
MP-15W-MAX BRIGHT	15W	6500K	>0.9	145x28	145	80	120	20



**MAX BRIGHT** **MAX BRIGHT LED SURFACE PANEL**

MP-22W-MAX BRIGHT	22W	3000K	>0.9	170x28	170	80	120	20
MP-22W-MAX BRIGHT	22W	4000K	>0.9	170x28	170	80	120	20
MP-22W-MAX BRIGHT	22W	6500K	>0.9	170x28	170	80	120	20



All dimensions in mm



LEDs *Lighting*



**ULTRAMAX**

86%  
SAVINGS

✓  
EXCELLENT  
CRI

100  
LUMENS  
PER WATT

⌚  
LONG  
LIFE

👁️  
EYE  
COMFORT


ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CUT.DIA.	CRI	ANGLE	PKG.
-----------	-------	----------	----	-----------	----------	-----	-------	------

**ULTRAMAX LED MINI SURFACE LIGHT**

MP-ULTRAMAX-3W	3W	3000K	>0.9	60x10	60	80	120	100
MP-ULTRAMAX-3W	3W	4000K	>0.9	60x10	60	80	120	100
MP-ULTRAMAX-3W	3W	6500K	>0.9	60x10	60	80	120	100
MP-ULTRAMAX-3W	3W		>0.9	60x10	60	80	120	100




**ULTRAMAX LED MINI SURFACE LIGHT-3in1**

MP-ULTRAMAX-3W	3W		>0.9	60x10	60	80	120	100
MP-ULTRAMAX-3W	3W		>0.9	60x10	60	80	120	100



**ULTRAMAX LED MINI SURFACE LIGHT**

MP-ULTRAMAX-8W	8W	3000K	>0.9	100x19	100	80	120	100
MP-ULTRAMAX-8W	8W	4000K	>0.9	100x19	100	80	120	100
MP-ULTRAMAX-8W	8W	6500K	>0.9	100x19	100	80	120	100
MP-ULTRAMAX-8W	8W		>0.9	100x19	100	80	120	100



**ULTRAMAX LED MINI SURFACE LIGHT**

MP-ULTRAMAX-15W	15W	3000K	>0.9	151x19	151	80	120	50
MP-ULTRAMAX-15W	15W	4000K	>0.9	151x19	151	80	120	50
MP-ULTRAMAX-15W	15W	6500K	>0.9	151x19	151	80	120	50



**3W**

Suitable For 2 Inch  
Mini Junction Box  
(Surface Mounting)



All dimensions in mm

# LEDs *Lighting*



**ALEXA**  
STRIKER CABINET

86% SAVINGS	EXCELLENT CRI	80 LUMENS PER WATT	LONG LIFE	EYE COMFORT
----------------	------------------	--------------------------	--------------	----------------



ALEXA

ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CUT.DIA. | CRI | ANGLE | PKG.





**ALEXA LED MINI SURFACE LIGHT**

MP-ALEXA-5W	5W	3000K	>0.9	64x18	64	80	120	100
MP-ALEXA-5W	5W	4000K	>0.9	64x18	64	80	120	100
MP-ALEXA-5W	5W	6500K	>0.9	64x18	64	80	120	100
MP-ALEXA-5W	5W		>0.9	64x18	64	80	120	100



ALEXA

**ALEXA LED MINI SURFACE LIGHT-3in1**

MP-ALEXA-5W	5W		>0.9	64x18	64	80	120	100
MP-ALEXA-5W	5W		>0.9	64x18	64	80	120	100
MP-ALEXA-5W	5W		>0.9	64x18	64	80	120	100
MP-ALEXA-5W	5W		>0.9	64x18	64	80	120	100



**3W**

Suitable For 2 Inch Mini Junction Box (Surface Mounting)



Also Available in 3in1

All dimensions in mm



# LEDs *Lighting*



**@cular**  
LED MINI SURFACE LIGHT

86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	MOUNT.DIA.	CRI	ANGLE	PKG.
-----------	-------	----------	----	-----------	------------	-----	-------	------

OCULAR

**OCULAR LED MINI SURFACE LIGHT ( Indoor Use)**

MP-OCULAR-3W	3W	3000K	>0.9	60x15	60	80	120	100
MP-OCULAR-3W	3W	4000K	>0.9	60x15	60	80	120	100
MP-OCULAR-3W	3W	6500K	>0.9	60x15	60	80	120	100

\*Also Available in Black Fixture Housing.



OCULAR

**OCULAR LED MINI SURFACE LIGHT ( Indoor Use)**

MP-OCULAR-5W	5W	3000K	>0.9	74x15	60	80	120	100
MP-OCULAR-5W	5W	4000K	>0.9	74x15	60	80	120	100
MP-OCULAR-5W	5W	6500K	>0.9	74x15	60	80	120	100

\*Also Available in Black Fixture Housing.



COIN

**COIN LED MINI SURFACE LIGHT ( Outdoor Use)**

MP-COIN-3W	3W	3000K	>0.9	60x10	60	80	120	100
MP-COIN-3W	3W	4000K	>0.9	60x10	60	80	120	100
MP-COIN-3W	3W	6500K	>0.9	60x10	60	80	120	100



**3W**

Weather Proof  
Outdoor Fixture.



All dimensions in mm



LEDs *Lighting*

*Twist*  
**&** *Light...*

*Twist*

LED SURFACE LIGHT

*Bright  
light*



86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

TWIST

**TWIST LED SURFACE LIGHT**

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	ANGLE	PKG.
MP-TWIST-7W	7W	3000K/4000K/6500K	>0.9	85x50hmm	120	50
MP-TWIST-9W	9W	3000K/4000K/6500K	>0.9	110x50hmm	120	40
MP-TWIST-15W	15W	3000K/4000K/6500K	>0.9	150x50hmm	120	40



TWIST

**TWIST LED SURFACE LIGHT**


MP-TWIST-7W	7W	3 IN 1	>0.9	85x50hmm	120	50
MP-TWIST-9W	9W	3 IN 1	>0.9	110x50hmm	120	40
MP-TWIST-15W	15W	3 IN 1	>0.9	150x50hmm	120	40



TWIST

**TWIST LED SURFACE LIGHT**

MP-TWIST-7W	7W	3 IN 1	>0.9	85x50hmm	120	50
MP-TWIST-9W	9W	3 IN 1	>0.9	110x50hmm	120	40
MP-TWIST-15W	15W	3 IN 1	>0.9	150x50hmm	120	40




All dimensions in mm

LEDs *Lighting*

# Surface

Light With  
*Extra Bright*



**ZERO+EDGE**

86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	ANGLE	PKG.
-----------	-------	----------	----	-----------	-------	------

ZERO EDGE

**ZERO EDGE LED SURFACE LIGHT**

MP-ZE-8W	8W	3000K	>0.9	100x32hmm	120	50
MP-ZE-8W	8W	4000K	>0.9	100x32hmm	120	50
MP-ZE-8W	8W	6500K	>0.9	100x32hmm	120	50
MP-ZE-8W	8W	③IN①	>0.9	100x32hmm	120	50



ZERO EDGE

**ZERO EDGE LED SURFACE LIGHT**

MP-ZE-15W	15W	3000K	>0.9	130x32hmm	120	40
MP-ZE-15W	15W	4000K	>0.9	130x32hmm	120	40
MP-ZE-15W	15W	6500K	>0.9	130x32hmm	120	40
MP-ZE-15W	15W	③IN①	>0.9	130x32hmm	120	40



ZERO EDGE

**ZERO EDGE LED SURFACE LIGHT**

MP-ZE-22W	22W	3000K	>0.9	150x32hmm	120	40
MP-ZE-22W	22W	4000K	>0.9	150x32hmm	120	40
MP-ZE-22W	22W	6500K	>0.9	150x32hmm	120	40
MP-ZE-22W	22W	③IN①	>0.9	150x32hmm	120	40



POWER

**POWER LED MINI SURFACE LIGHT**

MP-POWER-3W	3W	3000K	>0.9	65x25hmm	120	100
MP-POWER-3W	3W	4000K	>0.9	65x25hmm	120	100
MP-POWER-3W	3W	6500K	>0.9	65x25hmm	120	100
MP-POWER-3W	3W	③IN①	>0.9	65x25hmm	120	100



All dimensions in mm

LEDs *Lighting*



ULTRA  
SLIM  
LINE

86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT





ULTRA SLIM

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>ULTRA SLIM LED LINEAR SURFACE LIGHT</b>							
MP-USL-1FT	4W	3000K/4000K/6500K	>0.9	1 Feet	80	120	100
MP-USL-2FT	8W	3000K/4000K/6500K	>0.9	2 Feet	80	120	100
MP-USL-3FT	12W	3000K/4000K/6500K	>0.9	3 Feet	80	120	60
MP-USL-4FT	18W	3000K/4000K/6500K	>0.9	4 Feet	80	120	40

Also Available In Sensor

All dimensions in mm



LEDs *Lighting*

# Smart Line **Next.**

LED Batten Light



**Light and Relaxed**  
Linear LED Lighting

**86%**  
SAVINGS

EXCELLENT  
CRI

**100**  
LUMENS  
PER WATT


LONG  
LIFE

EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	ANGLE	PKG.
-----------	-------	----------	----	-----------	-------	------

SMART LINE


**SMART LINE NEXT LED BATTEN LIGHT**

MP-SLN-5W	5W	3000K/4000K/6500K	>0.9	1 Feet	120	50
MP-SLN-5W	5W		>0.9	1 Feet	120	50



SMART LINE



**SMART LINE NEXT LED BATTEN LIGHT**

MP-SLN-10W	10W	3000K/4000K/6500K	>0.9	2 Feet	120	50
MP-SLN-10W	10W		>0.9	2 Feet	120	50



SMART LINE

**SMART LINE NEXT LED BATTEN LIGHT**


MP-SLN-22W	22W	3000K/4000K/6500K	>0.9	4 Feet	120	50
MP-SLN-22W	22W		>0.9	4 Feet	120	50
MP-SLN-22W	22W		>0.9	4 Feet	120	50



SMART LINE

**SMART LINE NEXT LED BATTEN LIGHT**

MP-SLN-40W	40W	3000K/4000K/6500K	>0.9	4 Feet	120	30
------------	-----	-------------------	------	--------	-----	----



All dimensions in mm





LEDs *Lighting*

Walk towards a *Bright* future  
Morden Space Lighting System



LEDs *Lighting*



**PRO**SERIES



86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	MOUNT.DIA.	CRI	ANGLE	PKG.
-----------	-------	----------	----	-----------	------------	-----	-------	------

**PRO SERIES LED COB TRACK LIGHT**

PRO SERIES

MP-PRO-10W	10W	3000K	>0.9	118x144x64	-	80	24	30
MP-PRO-10W	10W	4000K	>0.9	118x144x64	-	80	24	30
MP-PRO-10W	10W	6500K	>0.9	118x144x64	-	80	24	30



\*Also Available in Track & Surface Fixture.

**PRO SERIES LED COB TRACK LIGHT**

PRO SERIES

MP-PRO-20W	20W	3000K	>0.9	138x162x79	-	80	24	20
MP-PRO-20W	20W	4000K	>0.9	138x162x79	-	80	24	20
MP-PRO-20W	20W	6500K	>0.9	138x162x79	-	80	24	20



\*Also Available in Track & Surface Fixture.

**PRO SERIES LED COB TRACK LIGHT**

PRO SERIES

MP-PRO-30W	30W	3000K	>0.9	158x172x88	-	80	24	20
MP-PRO-30W	30W	4000K	>0.9	158x172x88	-	80	24	20
MP-PRO-30W	30W	6500K	>0.9	158x172x88	-	80	24	20



\*Also Available in Track & Surface Fixture.

**LED TRACK PATI**

TRACK PATI

MP-1MTR	2 LINE	-	-	-	-	-	-	30
MP-2MTR	2 LINE	-	-	-	-	-	-	30



\*Also Available in Black & White Fixture.

**PRO SERIES LED WALL SPOTLIGHT**

Suitable For Surface Mounting



All dimensions in mm



LEDs *Lighting*



**PILOT**  
LED TRACK LIGHT

A Premium  
Track Light

86%  
SAVINGS

✓  
EXCELLENT  
CRI

100  
LUMENS  
PER WATT

⌚  
LONG  
LIFE

👁️  
EYE  
COMFORT



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	ANGLE	PKG.
-----------	-------	----------	----	-----------	-------	------

PILOT

**PILOT LED TRACK LIGHT**

MP-PILOT-10W	10W	3000K	>0.9	95x63x180	30/60/90	50
MP-PILOT-10W	10W	4000K	>0.9	95x63x180	30/60/90	50
MP-PILOT-10W	10W	6500K	>0.9	95x63x180	30/60/90	50



PILOT

**PILOT LED TRACK LIGHT**


MP-PILOT-20W	20W	3000K	>0.9	95x75x210	30/60/90	30
MP-PILOT-20W	20W	4000K	>0.9	95x63x210	30/60/90	30
MP-PILOT-20W	20W	6500K	>0.9	95x63x210	30/60/90	30



PILOT

**PILOT LED TRACK LIGHT**

MP-PILOT-30W	30W	3000K	>0.9	95x80x230	30/60/90	20
MP-PILOT-30W	30W	4000K	>0.9	95x80x230	30/60/90	20
MP-PILOT-30W	30W	6500K	>0.9	95x80x230	30/60/90	20



All dimensions in mm



LEDs *Lighting*



Zoom C+

86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT


LONG  
LIFE

EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	MOUNT.DIA.	CRI	ANGLE	PKG.
-----------	-------	----------	----	-----------	------------	-----	-------	------

**ZOOM LED COB WALL LIGHT**

ZOOM


MP-ZOOM-3W	3W	3000K	>0.9	71.5x105	-	80	24	50
MP-ZOOM-3W	3W	4000K	>0.9	71.5x105	-	80	24	50
MP-ZOOM-3W	3W	6500K	>0.9	71.5x105	-	80	24	50
MP-ZOOM-3W	3W		>0.9	71.5x105	-	80	24	50

\*Also Available In White & Black Fixture.



**ZOOM LED COB WALL LIGHT**

ZOOM

MP-ZOOM-6W	6W	3000K	>0.9	94x115	-	80	24	50
MP-ZOOM-6W	6W	4000K	>0.9	94x115	-	80	24	50
MP-ZOOM-6W	6W	6500K	>0.9	94x115	-	80	24	50
MP-ZOOM-6W	6W		>0.9	94x115	-	80	24	50

\*Also Available In White & Black Fixture.



**ZOOM LED COB WALL/ TRACK LIGHT**

ZOOM

MP-ZOOM-9W	9W	3000K	>0.9	101x128	-	80	24	50
MP-ZOOM-9W	9W	4000K	>0.9	101x128	-	80	24	50
MP-ZOOM-9W	9W	6500K	>0.9	101x128	-	80	24	50

\*Also Available In White & Black Fixture.



**ZOOM LED COB WALL/ TRACK LIGHT**

ZOOM

MP-ZOOM-16W	16W	3000K	>0.9	115x138	-	80	24	10
MP-ZOOM-16W	16W	4000K	>0.9	115x138	-	80	24	10
MP-ZOOM-16W	16W	6500K	>0.9	115x138	-	80	24	10

\*Also Available In White & Black Fixture.



**ZOOM LED COB WALL/ TRACK LIGHT**

ZOOM

MP-ZOOM-24W	24W	3000K	>0.9	115x138	-	80	24	10
MP-ZOOM-24W	24W	4000K	>0.9	115x138	-	80	24	10
MP-ZOOM-24W	24W	6500K	>0.9	115x138	-	80	24	10

\*Also Available In White & Black Fixture.



**ZOOM LED COB WALL/ TRACK LIGHT**

ZOOM

MP-ZOOM-30W	30W	3000K	>0.9	125x148	-	80	24	10
MP-ZOOM-30W	30W	4000K	>0.9	125x148	-	80	24	10
MP-ZOOM-30W	30W	6500K	>0.9	125x148	-	80	24	10

\*Also Available In White & Black Fixture.



All dimensions in mm

ITEM CODE	POWER	COLTEMP	PF	DIMENSION	CRI	ANGLE	PKG.
-----------	-------	---------	----	-----------	-----	-------	------

**M-SPOT**

**M-SPOT LED WALL SPOT LIGHT**

MP-M-SPOT-3W	3W	3000K	>0.95	43x53x96	80	38	50
MP-M-SPOT-6W	6W	4000K	>0.95	60x69x98	80	38	50
MP-M-SPOT-10W	10W	6500K	>0.95	80x115x132	80	38	50



**FOCUS**

**FOCUS LED WALL SPOT LIGHT**

MP-FOCUS-3W	3W	3K/4K/6K	>0.9	43x43x106	80	38	50
MP-FOCUS-6W	6W	3K/4K/6K	>0.9	60x60x125	80	38	50
MP-FOCUS-10W	10W	3K/4K/6K	>0.9	70x70x156	80	38	50



All dimensions in mm



LEDs *Lighting*



*Smart* lighting  
ideas

With The **Eco-Friendly** Lighting Solution



LEDs *Lighting*



86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

**SOLARX**  
LED SOLAR STREET LIGHT

ITEM CODE | POWER | COL.TEMP | LED QTY. | DIMENSION | BATTERY | PANEL WATT | PKG.

SOLAR-X MINI

**SOLAR-X MINI LED STREET LIGHT**

MP-SOLAR-X-24W	24W	3000K	128	400x140	2000mAH	-	40
MP-SOLAR-X-24W	24W	6500K	128	400x140	2000mAH	-	40



SOLARX

**SOLARX LED STREET LIGHT**

MP-SOLARX-60W	60W	3000K	180	433x265x65	6000mAh	4.5V 8W	10
MP-SOLARX-60W	60W	6500K	180	433x265x65	6000mAh	4.5V 8W	10



SOLARX

**SOLARX LED STREET LIGHT**

MP-SOLARX-90W	90W	3000K	270	512x275x65	10000mAh	4.5V 10W	5
MP-SOLARX-90W	90W	6500K	270	512x275x65	10000mAh	4.5V 10W	5



SOLARX

**SOLARX LED STREET LIGHT**

MP-SOLARX-120W	120W	3000K	360	620x305x65	15000mAh	4.5V 15W	5
MP-SOLARX-120W	120W	6500K	360	620x305x65	15000mAh	4.5V 15W	5



**SOLARX**  
**24W**





LEDs *Lighting*



Stellar  
**bright**

86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

STELLER BRIGHT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>STELLER BRIGHT LED STREET LIGHT</b>							
MP-STELLER-24W	24W	3000K	>0.9	310x105x55	80	120	20
MP-STELLER-24W	24W	6500K	>0.9	400x175x70	80	120	20



STELLER BRIGHT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>STELLER BRIGHT LED STREET LIGHT</b>							
MP-STELLER-36W	36W	3000K	>0.9	355x125x55	80	120	20
MP-STELLER-36W	36W	6500K	>0.9	335x135x70	80	120	20



STELLER BRIGHT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>STELLER BRIGHT LED STREET LIGHT</b>							
MP-STELLER-50W	50W	3000K	>0.9	405x165x55	80	120	10
MP-STELLER-50W	50W	6500K	>0.9	295x120x70	80	120	10



STELLER BRIGHT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>STELLER BRIGHT LED STREET LIGHT</b>							
MP-STELLER-100W	100W	3000K	>0.9	620x220x75	80	120	5
MP-STELLER-100W	100W	6500K	>0.9	295x120x70	80	120	5



STELLER BRIGHT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>STELLER BRIGHT LED STREET LIGHT</b>							
MP-STELLER-150W	150W	3000K	>0.9	690x250x75	80	120	5
MP-STELLER-150W	150W	6500K	>0.9	295x120x70	80	120	5



All dimensions in mm



Coming  
Soon

# Stellar bright



DUSK  
TO  
DAWN

**Automation Series**

Available Wattage  
**24W/36W/50W**

LEDs *Lighting*

# THE NEW Revolution Of Light

**Vista**

LED STREET LIGHT

86%  
SAVINGS

EXCELLENT  
CRI

140  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

VISTA STREET LIGHT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	ANGLE	PKG.
<b>VISTA LED STREET LIGHT</b>						
MP-VISTA-24W	24W	3000K	>0.9	117x260mm	120	20
MP-VISTA-24W	24W	6500K	>0.9	117x260mm	120	20



VISTA STREET LIGHT

<b>VISTA LED STREET LIGHT</b>						
MP-VISTA-36W	36W	3000K	>0.9	135x290mm	120	20
MP-VISTA-36W	36W	6500K	>0.9	135x290mm	120	20



VISTA STREET LIGHT

<b>VISTA LED STREET LIGHT</b>						
MP-VISTA-50W	50W	3000K	>0.9	170x345mm	120	10
MP-VISTA-50W	50W	6500K	>0.9	170x345mm	120	10



# LEDs *Lighting*





*Feel it*

Play with it

# LEDs *Lighting*



XUV sets the standard in high quality Flood lights. With an IP 66 rating, XUV is not only dust and water resistant but can also withstand extreme weather conditions. Manufactured using die cast metal, XUV features star crystal diodes that offer super bright illumination. The high quality finish coupled with high quality light makes it an ideal choice for outdoor use. Equipped with a functional swivel stand, XUV Flood Light is an easy-to-use, durable and pocket-friendly device that requires low maintenance.

86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

**XUV**



XUV

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>XUV LED FLOOD LIGHT</b>							
MP-XUV-30W	30W	3000K	>0.95	200x135	80	120	20
MP-XUV-30W	30W	6500K	>0.95	200x135	80	120	20



XUV

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>XUV LED FLOOD LIGHT</b>							
MP-XUV-50W	50W	3000K	>0.95	240x160	80	120	20
MP-XUV-50W	50W	6500K	>0.95	240x160	80	120	20



XUV

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>XUV LED FLOOD LIGHT</b>							
MP-XUV-100W	100W	3000K	>0.95	300x200	80	120	10
MP-XUV-100W	100W	6500K	>0.95	300x200	80	120	10



All dimensions in mm



# LEDs *Lighting*



netvue


86%  
SAVINGS

EXCELLENT  
CRI


100  
LUMENS  
PER WATT

LONG  
LIFE


EYE  
COMFORT

ITEM CODE	POWER	COLTEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>NETVUE LED FLOOD LIGHT</b>							
MP-NETVUE-30W	30W	3000K	>0.95	152x178x55	80	120	20
MP-NETVUE-30W	30W	6500K	>0.95	152x178x55	80	120	20
MP-NETVUE-30W	30W		>0.95	152x178x55	80	120	20




<b>NETVUE LED FLOOD LIGHT</b>							
MP-NETVUE-60W	60W	3000K	>0.95	226x216x55	80	120	20
MP-NETVUE-60W	60W	6500K	>0.95	226x216x55	80	120	20
MP-NETVUE-60W	60W		>0.95	226x216x55	80	120	20



<b>NETVUE LED FLOOD LIGHT</b>							
MP-NETVUE-120W	120W	3000K	>0.95	282x247x65	80	120	10
MP-NETVUE-120W	120W	6500K	>0.95	282x247x65	80	120	10
MP-NETVUE-120W	120W		>0.95	282x247x65	80	120	10



<b>NETVUE LED FLOOD LIGHT</b>							
MP-NETVUE-150W	150W	3000K	>0.95	277x298x70	80	120	5
MP-NETVUE-150W	150W	6500K	>0.95	277x298x70	80	120	5
MP-NETVUE-150W	150W		>0.95	277x298x70	80	120	5



<b>NETVUE LED FLOOD LIGHT</b>							
MP-NETVUE-200W	200W	3000K	>0.95	277x298x70	80	120	5
MP-NETVUE-200W	200W	6500K	>0.95	277x298x70	80	120	5
MP-NETVUE-200W	200W		>0.95	277x298x70	80	120	5



All dimensions in mm

# LEDs *Lighting*



86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>MULTISTAR LED FLOOD LIGHT</b>							
MP-MULTISTAR-30W	30W		>0.95	185x235x65	80	120	10

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>MULTISTAR LED FLOOD LIGHT</b>							
MP-MULTISTAR-50W	50W		>0.95	235x285x70	80	120	10



LEDs *Lighting*

*Putting* the best  
lighting forward



LEDs *Lighting*



86%  
SAVINGS

✓  
EXCELLENT  
CRI




100  
LUMENS  
PER WATT

⌚  
LONG  
LIFE

👁️👍  
EYE  
COMFORT




**Plano** LED  
LED BULKHEAD



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>PLANO LED BULKHEAD LIGHT</b>							
MP-PLANO-10W	10W	3000K	>0.95	168x70x46	80	120	50
MP-PLANO-10W	10W	6500K	>0.95	168x70x46	80	120	50
MP-PLANO-10W	10W		>0.95	168x70x46	80	120	50
MP-PLANO-10W	10W		>0.95	168x70x46	80	120	50
MP-PLANO-10W	10W		>0.95	168x70x46	80	120	50



\*Also Available in White & Grey Fixtures.

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>PLANO LED BULKHEAD LIGHT</b>							
MP-PLANO-15W	15W	3000K	>0.95	208x100x52	80	120	40
MP-PLANO-15W	15W	6500K	>0.95	208x100x52	80	120	40
MP-PLANO-15W	15W		>0.95	208x100x52	80	120	40
MP-PLANO-15W	15W		>0.95	208x100x52	80	120	40
MP-PLANO-15W	15W		>0.95	208x100x52	80	120	40




\*Also Available in White & Grey Fixtures.

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>PLANO LED BULKHEAD LIGHT</b>							
MP-PLANO-10W	10W	3000K	>0.95	168x70x46	80	120	50
MP-PLANO-10W	10W	6500K	>0.95	168x70x46	80	120	50
MP-PLANO-10W	10W		>0.95	168x70x46	80	120	50
MP-PLANO-10W	10W		>0.95	168x70x46	80	120	50
MP-PLANO-10W	10W		>0.95	168x70x46	80	120	50



\*Also Available in White & Grey Fixtures.

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>PLANO LED BULKHEAD LIGHT</b>							
MP-PLANO-15W	15W	3000K	>0.95	208x100x52	80	120	40
MP-PLANO-15W	15W	6500K	>0.95	208x100x52	80	120	40
MP-PLANO-15W	15W		>0.95	208x100x52	80	120	40
MP-PLANO-15W	15W		>0.95	208x100x52	80	120	40
MP-PLANO-15W	15W		>0.95	208x100x52	80	120	40



\*Also Available in White & Grey Fixtures.

LEDs *Lighting*

**SENSOR**  
BASED LIGHT



**CRETA+**



**86%**  
SAVINGS

  
EXCELLENT  
CRI

**100**  
LUMENS  
PER WATT

  
LONG  
LIFE

  
EYE  
COMFORT

**CRETA** CRETA<sup>+</sup> LED BULKHEAD LIGHT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
MP-CRETA-12W	12W	3000K	>0.95	160x160x62	80	120	40
MP-CRETA-12W	12W	6500K	>0.95	160x160x62	80	120	40
MP-CRETA-12W	12W	RGB	>0.95	160x160x62	80	120	40



**CRETA** CRETA<sup>+</sup> LED BULKHEAD LIGHT-3in1

MP-CRETA-12W	12W	RGB	>0.95	160x160x62	80	120	40
MP-CRETA-12W	12W	3000K	>0.95	160x160x62	80	120	40
MP-CRETA-12W	12W	6500K	>0.95	160x160x62	80	120	40



**CRETA** CRETA<sup>+</sup> LED BULKHEAD LIGHT- SENSOR

MP-CRETA-12W	12W	3000K	>0.95	160x160x62	80	120	40
MP-CRETA-12W	12W	6500K	>0.95	160x160x62	80	120	40



**CRETA** CRETA LED BULKHEAD LIGHT

MP-CRETA-18W	18W	3000K	>0.95	190x190x62	80	120	40
MP-CRETA-18W	18W	6500K	>0.95	190x190x62	80	120	40
MP-CRETA-18W	18W	RGB	>0.95	190x190x62	80	120	40



**CRETA** CRETA LED BULKHEAD LIGHT-3in1

MP-CRETA-18W	18W	RGB	>0.95	190x190x62	80	120	40
MP-CRETA-18W	18W	3000K	>0.95	190x190x62	80	120	40
MP-CRETA-18W	18W	6500K	>0.95	190x190x62	80	120	40



**CRETA** CRETA LED BULKHEAD LIGHT- SENSOR

MP-CRETA-18W	18W	3000K	>0.95	190x190x62	80	120	40
MP-CRETA-18W	18W	6500K	>0.95	190x190x62	80	120	40



All dimensions in mm

LEDs *Lighting*



86%  
SAVED

EXCELLENT  
CRI

100  
LMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

**Create Natural Makeup..**

90% Similarity to daylight

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>MILAN LED MIRROR LIGHT</b>							
MP-MILAN-6W	6W	3000K	>0.95	335x30x75	80	120	20
MP-MILAN-6W	6W	6500K	>0.95	335x30x75	80	120	20
MP-MILAN-6W	6W	3000K	>0.95	335x30x75	80	120	20



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>UNICORN LED MIRROR LIGHT</b>							
MP-UNICORN-6W	6W	3000K	>0.95	325x185	80	120	20
MP-UNICORN-6W	6W	6500K	>0.95	325x185	80	120	20
MP-UNICORN-6W	6W	3000K	>0.95	325x185	80	120	20



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>CURVE LED MIRROR LIGHT</b>							
MP-CURVE-12W	12W	3000K	>0.95	311x172	80	120	20



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>FLEXE LED WALL LIGHT- PKW FIXTURE 6 &amp; 12 inch</b>							
MP-FLEXE-3W	3W	3000K/6500K	>0.95	6 Inch	80	120	50
MP-FLEXE-3W	3W	RGB	>0.95	6 Inch	80	120	50
MP-FLEXE-3W	3W	RGB	>0.95	6 Inch	80	120	50
MP-FLEXE-3W	3W	3000K/6500K	>0.95	12 Inch	80	120	50
MP-FLEXE-3W	3W	RGB	>0.95	12 Inch	80	120	50
MP-FLEXE-3W	3W	RGB	>0.95	12 Inch	80	120	50



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
<b>FLEXE LED WALL LIGHT- ROSE GOLD FIXTURE 6 &amp; 12 inch</b>							
MP-FLEXE-3W	3W	3000K/6500K	>0.95	6 Inch	80	120	50
MP-FLEXE-3W	3W	3000K/6500K	>0.95	12 Inch	80	120	50





**MIRROR**  
SERIES

86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

ITEM CODE | POWER | COL.TEMP | PF | DIMENSION | CRI | ANGLE | PKG.

MIRROR

**LED MIRROR LIGHT-3in1**

MP-6W-MIRROR	6W	3000K	>0.9	335x51x107	80	38	20
MP-12W-MIRROR	12W	3000K	>0.9	500x51x107	80	38	20



PROMAX

**PROMAX MIRROR LIGHT**

MP-12W-PROMAX	12W	3000K	>0.9	500x198x130	80	38	20
---------------	-----	-------	------	-------------	----	----	----

\*Also Available In Gold & Rose Gold Fixture.



VICTUS

**VICTUS MIRROR LIGHT**

MP-12W-VICTUS	12W	3000K	>0.9	500x198x130	80	38	20
---------------	-----	-------	------	-------------	----	----	----

\*Also Available In Gold & Rose Gold Fixture.



\*Also Available In White+Rose Gold, Black+Rose Gold Fixture.


All dimensions in mm



LEDs *Lighting*

*lighting* done right  
with our LED *lights.*





# LEDs *Lighting*



86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE


EYE  
COMFORT

AQUA

ITEM CODE	POWER	COLTEMP	PF	DIMENSION	CRI	ANGLE	PKG.
-----------	-------	---------	----	-----------	-----	-------	------

**AQUA LED SPIKE LIGHT**


AQUA

MP-AQUA-5W	5W	3000K	>0.95	72x74x260	80	180	50
MP-AQUA-5W	5W	4000K	>0.95	72x74x260	80	180	50
MP-AQUA-5W	5W	6500K	>0.95	72x74x260	80	180	50
MP-AQUA-5W	5W		>0.95	72x74x260	80	180	50
MP-AQUA-5W	5W		>0.95	72x74x260	80	180	50



**AQUA LED SPIKE LIGHT**


AQUA

MP-AQUA-9W	9W	3000K	>0.95	82x135x260	80	180	20
MP-AQUA-9W	9W	4000K	>0.95	82x135x260	80	180	20
MP-AQUA-9W	9W	6500K	>0.95	82x135x260	80	180	20
MP-AQUA-9W	9W		>0.95	82x135x260	80	180	20



**AQUA LED SPIKE LIGHT**

AQUA

MP-AQUA-12W	12W		>0.95	82x135x260	80	180	20
-------------	-----	---	-------	------------	----	-----	----



**SOLAR SMART SPIKE LIGHT**


SOLAR SMART

MP-SOLAR-10W	10W	3K/4K/6K	>0.95	95x350	80	180	50
MP-SOLAR-10W	10W		>0.95	95x350	80	180	50
MP-SOLAR-10W	10W		>0.95	95x350	80	180	50



**SOLAR SMART SPIKE LIGHT**


SOLAR SMART

MP-SOLAR-10W	10W		>0.95	95x350	80	180	50
--------------	-----	---	-------	--------	----	-----	----



**FLUDEX SMART SPIKE LIGHT**

FLUDEX

MP-FLUDEX-12W	10W	3K/4K/6K	>0.95	70x130x280	80	180	20
MP-FLUDEX-12W	10W		>0.95	70x130x280	80	180	20



All dimensions in mm



LEDs *Lighting*



***XYLO***  
Beauty for your wall..



86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	ANGLE	PKG.
-----------	-------	----------	----	-----------	-------	------

**XYLO LED WAL LIGHT**
**XYLO**

MP-XYLO-6W	6W	3000K	>0.95	70x80x40	120	50
MP-XYLO-6W	6W		>0.95	70x80x40	120	50
MP-XYLO-6W	6W		>0.95	70x80x40	120	50
MP-XYLO-6W	6W		>0.95	70x80x40	120	50


**XYLO LED WAL LIGHT**
**XYLO**

MP-XYLO-12W	12W	3000K	>0.95	120x85x40	120	50
MP-XYLO-12W	12W		>0.95	120x85x40	120	50
MP-XYLO-12W	12W		>0.95	120x85x40	120	50
MP-XYLO-12W	12W		>0.95	120x85x40	120	50


**XYLO LED WAL LIGHT**
**XYLO**


MP-XYLO-18W	18W	3000K	>0.95	170x80x40	120	30
MP-XYLO-18W	18W		>0.95	170x80x40	120	30
MP-XYLO-18W	18W		>0.95	170x80x40	120	30


**XYLO LED WAL LIGHT**
**XYLO**

MP-XYLO-24W	24W	3000K	>0.95	195x80x40	120	30
MP-XYLO-24W	24W		>0.95	195x80x40	120	30
MP-XYLO-24W	24W		>0.95	195x80x40	120	30



**XYLO**  
Beauty for your wall.



All dimensions in mm



# LEDs *Lighting*



**CAMRY**  
Beauty for your wall..

**S-CROSS**  
Beauty for your wall..



**ELANTRA**  
Beauty for your wall..

86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE


EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	ANGLE	PKG.
-----------	-------	----------	----	-----------	-------	------

CAMRY

**CAMRY LED WAL LIGHT**


MP-CAMRY-2W	2W	3000K	>0.95	90x60x35	120	50
MP-CAMRY-2W	2W	③IN①	>0.95	90x60x35	120	50
MP-CAMRY-2W	2W	RGB	>0.95	90x60x35	120	50



S-CROSS

**S-CROSS LED WAL LIGHT**

MP-S-CROSS-4W	4W	3000K	>0.95	80x80x35	120	50
MP-S-CROSS-4W	4W	③IN①	>0.95	80x80x35	120	50



ELATRA

**ELANTRA LED WAL LIGHT**

MP-ELANTRA-6W	6W	3000K	>0.95	100x100x100	120/-	50
---------------	----	-------	-------	-------------	-------	----



All dimensions in mm































LEDs *Lighting*



**DZiRE**  
Beauty for your wall...

*Ciaz*  
Beauty for your wall...



**EECO**  
Beauty for your wall...

86%  
SAVINGS











EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT



	ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	ANGLE	PKG.	
<b>DZIRE</b>	<b>DZIRE LED WAL LIGHT</b>							
	MP-DZIRE-2W	2W	3000K	>0.95	70	120	50	
	MP-DZIRE-2W	2W	③IN①	>0.95	70	120	50	
	MP-DZIRE-4W	4W	3000K	>0.95	70	120	50	
	MP-DZIRE-4W	4W	③IN①	>0.95	70	120	50	
	MP-DZIRE-4W	4W		>0.95	70	120	50	
MP-DZIRE-4W	4W		>0.95	70	120	50		
<b>ECO</b>	<b>ECO LED WAL LIGHT</b>							
	MP-ECO-6W	6W	3000K	>0.95	95	120	30	
<b>CIAZ</b>	<b>CIAZ LED WAL LIGHT</b>							
	MP-CIAZ-12W	12W	3000K	>0.95	95	120	30	
	MP-CIAZ-12W	12W		>0.95	95	120	30	
	MP-CIAZ-12W	12W		>0.95	95	120	30	
<b>STARZ</b>	<b>STARZ LED WAL LIGHT</b>							
	MP-STARZ-15W	15W	3000K	>0.95	95	120	30	
MP-STARZ-15W	15W		>0.95	95	120	30		



LEDs *Lighting*



**ALTO**  
Beauty for your wall..

**IGNIS**  
Beauty for your wall..



**BREZZA**  
Beauty for your wall..

86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
-----------	-------	----------	----	-----------	-----	-------	------



**ALTO LED WAL LIGHT**

MP-ALTO-5W	5W	3000K	>0.95	233x168x30	80	120	20
MP-ALTO-5W	5W		>0.95	233x168x30	80	120	20
MP-ALTO-5W	5W		>0.95	233x168x30	80	120	20


**IGNIS LED WAL LIGHT**

MP-IGNIS-12W	12W	3000K	>0.95	155x155x30	80	120	20
MP-IGNIS-12W	12W		>0.95	155x155x30	80	120	20
MP-IGNIS-12W	12W		>0.95	155x155x30	80	120	20


**BREEZA LED WAL LIGHT**


MP-BREEZA-9W	9W	3000K	>0.95	170x150x45	80	120	20
MP-BREEZA-9W	9W		>0.95	170x150x45	80	120	20
MP-BREEZA-9W	9W		>0.95	170x150x45	80	120	20


**ALTROZ LED WAL LIGHT**

MP-ALTROZ-4W	4W	3000K	>0.95	127x95x78	80	120	40
--------------	----	-------	-------	-----------	----	-----	----


**ALTROZ LED WAL LIGHT**

MP-ALTROZ-6W	6W	3000K	>0.95	147x95x78	80	120	40
--------------	----	-------	-------	-----------	----	-----	----



LED WALL LIGHT



LEDs *Lighting*


Be *Smart*  
Power

**ACCENT**  
Beauty for your wall..



**THAR**  
Beauty for your wall..

**TIGOR**  
Beauty for your wall..














86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

	ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.		
<b>TIGOR</b>	<b>TIGOR LED WAL LIGHT</b>									
	MP-TIGOR-6W	6W	3000K	>0.95	50x45x175	80	120	40		
<b>ACCENT</b>	<b>ACCENT LED WAL LIGHT</b>									
	MP-ACCENT-12W	12W	3000K	>0.95	70x60x150	80	120	30		
<b>XYLO GOLD</b>	<b>XYLO GOLD LED WAL LIGHT</b>									
	MP-XYLO-2W	2W	3000K	>0.95	95x100x40	80	120	50		
<b>XYLO GOLD</b>	<b>XYLO GOLD LED WAL LIGHT</b>									
	MP-XYLO-4W	4W	3000K	>0.95	130x100x40	80	120	50		
<b>MAJOR</b>	<b>MAJOR LED WAL LIGHT</b>									
	MP-MAJOR-3W	3W	3000K	>0.95	45x55x90	80	120	50		
	MP-MAJOR-4W	4W	3000K	>0.95	45x55x105	80	120	50		
	MP-MAJOR-4W	4W		>0.95	45x55x105	80	120	50		
<b>COMPASS</b>	<b>COMPASS LED WAL LIGHT</b>									
	MP-COMPASS-7W	7W	3000K	>0.95	100x100x57	80	120	30		
	MP-COMPASS-7W	7W		>0.95	100x100x57	80	120	30		
	MP-COMPASS-9W	9W	3000K	>0.95	120x120x57	80	120	30		
	MP-COMPASS-9W	9W		>0.95	120x120x57	80	120	30		
<b>THAR</b>	<b>THAR LED WAL LIGHT</b>									
	MP-THAR-6W	6W	3000K	>0.95	60x35x130	80	120	30		
	MP-THAR-6W	6W		>0.95	60x35x130	80	120	30		

All dimensions in mm

# LEDs *Lighting*



86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
-----------	-------	----------	----	-----------	-----	-------	------

**LINK LED WAL LIGHT**

MP-LINK-3W	3W	3000K	>0.95	58x58	80	120	50
MP-LINK-3W 	3W	3000K	>0.95	58x58	80	120	50

\*Also Available in Black & PCW Finish.



**LINK LED WALL LIGHT**

MP-LINK-7W	6W	3000K	>0.95	125x85x41	80	120	20
------------	----	-------	-------	-----------	----	-----	----

\*Also Available in Black & White Finish.



Sensor Based Light

# LEDs *Lighting*



86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

Fiesta



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
-----------	-------	----------	----	-----------	-----	-------	------

FIESTA

**FIESTA LED WAL LIGHT**

MP-FIESTA-5W	5W	3000K	>0.95	75x85x40	80	120	40
--------------	----	-------	-------	----------	----	-----	----



FIESTA

**FIESTA LED WAL LIGHT**

MP-FIESTA-10W	10W	3000K	>0.95	160x85x40	80	120	40
---------------	-----	-------	-------	-----------	----	-----	----



ATMOS

**ATMOS LED WAL LIGHT**

MP-ATMOS-5W	5W	3000K	>0.95	58x119x83	80	120	50
MP-ATMOS-10W	10W	3000K	>0.95	165x75x90	80	120	20



All dimensions in mm




# SOLAR

PANEL LIGHT

**BATTERY**

3.7V/1.8mAh



## Radial Pro **LED**

LED GATE LIGHT








TRI COLOR  
RGB



SOLAR  
CHARGING



WEATHER  
PROOF

	ITEM CODE	POWER	COL.TEMP	BATTERY	ANGLE	PKG.	
RADIAL LED	<b>RADIAL LED GATE LIGHT SQUARE (SOLAR)</b>						
	MP-RADIAL-10W	10W	3K/4K/6K/RGB	<b>BATTERY 3.7V/1.8mAh</b>	120	10	
RADIAL LED	<b>RADIAL LED GATE LIGHT HEXAGON (SOLAR)</b>						
	MP-RADIAL-10W	10W	3K/4K/6K/RGB	<b>BATTERY 3.7V/1.8mAh</b>	120	10	
RADIAL PRO	<b>RADIAL LED GATE LIGHT SQUARE (SOLAR)</b>						
	MP-RADIAL-10W	10W	3K/4K/6K/RGB	<b>BATTERY 3.7V/1.8mAh</b>	120	10	
RADIAL PRO	<b>RADIAL LED GATE LIGHT HEXAGON (SOLAR)</b>						
	MP-RADIAL-10W	10W	3K/4K/6K/RGB	<b>BATTERY 3.7V/1.8mAh</b>	120	10	
PILLAR	<b>PILLAR LED BOLLARD LIGHT</b>						
	MP-PILLAR-6W	6W	3K/4K/6K/RGB	—	120	10	



All dimensions in mm



# LEDs *Lighting*



 Click



 SPARK



 Glow


Multifab LED Filament Bulbs are cool-looking bulbs are not only wonderful to look they are also long lasting, energy saving, Multifab LEDs not only lower energy consumption by up to 90%, they are also mercury-free and thus eco -friendly.

LED


*Filament Bulb's.*



**CROM**



**CROM**



**CROM**

# LED*s* Lighting



CLICK

ITEM CODE	POWER	COL.TEMP	PF	HOLDER	CRI	ANGLE	PKG.
<b>CLICK LED CORN BULB</b>							
MP-CLICK-12W	12W	3000K	>0.95	E14	80	120	100
MP-CLICK-12W	12W	6500K	>0.95	E14	80	120	100
MP-CLICK-12W	12W	3000K	>0.95	E14	80	120	100
MP-CLICK-12W	12W	6500K	>0.95	E14	80	120	100



CLICK

ITEM CODE	POWER	COL.TEMP	PF	HOLDER	CRI	ANGLE	PKG.
<b>CLICK LED CORN BULB</b>							
MP-CLICK-12W	12W	3000K	>0.95	E27	80	120	100
MP-CLICK-12W	12W	6500K	>0.95	E27	80	120	100
MP-CLICK-12W	12W	3000K	>0.95	E27	80	120	100
MP-CLICK-12W	12W	6500K	>0.95	E27	80	120	100



CLICK

ITEM CODE	POWER	COL.TEMP	PF	HOLDER	CRI	ANGLE	PKG.
<b>CLICK LED CORN BULB</b>							
MP-CLICK-12W	12W	3000K	>0.95	B22	80	120	100
MP-CLICK-12W	12W	6500K	>0.95	B22	80	120	100
MP-CLICK-12W	12W	3000K	>0.95	B22	80	120	100
MP-CLICK-12W	12W	6500K	>0.95	B22	80	120	100



CROM

ITEM CODE	POWER	COL.TEMP	PF	HOLDER	CRI	ANGLE	PKG.
<b>CROM LED FILAMENT BULB-C35</b>							
MP-CROM-4W	4W	3000K	>0.95	E14	80	120	100



CROM

ITEM CODE	POWER	COL.TEMP	PF	HOLDER	CRI	ANGLE	PKG.
<b>CROM LED FILAMENT BULB-C35</b>							
MP-CROM-4W	4W	3000K	>0.95	E27	80	120	100



CROM

ITEM CODE	POWER	COL.TEMP	PF	HOLDER	CRI	ANGLE	PKG.
<b>CROM LED FILAMENT BULB-C35</b>							
MP-CROM-4W	4W	3000K	>0.95	B22	80	120	100

86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

ITEM CODE	POWER	COL.TEMP	PF	HOLDER	CRI	ANGLE	PKQ.
<b>GLOW LED CORN BULB</b>							
MP-GLOW-5W	5W	3000K	>0.95	E14	80	120	100
MP-GLOW-5W	5W	6500K	>0.95	E14	80	120	100




<b>GLOW LED CORN BULB</b>							
MP-GLOW-6W	5W	3000K	>0.95	E27	80	120	100
MP-GLOW-6W	5W	6500K	>0.95	E27	80	120	100




<b>GLOW LED CORN BULB</b>							
MP-GLOW-6W	5W	3000K	>0.95	B22	80	120	100
MP-GLOW-6W	5W	6500K	>0.95	B22	80	120	100



<b>SPARK LED FILAMENT BULB-ST64</b>							
MP-SPARK-4W	4W	3000K	>0.95	E27	80	120	100
MP-SPARK-4W	4W		>0.95	E27	80	120	100
MP-SPARK-40W	40W	3000K	>0.95	E27	80	120	100



<b>SPARK LED FILAMENT BULB-ST64</b>							
MP-SPARK-4W	4W	3000K	>0.95	B22	80	120	100
MP-SPARK-4W	4W		>0.95	B22	80	120	100
MP-SPARK-40W	40W	3000K	>0.95	B22	80	120	100



LEDs *Lighting*



86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

Extra  
*Ordinary Bulb's.*



ITEM CODE	POWER	COL.TEMP	PF	HOLDER	CRI	ANGLE	PKG.
<b>GOLA LED FILAMENT BULB</b>							
MP-GOLA-4W-G45	4W	3000K	>0.95	E27	80	120	100
MP-GOLA-4W-G45	4W	3000K	>0.95	B22	80	120	100



<b>GOLA LED FILAMENT BULB</b>							
MP-GOLA-4W-G80	4W	3000K	>0.95	E27	80	120	50
MP-GOLA-4W-G80	4W	3000K	>0.95	B22	80	120	50
MP-GOLA-4W-G95	4W	3000K	>0.95	E27	80	120	50
MP-GOLA-4W-G95	4W	3000K	>0.95	B22	80	120	50



<b>LINEAR LED FILAMENT BULB</b>							
MP-LINEAR-6WT185	6W	3000K	>0.95	E27	80	120	100
MP-LINEAR-6WT185	6W	3000K	>0.95	B22	80	120	100



<b>LINEAR LED FILAMENT BULB</b>							
MP-LINEAR-8WT300	8W	3000K	>0.95	E27	80	120	100
MP-LINEAR-8WT300	8W	3000K	>0.95	B22	80	120	100



# LEDs *Lighting*



86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT

 **TWINKLE  
STARS**

ITEM CODE	POWER	COL.TEMP	LENGTH (IN METER)	LED'S (PER METER)	IP	PKG.
<b>TWINKLE STAR LED STRIP LIGHT</b>						
MP-2835-120	12W	3000K	5MTR	120	20	500
MP-2835-120	12W	4000K	5MTR	120	20	500
MP-2835-120	12W	6500K	5MTR	120	20	500
MP-2835-120	12W	BLUE	5MTR	120	20	500
MP-2835-120	12W	GREEN	5MTR	120	20	500
MP-2835-120	12W	PINK	5MTR	120	20	500
MP-2835-120	12W	AMBER	5MTR	120	20	500
MP-2835-120	12W	PURPLE	5MTR	120	20	500
MP-2835-120	12W	ICE BLUE	5MTR	120	20	500
MP-2835-120	12W	RED	5MTR	120	20	500

TWINKLE STAR



<b>TWINKLE STAR LED STRIP LIGHT</b>						
MP-2835-120	12W	③①①	5MTR	240	20	500
MP-2835-196	12W	③①①	5MTR	120	20	500

TWINKLE STAR



<b>TWINKLE STAR LED STRIP LIGHT</b>						
MP-2835-240	24W	3000K	5MTR	240	20	500
MP-2835-240	24W	4000K	5MTR	240	20	500
MP-2835-240	24W	6500K	5MTR	240	20	500
MP-2835-240	24W	BLUE	5MTR	240	20	500

TWINKLE STAR



All dimensions in mm



LEDs *Lighting*

# FlexGloXL

FLEXIBLE MULTICOLOR LED ROPE LIGHT

Your houses shall look

*Beautiful*



Copper Wire



24LM/LED



1M/CUT



50M/ROLL



High Lumen



Indoor use




Robust Design

ITEM CODE	POWER	COL.TEMP	LENGTH (IN METER)	LED'S (PER METER)	IP	PKG.
-----------	-------	----------	-------------------	-------------------	----	------

**FLEXGLOXL LED ROPE LIGHT**

FLEXGLOXL

MP-2835-120	8W	3000K	50MTR	120	65	4
MP-2835-120	8W	4000K	50MTR	120	65	4
MP-2835-120	8W	6500K	50MTR	120	65	4
MP-2835-120	8W	BLUE	50MTR	120	65	4
MP-2835-120	8W	GREEN	50MTR	120	65	4
MP-2835-120	8W	RED	50MTR	120	65	4
MP-2835-120	8W	PINK	50MTR	120	65	4
MP-2835-120	8W	AMBER	50MTR	120	65	4
MP-2835-120	8W	ICE BLUE	50MTR	120	65	4
MP-2835-120	8W	L.YELLOW	50MTR	120	65	4
MP-2835-120	8W	ORANGE	50MTR	120	65	4
MP-2835-120	8W	GOLDEN	50MTR	120	65	4



**LED Rope Light Cord Wire**

Also Available In Bulk Qty.



All dimensions in mm



LEDs *Lighting*

long-lasting

*lights* to make your  
future bright



LEDs *Lighting*

Sleek, elegant  
long-lasting

*highbay light*



86%  
SAVINGS

EXCELLENT  
CRI

100  
LUMENS  
PER WATT

LONG  
LIFE

EYE  
COMFORT



ITEM CODE	POWER	COL.TEMP	PF	DIMENSION	CRI	ANGLE	PKG.
-----------	-------	----------	----	-----------	-----	-------	------

HIGHBAY

**HIGHBAY LED LIGHT**

MP-HIGHBAY-100	100W	3000K	>0.95	270x120	80	120	5
MP-HIGHBAY-100	100W	6500K	>0.95	270x120	80	120	5



HIGHBAY

**HIGHBAY LED LIGHT**

MP-HIGHBAY-150	150W	3000K	>0.95	325x145	80	120	5
MP-HIGHBAY-150	150W	6500K	>0.95	325x145	80	120	5



HIGHBAY

**HIGHBAY LED LIGHT**

MP-HIGHBAY-200	200W	3000K	>0.95	375x150	80	120	5
MP-HIGHBAY-200	200W	6500K	>0.95	375x150	80	120	5



HIGHBAY

**HIGHBAY LED LIGHT**

MP-HIGHBAY-300	300W	3000K	>0.95	470x120	80	120	1
MP-HIGHBAY-300	300W	6500K	>0.95	470x120	80	120	1



LEDs *Lighting*



Diversify energy to the  
*Carefree Lighting*



LEDs *Lighting*

**POWER  
BOOSTER  
SERIES**



ITEM CODE	POWER	COL.TEMP	LENGTH(MTR)	LED'S PER MTR	PKG.
-----------	-------	----------	-------------	---------------	------

POWER BOOSTER

**POWER BOOSTER PENCIL SMPS**

12V 2A	24W	-	-	-	100
12V 5A	60W	-	-	-	100



POWER BOOSTER

**POWER BOOSTER SMPS**

12V 5A	60W	-	-	-	100
12V 8.33A	100W	-	-	-	80
12V 12.5A	150W	-	-	-	80
12V 16.5A	200W	-	-	-	50
12V 25A	300W	-	-	-	50
12V 33.33A	400W	-	-	-	40



LED DRIVER

**LED DRIVER**

1-3W	300mA	-	-	-	100
4-7W	300mA	-	-	-	100
8-12W	300mA	-	-	-	100
12-18W	300mA	-	-	-	100
18-24W	300mA	-	-	-	100
24-30W	300mA	-	-	-	100
36-48W	300mA/600mA	-	-	-	100



LED DRIVER

**LED DRIVER**

8-24W	300mA	-	-	-	100
-------	-------	---	---	---	-----



CONSTANT  
LED Current Driver

24W/36W/50W

One Year Guarantee Piece to Piece.



All dimensions in mm



**Electrical Solution For Commercial  
Residential Industrial Space.**

# Innovating DESIGNS



**MAGIC**  
LINE

TAKE  
THE  
EXTRA  
STEP  
TO  
SAFETY



DOUBLE POLE  
ISOLATOR



FOUR POLE  
ISOLATOR

ITEM CODE	AMPR	POLE	PKG.
<b>MAGIC LINE ISOLATOR</b>			
MP-ML-ISOLATOR	40A	2	120
MP-ML-ISOLATOR	63A	2	120

**MAGIC LINE ISOLATOR**

MP-ML-ISOLATOR 40A 2 120  
MP-ML-ISOLATOR 63A 2 120

ITEM CODE	AMPR	POLE	PKG.
<b>MAGIC LINE ISOLATOR</b>			
MP-ML-ISOLATOR	40A	4	60
MP-ML-ISOLATOR	63A	4	60

**MAGIC LINE ISOLATOR**

MP-ML-ISOLATOR 40A 4 60  
MP-ML-ISOLATOR 63A 4 60

MAGIC LINE



# PROTECH SERIES



DOUBLE POLE  
RCCB

FOUR POLE  
RCCB

ITEM CODE	AMPR/ma	POLE	Pkg.
<b>PROTECH RCCB</b>			
MP-PRO-RCCB	40A /30mA	4	60
MP-PRO-RCCB	63A / 30mA	4	60
MP-PRO-RCCB	40A /100mA	4	60
MP-PRO-RCCB	63A / 100mA	4	60
MP-PRO-RCCB	40A /300mA	4	60
MP-PRO-RCCB	63A / 300mA	4	60

PROTECH

ITEM CODE	AMPR/ma	POLE	Pkg.
<b>PROTECH RCCB</b>			
MP-PRO-RCCB	40A/30mA	2	120
MP-PRO-RCCB	63A / 30mA	2	120



# AQUA

WEATHER-PROOF ENCLOSURES  
IP55 PROTECTION



ITEM CODE	AMPR	MODULE	PHQ.
-----------	------	--------	------

<b>AQUA BELL SWITCH</b>			
-------------------------	--	--	--

MP-AQUA SWITCH	16A	1	100
----------------	-----	---	-----



WEATHER PROOF



EASY TO INSTALL



SHOCK PROOF

AQUA

**POINT**  
10AMP 240V

**MP MULTIFAB**  
Electrical Solutions



**3 PIN TRAVEL**  
MULTI ADAPTOR

POINT

ITEM CODE	AMPR	PIN	PKG.
<b>POINT MULTI ADAPTOR</b>			
MP-POINT-3PIN	6A	Indian Pin	240



Stress-Block Design



High-Class Copper Pins



Fire-Proof Housing



With Safety Single Pole

# GI SHEET METAL BOX



GI SHEET METAL BOX

MODEL	1/2	3	4	6	8m(H)	12	16	18
CODE NO.	101	103	104	105	106	108	109	110
INNER	20 Pcs	20 Pcs	20 Pcs	10 Pcs	10 Pcs	10 Pcs	05 Pcs	05 Pcs
OUTER	240Pcs	240Pcs	200Pcs	120Pcs	120Pcs	80Pcs	80Pcs	60Pcs



# LEDs *Lighting*



The LED lights by Multifab are designed to set new trademark in performance and aesthetics. Engineered for quick, cost-effective installation and easy retrofitting, these LED lights packed with features and benefits. All LED lights are also available in colours WH, NW, WW, & also available in RGB & Multicolours. Select the colours that best suits your preference. Stylish in appearance, each of these lighting devices are eco friendly & energy savings.



LEDs *Lighting*

### Dhanlaxmi's Mali Product

Survey Number 177, Isand Road,  
Chhatral, Ta- Kalol, Dist. Gandhinagar,  
Gujarat- 382 729

Consumer Care (Regd. Office).

Customer Care No.: +91 99094 10141

Email Id: sales@multifabled.co.in

Website: www.multifabled.co.in

Multifab LED Lighting Solutions all right reserved.  
Multifab reserves the right to make changes in  
specification and or discontinue any product at  
any time without notice or obligation and will not  
be liable for any consequences form the use of  
the obligation.

