



SAVERO A/T PRO

Ukuran Ban	LI	SI	Lebar Pelek (inchi)	Diameter Pelek (inchi)	Lebar Ban (mm)	Diameter Keseluruhan (mm)	Kedalaman Tapak (mm)
205/70 R15	96	T	6	15	209	669	9.2
225/75 R15	102	T	6	15	223	719	9.2
235/70 R15	103	S	7	15	240	711	9.2
235/75 R15	105	T	6.5	15	235	733	9.2
265/70 R15	112	T	8	15	275	751	9.2
30X9.50 R15LT	104	S	7.5	15	240	750	11.6
31X10.50 R15LT	109	S	8.5	15	268	775	11.6
LT255/70 R15	113/110	S	7.5	15	260	739	11.6
225/75 R16	104	T	6	16	223	744	9.2
245/70 R16	107	T	7	16	250	750	9.2
255/70 R16	111	T	7.5	16	260	764	9.2
265/70 R16	112	T	8	16	277	780	9.2
275/70 R16	114	T	8	16	277	794	9.2
LT245/75 R16	120/116	S	7	16	248	774	11.6
LT265/75 R16	119/116	S	7.5	16	271	804	11.6
255/65 R17	110	T	7.5	17	260	764	9.2
265/65 R17	112	T	8	17	276	774	9.2
275/65 R17	115	T	8	17	279	787	9.2
LT265/70 R17	121/118	S	8	17	272	804	11.6
LT285/70R17	121/118	S	8.5	17	292	832	11.6
265/60 R18	110	S	8	18	275	775	9.2
285/60 R18	116	S	8.5	18	292	799	9.2
265/50 R20	107	H	8.5	20	273	773	9.2
275/55 R20	113	H	8.5	20	286	810	9.2
285/50 R20	112	H	9	20	297	794	9.2

SAVERO A/T PLUS

Ukuran Ban	LI	SI	Lebar Pelek (inchi)	Diameter Pelek (inchi)	Lebar Ban (mm)	Diameter Keseluruhan (mm)	Kedalaman Tapak (mm)
------------	----	----	---------------------	------------------------	----------------	---------------------------	----------------------

205/70 R15	96	T	6	15	205.7	672.3	10.2
225/75 R15	102	T	6	15	221	723.2	10.7
235/70 R15	103	S	7	15	236.7	713.6	10.2
235/75 R15	105	T	6.5	15	229.8	731.8	11.2
265/70 R15	112	T	8	15	269	755	11.6
30x9.50 R15 LT	104	S	7.5	15	254.3	750.3	12.6
31x10.50 R15 LT	109	S	8.5	15	266	776.7	12.6
225/75 R16	104	T	6	16	220.7	748.3	10.8
245/70 R16	107	T	7	16	248	754	11.2
245/70 R16 XL	111	T	7	16	244.3	754.4	11.2
245/75 R16	111	T	7	16	241.8	774	11.2
255/70 R16	111	T	7.5	16	260	764	11.2
265/70 R16	112	T	8	16	269.7	781.8	11.6
265/75 R16	116	T	7.5	16	267	804	12.2
275/60 R16	109	H	8	16	273.9	736.6	11.2
275/70 R16	114	T	8	16	271.1	792	11.6
255/65 R17	110	T	7.5	17	254	764	11.2
265/60 R17	108	T	8	17	271.1	749	11.2
265/65 R17	112	T	8	17	270.5	776	11.2
275/65 R17	115	H	8	17	276.2	790	11.2
255/60 R18 XL	112	H	7.5	18	260	763	11.2
265/60 R18	110	H	8	18	272	775	11.2

CHAMPIRO HPY (SUV)

Ukuran Ban	LI	SI	Lebar Pelek (inchi)	Diameter Pelek (inchi)	Lebar Ban (mm)	Diameter Keseluruhan (mm)	Kedalaman Tapak (mm)
215/60 R17 XL	100	V	6.5	17	221	690	7.8
225/65 R17	102	V	6.5	17	228	724	7.8
235/55 R17 XL	103	W	7.5	17	245	690	7.8
235/65 R17 XL	108	V	7	17	240	738	7.8
245/65 R17 XL	111	V	7	17	248	750	7.8
235/55 ZR18 XL	104	W	7.5	18	245	715	7.8
235/60 R18 XL	107	V	7	18	240	739	7.8
255/55 ZR18 XL	109	Y	8	18	265	737	7.8

235/55 R19 XL	105	W	7.5	19	245	741	7.8
255/50 ZR19 XL	107	Y	8	19	265	739	7.8
275/45 R19 XL	108	Y	9	19	273	731	7.8
255/45 ZR20	101	Y	8.5	20	255	738	7.8
265/50 R20 XL	111	W	8.5	20	277	774	7.8
275/40 R20 XL	106	Y	9.5	20	278	728	7.8
275/55 R20 XL	117	V	8.5	20	284	810	7.8

SAVERO KOMODO M/T PLUS

Ukuran Ban	LI	SI	Lebar Pelek (inchi)	Diameter Pelek (inchi)	Lebar Ban (mm)	Diameter Keseluruhan (mm)	Kedalaman Tapak (mm)
27x8.50 R14 LT	95	Q	7	14	218	678	14.1
30x9.50 R15 LT	104	Q	7.5	15	240	750	15.1
31x10.50 R15 LT	109	Q	8.5	15	268	781	15.1
33x10.5 R15 LT	114	Q	8.5	15	275	832	15.1
33x12.5 R15 LT	108	Q	10	15	318	832	16.7
LT195/75 R15	95/92	Q	5.5	15	199	677	14.1
LT235/75 R15	104/101	Q	6.5	15	235	739	14.1
LT245/75 R16	120/116	Q	7	16	248	780	14.1
LT265/75 R16	112/109	Q	7.5	16	267	810	15
LT265/70 R17	121/118	Q	8	17	272	810	15.2
33x12.50 R20 LT	114	Q	10	20	318	832	16.7

SAVERO M/T

Ukuran Ban	LI	SI	Lebar Pelek (inchi)	Diameter Pelek (inchi)	Lebar Ban (mm)	Diameter Keseluruhan (mm)	Kedalaman Tapak (mm)
31X10.50 R15 LT	109	Q	8.5	15	268	779.2	15.1
33X12.50 R15 LT	108	Q	10	15	325	831.4	16.8
LT235/75 R15	104/101	Q	6.5	15	238	738	14
LT245/75 R16	120/116	Q	7	16	248	780	14.1
LT265/75 R16	112/109	Q	7.5	16	267	810	14.9

SAVERO SUV

Ukuran Ban	LI	SI	Lebar Pelek (inchi)	Diameter Pelek (inchi)	Lebar Ban (mm)	Diameter Keseluruhan (mm)	Kedalaman Tapak (mm)
205/70 R15	96	H	6	15	209	669	7.9

215/70 R15	98	T	6.5	15	221	683	8
265/70 R15	112	H	8	15	272	753	8.5
215/60 R16	95	H	6.5	16	221	664	8
215/65 R16	98	S	6.5	16	221	686	8
215/65 R16	98	H	6.5	16	221	686	8
215/70 R16	100	H	6.5	16	221	708	8
225/70 R16	103	H	6.5	16	228	722	8.1
235/60 R16	100	H	7	16	240	688	8.2
235/70 R16	106	H	7	16	240	736	8.2
245/70 R16 XL	111	H	7	16	248	750	8.3
255/65 R16	109	H	7.5	16	260	738	8.4
265/70 R16	112	H	8	16	272	778	8.5
275/70 R16	114	H	8	16	279	792	8.6
215/55 R17	94	V	7	17	226	668	8
215/60 R17	96	H	6.5	17	221	690	8
225/60 R17	99	H	6.5	17	228	702	8.1
225/65 R17	102	H	6.5	17	228	724	8.1
235/55 R17	99	V	7.5	17	245	690	8.2
235/65 R17 XL	108	V	7	17	240	738	8.2
245/65 R17 XL	111	H	7	17	248	750	8.3
255/60 R17	106	V	7.5	17	260	738	8.4
265/65 R17	112	H	8	17	272	776	8.5
215/55 R18 XL	99	V	7	18	226	693	8
225/60 R18	100	H	6.5	18	228	727	8.1
225/65 R18	103	H	6.5	18	228	749	8.1
235/55 R18	100	V	7.5	18	245	715	8.2
235/60 R18 XL	107	V	7	18	240	739	8.2
235/65 R18	106	H	7	18	240	763	8.2
265/60 R18	110	H	8	18	272	775	8.5
285/60 R18	116	V	8.5	18	292	799	8.7
285/50 R20	112	V	9	20	297	794	8.7

CHAMPIRO SX-R

Ukuran Ban	LI	SI	Lebar Pelek (inchi)	Diameter Pelek (inchi)	Lebar Ban (mm)	Diameter Keseluruhan (mm)	Kedalaman Tapak (mm)
195/50 R15	82	W	6	15	201	574	4.9
215/45 R17	87	W	7	17	213	626	4.9
235/45 R17	94	W	8	17	236	644	4.9
245/40 R17	91	W	8.5	17	248	628	4.9
265/35 R18 XL	97	W	9.5	18	271	643	4.9

CHAMPIRO SX2

Ukuran Ban	LI	SI	Lebar Pelek (inchi)	Diameter Pelek (inchi)	Lebar Ban (mm)	Diameter Keseluruhan (mm)	Kedalaman Tapak (mm)
195/50 R15	82	V	6	15	201	574	6.4
195/55 R15	85	V	6	15	201	595	6.4
205/50 R16	87	V	6.5	16	214	612	6.4
225/50 R16	92	V	7	16	233	632	6.4
215/40 ZR17	83	W	7.5	17	218	604	6.4
215/45 ZR17	87	W	7	17	213	626	6.4
225/45 ZR17	91	W	7.5	17	225	634	6.4
235/40 ZR17	90	W	8.5	17	241	620	6.4
235/45 ZR17	94	W	8	17	236	644	6.4
245/40 ZR17	91	W	8.5	17	248	628	6.4
225/40 ZR18	88	W	8	18	230	637	6.4
235/40 ZR18	91	W	8.5	18	241	645	6.4
245/40 ZR18	93	W	8.5	18	248	653	6.4
265/35 ZR18 XL	97	W	9.5	18	271	643	6.4

CHAMPIRO GTX PRO

Ukuran Ban	LI	SI	Lebar Pelek (inchi)	Diameter Pelek (inchi)	Lebar Ban (mm)	Diameter Keseluruhan (mm)	Kedalaman Tapak (mm)
185/65 R13	84	H	5.5	13	189	570	7.8
185/60 R14	82	H	5.5	14	189	578	7.8
185/65 R14	86	H	5.5	14	189	596	7.8
195/60 R14	86	H	6	14	201	590	7.8
195/65 R14	89	H	6	14	201	610	7.8
175/65 R15	84	H	5	15	177	609	7.8
185/55 R15	82	V	6	15	194	585	7.8

185/60 R15	84	H	5.5	15	189	603	7.8
185/65 R15	88	H	5.5	15	189	621	7.8
195/50 R15	82	V	6	15	198	577	7.3
195/55 R15	85	V	6	15	201	595	7.9
195/60 R15	88	H	6	15	201	615	7.8
195/65 R15	91	H	6	15	201	635	7.8
205/60 R15	91	H	6	15	209	627	7.8
205/65 R15	94	H	6	15	209	647	7.7
185/55 R16	83	V	6	16	194	610	7.8
195/45 R16 XL	84	W	6.5	16	195	582	7.9
195/50 R16	84	V	6	16	201	602	7.3
195/55 R16	87	V	6	16	201	620	7.9
205/50 R16	87	V	6.5	16	214	612	8
205/55 R16	91	V	6.5	16	214	632	7.9
205/60 R16	92	V	6	16	209	652	7.8
215/60 R16	95	V	6.5	16	221	664	7.7
225/60 R16	98	V	6.5	16	228	676	8.4
235/60 R16	100	V	7	16	240	688	8.5
205/40 R17 XL	84	V	7.5	17	212	596	7.9
205/45 R17 XL	88	V	7	17	206	616	7.9
205/50 R17 XL	93	V	6.5	17	214	638	8
215/45 R17 XL	91	V	7	17	213	626	8
215/50 R17 XL	95	V	7	17	226	648	8
215/55 R17	94	V	7	17	226	668	8.3
225/45 R17 XL	94	W	7.5	17	225	634	8.1
225/50 R17 XL	98	V	7	17	233	658	8.1
225/55 R17 XL	101	V	7	17	233	680	8.5
235/45 R17 XL	97	W	8	17	236	644	8.2
215/35 R18 XL	84	W	7.5	18	218	607	8
225/45 R18 XL	95	W	7.5	18	225	659	8.1
235/45 R18	94	W	8	18	236	669	8.2

CHAMPIRO HPY

Ukuran Ban	LI	SI	Lebar Pelek (inchi)	Diameter Pelek (inchi)	Lebar Ban (mm)	Diameter Keseluruhan (mm)	Kedalaman Tapak (mm)
205/55 ZR16	91	W	6.5	16	213	633	7.4
205/45 ZR17 XL	88	W	7	17	206	616	7.8
205/50 ZR17 XL	93	W	6.5	17	214	638	7.8
215/45 ZR17 XL	91	Y	7	17	213	626	7.8
215/55 ZR17	94	W	7	17	228	671	7.8
225/45 ZR17 XL	94	Y	7.5	17	225	634	7.8
225/50 ZR17 XL	98	Y	7	17	233	658	7.8
235/45 ZR17 XL	97	Y	8	17	236	644	7.8
235/50 ZR17 XL	100	W	7.5	17	241	668	7.8
245/40 ZR17 XL	95	Y	8.5	17	248	628	7.8
245/45 ZR17 XL	99	Y	8	17	243	652	7.8
205/40 ZR18 XL	86	Y	7.5	18	212	621	7.8
225/40 ZR18 XL	92	Y	8	18	230	637	7.8
225/45 ZR18	91	Y	7.5	18	225	659	7.8
235/40 ZR18 XL	95	Y	8.5	18	241	645	7.8
235/50 ZR18 XL	101	Y	7.5	18	240	695	7.8
245/40 ZR18 XL	97	Y	8.5	18	248	653	7.8
245/45 ZR18 XL	100	Y	8	18	243	677	7.8
255/35 ZR18 XL	94	Y	9	18	260	635	7.8
255/45 ZR18 XL	103	Y	8.5	18	255	687	7.8
265/35 ZR18 XL	97	Y	9.5	18	271	643	7.8
225/35 ZR19 XL	88	Y	8	19	230	641	7.8
225/40 ZR19 XL	93	Y	8	19	230	663	7.8
235/35 ZR19 XL	91	Y	8.5	19	241	647	7.8
255/35 ZR19 XL	96	Y	9	19	260	661	7.8
255/40 ZR19	96	Y	9	19	260	687	7.8
255/35 ZR20 XL	97	Y	9	20	260	686	7.8

CHAMPIRO ECOTEC EV

Ukuran Ban	LI	SI	Lebar Pelek (inchi)	Diameter Pelek (inchi)	Lebar Ban (mm)	Diameter Keseluruhan (mm)	Kedalaman Tapak (mm)
145/70 R12	69	S	4.5	12	150	509	4.9

CHAMPIRO ECOTEC

Ukuran Ban	LI	SI	Lebar Pelek (inchi)	Diameter Pelek (inchi)	Lebar Ban (mm)	Diameter Keseluruhan (mm)	Kedalaman Tapak (mm)
165/65 R13	77	T	5	13	167	540	7.2
165/80 R13	83	S	4.5	13	161	589	7.2
175/60 R13	77	H	5	13	173	536	7.2
175/70 R13	82	T	5	13	174	571	7.2
185/70 R13	86	S	5.5	13	184	585	7.3
165/65 R14	79	T	5	14	167	566	7.2
185/60 R14	82	H	5.5	14	188	573	7.3
185/65 R14	86	H	5.5	14	184	591	7.3
185/70 R14	88	T	5.5	14	186	611	7.3
185/80 R14	91	T	5	14	183	647	7.3
195/70 R14	91	T	6	14	200	625	7.3
185/55 R15	82	H	6	15	189	580	7.3
185/60 R15	84	H	5.5	15	184	598	7.3
185/65 R15	88	H	5.5	15	188	616	7.2
195/55 R15	85	H	6	15	197	592	7.3
195/60 R15	88	H	6	15	196	610	7.3
195/65 R15	91	H	6	15	197	630	7.3
205/65 R15	94	H	6	15	209	647	7.3
205/70 R15	96	T	6	15	206	662	7.3
185/55 R16	83	H	6	16	190	606	7.3
195/60 R16	89	H	6	16	200	636	7.2
205/60 R16	92	H	6	16	204	647	7.2
205/65 R16	95	H	6	16	206	667	7.2
215/60 R16	95	H	6.5	16	221	664	7.3
215/65 R16	98	H	6.5	16	221	686	7.3
205/50 R17	89	V	6.5	17	208	636	7.2
205/60 R17	94	H	6	17	204	675	7.2
215/60 R17	96	H	6.5	17	221	690	7.2

CHAMPIRO LUXE

Ukuran Ban	LI	SI	Lebar Pelek (inchi)	Diameter Pelek (inchi)	Lebar Ban (mm)	Diameter Keseluruhan (mm)	Kedalaman Tapak (mm)
------------	----	----	---------------------	------------------------	----------------	---------------------------	----------------------

205/65 R16	95	H	6	16	209	672	7.5
------------	----	---	---	----	-----	-----	-----

CHAMPIRO ECO

Ukuran Ban	LI	SI	Lebar Pelek (inchi)	Diameter Pelek (inchi)	Lebar Ban (mm)	Diameter Keseluruhan (mm)	Kedalaman Tapak (mm)
145/80 R13	75	T	4	13	141	557	7.5
155/80 R13	79	T	4.5	13	157	578	7.5
165/70 R13	79	T	5	13	170	562	7.5
185/60 R13	80	H	5.5	13	189	552	8
175/65 R14	82	T	5	14	171	580	6.9
185/60 R14	82	H	5.5	14	183	574	8
185/65 R14	86	H	5.5	14	189	596	8
175/65 R15	84	T	5.5	15	176	605	7.5
195/60 R15 XL	92	H	6	15	201	615	8

MAXMILER PRO

Ukuran Ban	LI	SI	Lebar Pelek (inchi)	Diameter Pelek (inchi)	Lebar Ban (mm)	Diameter Keseluruhan (mm)	Kedalaman Tapak (mm)
155 R12C	88/86	R	4.5	12	157	550	8.2
165 R13C	94/92	R	4.5	13	165	596	8.7
175 R13C	97/95	R	5	13	178	615	8.3
185 R14C	102/100	R	5	14	179	654	10.2
195 R14C	106/104	R	5.5	14	198	670	9.7
195 R15C	106/104	R	5	15	198	694	10.2
205/70 R15C	106/104	R	6	15	209	669	10.2
225/70 R15C	112/110	R	6.5	15	228	697	10.7
255/70 R15C	112/110	S	7.5	15	260	739	11.7
175/75 R16C	101/99	R	5	16	177	668	9.7
225/75 R16C	118/116	R	6	16	223	744	10.7
235/65 R16C	121/119	R	7	16	240	712	10.6
235/65 R16C	115/113	R	7	16	240	712	10.6