


# Powering sustainable IoT

The environmental cost of **battery-powered IoT** devices – and what to do about it





## Introduction

IoT sensors can be placed on people, things, or the environment. These smart beacons and sensors can track a mind-boggling array of inputs – heart rates, lighting conditions, temperatures, locations, and equipment usage – to name but a few. All of this gives us valuable information to help us run businesses, streamline operations, and understand the world around us.

However, all this benefit presents a problem – how do we power this vast and growing number of devices?

It is predicted that there will be 50bn IoT devices by 2030. At present, almost all wireless IoT devices use batteries. Added to this, the typical real-world battery life for a wireless device sensor can be as little as a year, yet most devices have an operational life upwards of ten – meaning multiple battery replacements for each device.

### That's a lot of batteries.

This has major environmental impacts, from the carbon footprint of device manufacture to the maintenance requirements of battery changes and the waste and toxic chemicals produced due to their disposal.

But what can be done about these issues? This whitepaper explores the environmental impact of the battery-powered IoT, presents a new study into the carbon footprint of an IoT sensor device using different power sources, and shows that there is a more environmentally friendly solution to the IoT power problem.




## A study of IoT sensor carbon footprint

Until now, it has been challenging to assess the carbon footprint impact of different power sources for IoT devices. Surprisingly little research has been done to assess the impact of coin cell batteries, for example.

To address this, Lightricity commissioned carbon footprint experts Circular Ecology, to model the carbon footprint of an IoT sensor, comparing like-for-like the carbon footprint of the sensor powered by an AAA battery, a coin cell CR2032 battery and Lightricity's indoor photovoltaic (PV) cells.

The comparison was modelled for the same sensor, using different power sources, over a period of 25 years (the anticipated lifetime of the sensor).

The results of this study form a key part of the discussion in this paper.





# The environmental cost of the battery-powered IoT

Much has been written about the potential positive environmental impacts of IoT devices. And there are many: IoT devices can provide significant energy savings by, for example, turning on streetlights only when they're needed, or alerting water processing plants when there is a leak, saving precious natural resources.

However, while IoT devices can help us save energy, water and other resources, they also have an environmental impact of their own. And much of this impact is due to battery power.

According to Statista<sup>1</sup>, by the end of 2018, there were an estimated 22 billion IoT connected devices in use around the world – and forecasts suggest that by 2030 this could grow to 50 billion. If the majority of those devices are battery powered, the environmental impact could be enormous.

While low-energy IoT sensors have a long-life span – some up to 25 years or more – batteries do not. In our study, an AAA battery with a 2-year battery life and a coin cell battery with a 1-year battery life were used as the base cases (our internal market investigations showed a broad range of quoted battery lifetimes from months to 10 years). With a 1-year or even a 2-year lifespan, this means a considerable number of battery changes over the course of the device's lifetime.

But what exactly are the environmental issues caused by batteries? Let's take a look...

## Batteries are a significant contributor to IoT device carbon footprint

The study on IoT device carbon footprint, carried out by Circular Ecology in accordance with ISO14067, showed the clear impact that battery power has on the carbon footprint of an IoT sensor.

In fact, when considering an AAA battery-powered device over 25 years, the battery – including emissions from manufacturing, materials, and replacement – was the largest contributor to carbon footprint at 51% (the rest comes from

sensor components, especially the low power BLE wireless connection chip, and the replacement maintenance cycle).

In the model of the CR2032 coin battery, the battery – on a 1-year replacement cycle – was also a large contributor to the device's carbon footprint at 36%.

For comparison, an IoT PV cell can contribute as little as 1% to the device's total carbon footprint (something we'll look at in more detail later).

These emissions come from a combination of factors. Batteries have a carbon footprint associated with mining and manufacturing the raw materials to make them. And there are also emissions associated with maintenance – for example professional engineers travelling to replace them.

However, the real lifetime impact comes from the compounding effect of having to use and replace multiple batteries over a device lifetime, to the point where a 25-year device would create more emissions from battery manufacture and maintenance, than from manufacturing the device itself.

## The environmental cost of battery manufacturing

Many different types of batteries are used in the IoT, but typically – due to the size of the sensors – smaller batteries such as AAA batteries and coin batteries are most common. Even within these types, there are different sorts available. The most commonly used include alkaline, lithium-metal, nickel metal hydride (NiMH) and lithium-ion batteries.

While they are named after individual metals, these batteries often contain a mix of the same metals. For example, lithium-ion batteries contain nickel, and some nickel batteries contain lithium. Cobalt also tends to be present in most rechargeable batteries.

There are environmental implications to the extraction of the various materials required for these different types of batteries. The table below gives some examples.

Metal	Environmental concerns
<b>Lithium</b>	Lithium is extracted from brine found under salt flats. Serious concerns have been raised by the Indigenous communities living in the areas where these salt flats are found – both about how much they share in the benefits from the operations on their land, as well as the possible environmental impacts. Mining activities for materials such as lithium can wreak havoc on the surrounding environment. <sup>2</sup>  In addition, on land where water is already scarce, the amount being used by the mining companies can reduce access for local communities as well as contaminate freshwater sources with salt or chemicals.
<b>Nickel</b>	Nickel is a vital component of lithium-ion as well as NiMH batteries. Unfortunately, the extraction of nickel has been linked with high levels of environmental destruction and toxic pollution.  In 2016, New Internationalist reported <sup>3</sup> on the devastating effects that nickel mining pollution was having on local communities in Colombia, with drastic increases in birth defects, miscarriages and cancer, as well as numerous other illnesses.
<b>Graphite</b>	Graphite is used as an anode in many batteries, including alkaline and lithium ones. Natural graphite mining can cause dust emissions, while the purification of battery-grade anode products requires high quantities of reagents such as sodium hydroxide and hydrofluoric acid, which may be harmful to both human health and the environment.  Synthetic graphite production, on the other hand, is more energy-intensive, which has led operators to seek the cheapest power sources that tend to be coal dominant, generating a higher overall carbon footprint. <sup>4</sup>
<b>Cobalt</b>	Particles emitted during cobalt mining are damaging to human health in a number of ways. In addition, cobalt particles can also affect ecosystems through accumulation in fruit or plant seeds grown in contaminated soils. Cobalt mining can contaminate the environment through air-blown dust, surface water, and radioactivity – it also has a significant carbon footprint, due to the electricity used during extraction. <sup>5</sup>
<b>Copper</b>	Copper mining poses significant risks to communities on the ground, threatening everything from water access to air quality to Indigenous cultural sites. The heavy machinery used creates significant amounts of dust, polluting the air. While chemicals are used to leach the mineral out of ore and exposed water is forever contaminated. Some mining operations will have to pump water in perpetuity, even after there is no longer copper to be found, so that contaminated water from the mine site doesn't flow back into the wider water table. <sup>6</sup>

<sup>3</sup> <https://newint.org/features/2016/11/01/we-are-slowly-being-killed-by-this-mine>

<sup>4</sup> <https://www.mining.com/climate-change-impacts-of-graphite-production-higher-than-previously-reported-study/>

<sup>5</sup> <https://doi.org/10.1016/j.jsm.2019.03.002>

<sup>6</sup> <https://www.theguardian.com/us-news/2021/nov/09/copper-mining-reveals-clean-energy-dark-side>

<sup>1</sup> <https://www.statista.com/statistics/802690/worldwide-connected-devices-by-access-technology/>





## Sustainable IoT – what’s the solution?

If we want to reap the many benefits of expanding IoT without damaging the environment, a radical rethink of power sources is needed.

Many of the proposed solutions to combat the environmental impact of batteries in IoT sensors have focused on extending battery life. This would, of course, reduce the carbon footprint of sensors, as fewer batteries would be needed, and maintenance requirements would be reduced. But there are size and weight limits to improvements, and the manufacturing and disposal issues would remain, even if at slightly reduced levels.

However, a more permanent solution is energy harvesting. It’s based on converting the energy available in a device’s immediate surroundings – light, heat or movement – into electrical power.

Because the energy is harvested from the environment – rather than being pre-loaded into a storage device in the form of chemical energy (as is the case for batteries) – the energy source is near-infinite. The only environmental costs are the one-time production of the energy harvesting device.

*You can read more about the different methods of energy harvesting in our whitepaper, Breaking the Battery barrier.*

### IoT power proven to lower your carbon footprint

Our own solution to the battery problem uses photovoltaic panels to provide everlasting power to IoT devices. They’re specifically optimised to harvest power from indoor lighting but work well in other light conditions too.

Our off-the-shelf 4EverTrack sensor device is powered by an incredibly efficient PV panel that operates even in poorly lit indoor environments. This device was assessed according to ISO14067 by Circular Ecology to establish its carbon

footprint over 25 years, which was compared to the same device powered by an AAA battery and a CR2032 coin battery.

Over the 25-year study period, the PV panel’s carbon footprint was 0.07 kg CO<sub>2</sub>e<sup>11</sup>. In comparison, the AAA battery on a 2-year replacement cycle had a carbon footprint of 1.17 kg CO<sub>2</sub>e and the CR2032 battery on a 1-year replacement cycle had a footprint of 1.02 kg CO<sub>2</sub>e. This means that the PV power source reduces carbon footprint by 94% compared to an AAA battery replaced every two years.

At the device level, our 4Evertrack sensor, powered by PV had a carbon footprint of 0.87 kg CO<sub>2</sub>e, half that when powered by a CR2032 battery, and 45% that when powered by an AAA battery (see table on page 8).

This is a measure of the entire device lifecycle, including raw materials (which made up most of the total carbon footprint) and transportation.

These differences between total energy from battery and PV power over a lifetime are largely due to two factors. Firstly, this replacement cycle results in many batteries being used over the 25-year lifetime, which significantly increases the contribution of the battery raw materials and disposal to the overall carbon footprint.

Secondly, the battery-powered devices require maintenance for the replacement of the batteries. (In the base case used for the study, it was assumed a maintenance worker travels 10 km in a diesel van to the job site. It is also assumed that it takes 2.5 minutes per comparison device to change the batteries. This is of course, likely to vary significantly on a case-by-case basis.)

These environmental issues associated with batteries are likely to grow as the demand for battery raw materials increases. The rise of electric vehicles is the main source of this increased demand. Recent research<sup>7</sup> has suggested that demand could be 18-20 times higher for lithium, 17-19 times higher for cobalt, 28-31 times higher for nickel and 15-20 times higher for most other materials from 2020 to 2050. This would require a drastic expansion of lithium, cobalt, and nickel supply chains and likely additional resource discovery. It’s also likely to significantly increase the cost of batteries.

### Battery disposal causes environmental harm

According to an EU-backed research project, about 78 million batteries powering IoT devices will be dumped globally every day by 2025<sup>8</sup>. While in theory, most batteries are recyclable, the reality is

that many end up in landfill. In fact, only about half of the batteries used in Europe are recycled<sup>9</sup>. Recycling these types of batteries is a costly process, with its own energy requirements.

When batteries are sent to landfill and decay, or are burned, photochemical reactions can release greenhouse gases. In addition, improper or careless processing and disposal of spent batteries – which is not uncommon – leads to contamination of the soil, water and air<sup>10</sup>.

Clearly, as our use of the IoT grows, the environmental impact of disposing of batteries in this way will continue to grow. That’s why it’s so important to consider alternative energy sources.

<sup>7</sup> <https://www.nature.com/articles/s43246-020-00095-x>

<sup>8</sup> <https://cordis.europa.eu/article/id/430457-up-to-78-million-batteries-will-be-discarded-daily-by-2025-researchers-warn>

<sup>9</sup> [https://ec.europa.eu/eurostat/statistics-explained/index.php?title=Waste\\_statistics\\_-\\_recycling\\_of\\_batteries\\_and\\_accumulators&stable=0](https://ec.europa.eu/eurostat/statistics-explained/index.php?title=Waste_statistics_-_recycling_of_batteries_and_accumulators&stable=0)

<sup>10</sup> <https://pubs.rsc.org/en/content/articlelanding/2021/ee/d1ee00691f>

<sup>11</sup> Carbon dioxide equivalent or CO<sub>2</sub>e means the number of metric tons of CO<sub>2</sub> emissions with the same global warming potential as one metric ton of another greenhouse gas



## 4Evertrack PV sensor carbon saving – a comparison of power sources for an IoT device over 25 years


	4Evertrack sensor (PV power)	AAA device (2-year battery replacements)	CR2032 (1-year battery replacements)
Total kg CO2e	<b>0.87</b>	<b>1.92</b>	<b>1.73</b>
Carbon footprint increase (compared to PV cell)	–	<b>121%</b>	<b>99%</b>

On the other hand, our light harvesting sensors are produced once and used for the device lifetime (and possibly beyond) with no replacements, disposal or maintenance costs between installation and the device's end of life.

An illustration of the comparative carbon footprints over time of the PV panel, AAA battery, and CR2032 battery is shown below. It demonstrates that the

carbon footprint of an indoor PV-powered device is significantly lower than that of an equivalent battery-powered device even for shorter product lifetimes of 5-10 years.

In a 1,000 device deployment, with a battery change every two years, using PV power would save 500 batteries – and all their associated environmental costs – every year.





# Lightricity PV technology

---

Our technology is the world's most efficient indoor PV technology (though it works outdoors too). It converts indoor light sources to energy with over 30% efficiency – a more than six-fold improvement on conventional PV, as validated by the UK's National Physical Laboratory.

A panel the size of your fingertip will power your IoT device forever. Even in extremely low indoor light. Our technology can be sealed in the device and operate at temperatures from -40 to +200 degrees, opening possibilities to power devices not previously thought possible with indoor IoT.

We offer two solutions. For those designing new connected devices, our customisable PV panels can be integrated into any low-power IoT device as an alternative to batteries. For IoT systems integrators, we offer off-the-shelf, easy-to-integrate, PV-powered sensors for many common measurement and tracking applications.

Want to know how light harvesting can reduce your products' carbon footprint? Get in touch today to find out more.

**+44 1865 747711**

**[info@lightricity.co.uk](mailto:info@lightricity.co.uk)**





+44 1865 747711  
[info@lightricity.co.uk](mailto:info@lightricity.co.uk)

© Copyright Lightricity Ltd 2022