

500655 LINALOOL OXIDE

 Revision Date: 01-24-2018
 Page 1 of 10

 Version # 02
 Print Date: 01-24-2018

1. IDENTIFICATION Product Description: LINALOOL OXIDE CAS# 1365-19-1 3746 **FEMA Number** Other means of identification 500655 Vigon Item # Recommended use Concentrated aromatic and flavor ingredient which may be used in flavor and fragrance compounds according to legal and IFRA or FEMA GRAS/FDA guidelines. **Recommended restrictions** For Manufacturing Use Only Company 24 Hour Emergency Response Information Vigon International, Inc. INFOTRAC (ACCT# 78928); 1-800-535-5053 WITHIN THE U.S.A. 127 Airport Road 1-352-323-3500 OUTSIDE THE U.S.A. E. Stroudsburg, PA 18301 For information call: 570-476-6300 Web Site: www.vigon.com Manufacturer/Importer/Supplier/Distributor information Manufacturer Vigon International, Inc. Company name Address 127 Airport Road E. Stroudsburg, PA 18301 United States Telephone For information call: 570-476-6300 Website www.vigon.com E-mail Not available. **INFOTRAC** Emergency phone number (ACCT# 78928); 1-800-535-5053 WITHIN THE U.S.A. 1-352-323-3500 OUTSIDE THE U.S.A. 2. HAZARD(S) IDENTIFICATION

Physical hazards	Flammable liquids	Category 4
Health hazards	Acute toxicity, oral	Category 4
	Acute toxicity, dermal	Category 5
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
Environmental hazards	Not classified.	

Label elements



Signal word



500655 LINALOOL OXIDE

Revision Date: 01-24-2018	Page 2 of 10	
/ersion # 02	Print Date: 01-24-2018	
Hazard statement	Combustible liquid. Harmful if swallowed. May be harmful in contact with skin. Causes skin irritation. Causes skin and eye irritation. Causes serious eye irritation.	
Precautionary statement		
Prevention	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.	
Response	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish.	
Storage	Store in a well-ventilated place.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
lazard(s) not otherwise lassified (HNOC)	None known.	

100% of the mixture consists of component(s) of unknown acute inhalation toxicity. 100% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 100% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Supplemental information

Chemical name	Common name and synonyms	CAS number	%
LINALOOL OXIDE	linalool dihydroepoxide cis,trans-2- methyl-2-vinyl-5-(2-hydroxy-2-propyl) tetrahydrofuran 6- methyl-2-(oxiran-2-yl)hept-5-en-2-ol	1365-19-1	100
	2-(5-methyl-5-vinyltetrahydro-2-furanyl)-2 -propanol		

4. FIRST-AID MEASURES

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.
Eye contact	Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.



500655 LINALOOL OXIDE

Revision Date: 01-24-2018	Page 3 of 10
Version # 02	Print Date: 01-24-2018
Indication of immediate medical attention and special treatment needed	Not available.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. FIRE-FIGHTING MEASU	IRES
Suitable extinguishing media	Water spray, fog, CO2, dry chemical, or alcohol resistant foam.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.
Specific methods	Use water spray to cool unopened containers.
General fire hazards	Static charges generated by emptying package in or near flammable vapor may cause flash fire.
6. ACCIDENTAL RELEASE	MEASURES
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Avoid contact with skin or inhalation of spillage, dust or vapor Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Eliminate all sources of ignition.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.
	The product is immiscible with water and will spread on the water surface.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent product from entering drains. Absorb in vermiculite, dry sand or earth and place into containers.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Collect and dispose of spillage as indicated in section 13 of the

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid release to the environment. Retain and dispose of contaminated wash water. Contact local authorities in case of spillage to drain/aquatic environment.

SDS.



500655 LINALOOL OXIDE

Revision Date: 01-24-2018 Version # 02 Page 4 of 10 Print Date: 01-24-2018

7. HANDLING AND STORAGE Precautions for safe handling Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling. Keep container closed. Handle containers with care. Open slowly in order to control possible Conditions for safe storage, including any incompatibilities pressure release. Store in a cool, well-ventilated area. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION This substance has no PEL, TLV, or other recommended exposure limit. Occupational exposure limits **Biological limit values** No biological exposure limits noted for the ingredient(s). Use explosion-proof ventilation equipment to stay below exposure limits. Adequate ventilation Appropriate engineering controls should be provided so that exposure limits are not exceeded. Individual protection measures, such as personal protective equipment Eye/face protection Wear safety glasses with side shields (or goggles). Skin protection Hand protection Chemical resistant gloves. Other Not available. **Respiratory protection** Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided. Thermal hazards Wear appropriate thermal protective clothing, when necessary. General hygiene considerations When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Refer to Spec Sheet
Physical state	Liquid.
Form	Liquid.
Color	Refer to Spec Sheet
Odor	Characteristic.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	370.4 °F (188 °C)
Flash point	148.0 °F (64.4 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.



500655 LINALOOL OXIDE

Revision Date: 01-24-2018	Page 5 of 10
Version # 02	Print Date: 01-24-2018

Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.002 mm Hg at 25 °C
Vapor density	5.9
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Flammability class	Combustible IIIA estimated
Molecular formula	C10H18O2
Molecular weight	170.25 g/mol
Oxidizing properties	Not oxidizing.
Specific gravity	0.94 at 25 °C

10. STABILITY AND REACTIVITY

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	May be harmful in contact with skin. Causes skin irritation.
Eye contact	Causes serious eye irritation. Causes mild eye irritation.
Ingestion	Harmful if swallowed.



500655 LINALOOL OXIDE

 Revision Date: 01-24-2018
 Page 6 of 10

 Version # 02
 Print Date: 01-24-2018

Symptoms related to the Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred physical, chemical and vision. Skin irritation. May cause redness and pain. toxicological characteristics Information on toxicological effects Acute toxicity Harmful if swallowed. May be harmful in contact with skin. Product Test Results Species LINALOOL OXIDE (CAS 1365-19-1) Acute Dermal LD50 Rabbit 2500 mg/kg Oral LD50 Rat 1750 mg/kg Skin corrosion/irritation Causes skin irritation. Species: rabbit Skin irritation Serious eye damage/eye Causes serious eye irritation. irritation Species: rabbit Mild eye irritation Respiratory or skin sensitization Respiratory sensitization Not a respiratory sensitizer. Skin sensitization This product is not expected to cause skin sensitization. Germ cell mutagenicity Genotoxicity in vitro : Ames test negative Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay) Carcinogenicity IARC Monographs. Overall Evaluation of Carcinogenicity Not listed. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens Not listed. US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not available. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity -Not classified. single exposure Specific target organ toxicity -Not classified. repeated exposure Aspiration hazard Not an aspiration hazard.



500655 LINALOOL OXIDE

Revision Date: 01-24-2018 Version # 02 Page 7 of 10 Print Date: 01-24-2018

12. ECOLOGICAL INFORMATION

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this substance.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal instructions	Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	Not established.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

ADN

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

DOT

BULK

UN number	NA1993
Proper shipping name	COMBUSTIBLE LIQUID, N.O.S. (LINALOOL OXIDE)
Hazard class	Combustible liq
Packing group	III
Environmental hazards	
Marine pollutant	No
Packaging exceptions	150
Packaging bulk	242
Labels required	3
OT	

DOT

NON-BULK

Not regulated as dangerous goods.



500655 LINALOOL OXIDE

Revision Date: 01-24-2018 Version # 02 Page 8 of 10 Print Date: 01-24-2018

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. CERCLA Hazardous Substance List (40 CFR 302.4) Not listed. SARA 304 Emergency release notification Not regulated. US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not available. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated. TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous Yes chemical Classified hazard Flammable (gases, aerosols, liquids, or solids) categories Acute toxicity (any route of exposure) Skin corrosion or irritation Serious eye damage or eye irritation SARA 313 (TRI reporting) Not regulated. Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Safe Drinking Water Act Not regulated. (SDWA) US state regulations California Proposition 65 California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance Not listed.



500655 LINALOOL OXIDE

Revision Date: 01-24-2018	Page 9 of 10
Version # 02	Print Date: 01-24-2018

International Inventories		
Country(s) or region	Inventory name On inventory	/ (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Toxic Chemical Substances (TCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compo	nents of this product comply with the inventory requirements administered by the governing country(s))

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Issue date	11-26-2015
Revision date	01-24-2018
Version #	02
HMIS® ratings	Health: 2
	Flammability: 2
	Physical hazard: 0



500655 LINALOOL OXIDE

Revision Date: 01-24-2018	Page 10 of 10
Version # 02	Print Date: 01-24-2018

Disclaimer

Vigon International, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.