

EZTRUNK Carpet

EZTRUNK™ ASSEMBLY

MANUAL

#1907 0010 - #1907 0015 - #1911 0020 - #1911 0025 - #1918 0030 - #1918 0035

MAKE IT EZ

Print the latest manual &
Watch the EZTRUNK Video



Scan QR CODE for Video &
PDF MANUALS



Customer Service

Any question? WE ARE HERE TO HELP!

Text or Call **203-901-0055** / Call **203-591-9060**



EMAIL US: SERVICE@EZTRUNK.NET

7 days a week 8:30 am EST

WE CAN HELP YOU!

PO# :

Please read instructions fully before beginning assembly

NO	Illustration	Description	Part#	QTY.
1		EZTRUNK Carpet	List	1
2		Velcro Hook - 2.5x64	11641	1

Carpet Part List	
#1907 0010	1997-2007 2 Dr
#1907 0015	2007-2010 2&4 Dr
#1911 0020	2011- 2018 2 Dr
#1911 0025	2011- 2018 4Dr
#1918 0030	2018- 2020 2 Dr
#1918 0035	2018- 2020 4 Dr

RECOMMENDED TOOLS



IMPORTANT: Ambient temperature should be at least 70F for proper adhesion of Velcro. Make sure trunk is clean and dry from all debris prior to attaching.

There are Three versions of the EZTRUNK carpet.

Version (1) Whole piece of carpet for solid top trunks.

Version (2) Cut piece of carpet for trunks with a flip top door.

Version (3) TJ EZTRUNK only



Version (1)



Version (2)



Version (3)


BEFORE BEGINNING, SEE THE ASSEMBLY INSTRUCTION VIDEO ON EZTRUNK.NET

1




Use alcohol to clean the top of the trunk prior to adhesion . Cut Velcro into (6) 2 inch long.

Version (1) **2**




Peel back paper and attach (6) cut pieces of Velcro Hook & Loop to trunk per diagram.
Peel back top paper and attach carpet to sticky side of Velcro.
Press carpet firmly to the Velcro adhesive.

Version (2) **3**




Peel back paper and attach (6) cut pieces of Velcro Hook & Loop to trunk per diagram.
Peel back top paper and attach carpet to sticky side of Velcro.
Press carpet firmly to the Velcro adhesive.

Version (2) Continued **4**



Peel back paper and attach (6) cut pieces of Velcro Hook & Loop to trunk per diagram.
Peel back top paper and attach carpet to sticky side of Velcro.
Press carpet firmly to the Velcro adhesive.

Version (3) TJ **5**



Peel back paper and attach (9) cut pieces of Velcro Hook & Loop to trunk per diagram.
Peel back top paper and attach carpet to sticky side of Velcro.
Press carpet firmly to the Velcro adhesive.

6



Completed with carpet photo