

ess - hygiene - modern home technology - cleanliness - hygiene - modern home tech-
modern home technology - cleanliness - hygiene - modern home technology - cleanliness
y - cleanliness - hygiene - modern home technology - cleanliness - hygiene - modern
ene - **modern home technology - cleanliness - hygiene** - modern home technology - cle-
technology - cleanliness - hygiene - modern home technology - cleanliness - hygiene
ness - hygiene - modern home technology - cleanliness - hygiene - modern home tech-
modern home technology - cleanliness - hygiene - mod
y - cleanliness - hygiene - modern home techn
ene - modern home technology - cleanliness

Product catalog 7

BVC 
central vacuum cleaner



ess - hygiene - modern home technology - cleanliness - hygiene - modern home tech-
modern home technology - cleanliness - hygiene - modern home technology - cleanliness
y - cleanliness - hygiene - modern home technology - cleanliness - hygiene - modern
ene - **modern home technology - cleanliness - hygiene** - modern home technology - cle-
technology - cleanliness - hygiene - modern home technology - cleanliness - hygiene
ness - hygiene - modern home technology - cleanliness - hygiene - modern home tech-
modern home technology - cleanliness - hygiene - mod
y - cleanliness - hygiene - modern home techn
ene - modern home technology - cleanliness



TABLE OF CONTENTS

BVC EBS DISTRIBUTION GMBH	3
CENTRAL VACUUM CLEANER	4-5
BVC BLACKLINE DIGITAL & ANALOG	6-9
BVC SILVERLINE	10-11
FILTER TECHNOLOGY AND FILTERS	12-13
SPECIAL FEATURES	14-15
CENTRAL VACUUM HOSES	16-19
CENTRAL VACUUM HOSE ACCESSORIES	20
VROOM & WALLYFLEX	21
HIDE-A-HOSE RETRACTABLE HOSE	22-23
VACUUM NOZZLES	24-25
INLET VALVES	26
VACPANS	27
MOUNTING ACCESSORIES	28
FREQUENTLY ASKED QUESTIONS	29
NOTES	30

BVC EBS DISTRIBUTION GMBH

We manufacture high-quality central vacuum cleaners and complement our range of products with a variety of accessories and installation material. We will be happy to assist you with questions to our products.



Your health is one of our top priorities!

Our central vacuum cleaners assist you to live a healthier life and to run a healthier business. Especially people with asthma and dust allergies appreciate the clean indoor air quality. Better health through better hygiene is the goal of BVC EBS Distribution GmbH.



The environment concerns us!

We promise sustainable production and sustainable operation of our products. We produce high quality products made of high quality materials without unnecessary burden on the environment. Our guiding principle is to leave the smallest footprint on the environment as possible.



We will assist you!

Our expert consultation and planning before installation of a central vacuum cleaning system guarantee a long-term ownership satisfaction. We also provide a reliable after sales service by answering all questions concerning your central vacuum cleaning system. In case of an unexpected problem we react quickly, accurately and unbureaucratic.



Profit at any price? That's not our philosophy!

We ensure a long lifetime of our products. Our guarantee packages give you complete confidence. As manufacturer we are involved in all processes from conception to production. With strong partners on our side we can minimize risks and provide great service.



Made in Germany!

All BVC central vacuum cleaners have been produced in Germany for decades. A good infrastructure, documented and certified production processes as well as long-standing partnerships with our suppliers help us to create quality without any detours.

WARRANTY SERVICE

Our customers can rely on consistently high quality. If there is a defect in our products, our service technicians offer repair or replacement of the defective part. Please find all details about warranty on www.bvc-vac.com.

20
year
warranty

on metal housing

4
year
warranty

on **CORDURA®**
motor protection filters

10
year
warranty

on motor and
electrical components

4
year
warranty

on **MULTI-FLEX**
central vacuum hoses

5
year
warranty

on original
BVC inlet valves


3
year
warranty

on original
BVC accessories

MODERN HOME TECHNOLOGY FOR EVERY BUILDING

**Central vacuum cleaners,
that's why!**

**40 % time saving
30 % cost saving
100 % hygiene**



Installations example

Central vacuum cleaners are usually installed in the basement or an utility room. A piping system with air inlet valves that connects the floors and rooms with the central vacuum cleaner. Inlet valves are installed in walls throughout the building that can attach to suction hoses to remove dust and small debris from interior rooms in a comfortable way.



ADVANTAGES OF BVC CENTRAL VACUUM CLEANERS



Clean air in living rooms.

Thanks to the three-filter-system the dust can be removed and the inroom air remains clean. Dust allergy sufferers can freely take a breath.



Vacuuming quietly.

BVC central vacuum cleaners are significantly quieter than portable vacuum cleaners. So you can make phone calls or listen to music while vacuuming.



Comfortable handling.

Easily move from room to room without having to push and pull a device. Insert the suction hose and you are ready to go!



Constantly high performance.

BVC central vacuum cleaners are equipped with a powerful motor which allows it to keep the suction constantly high.



APPLICATION AREAS OF BVC CENTRAL VACUUM CLEANERS

In both residential homes and commercial properties, BVC central vacuum cleaners contribute to your convenience and well-being every day. You save time when housekeeping, live healthier and make a good impression on guests, staff and clients. The size of your property is irrelevant. BVC does the planning for your individual central vacuum system.



Home



Office space



Hotels

Bild1: KB3 Fotolia
Bild2: fotogestoeber - Fotolia
Bild3: Frank Herrmann - Fotolia


BVC

BLACKLINE

DIGITAL EDITION

Digital control system

The central vacuum cleaners of the BVC Blackline Digital Edition series are innovative and intelligent. Thanks to the digital control electronics, digital devices offer even more convenience and safety than central vacuum cleaners with analog control electronics. The digital electronics box has five menus that can be easily controlled using two buttons. The display shows different views depending on the function called. From the initial commissioning, all relevant information on the operation of your central system is available at the push of a button.



The following menus can be selected:

- Status:** airpower & motor temperature
- Fill level:** Filter filling level
- Leak test:** test tightness of pipe and valve system
- Blockage test:** localizes clogged pipes
- Malfunction message:** error messages in plain text

QUALITY MADE IN GERMANY

Innovative and intelligent

Hybrid function:
Vacuuming without dust filter bag possible.

Comparison Winner

BVC Blackline Digital Edition are the best central vacuum cleaners on the market. This is confirmed by numerous German comparative portals. The BVC central vacuum cleaner convinces in all aspects. The big advantages include the „breath-taking“ airpower, the excellent workmanship, the easy cleaning and the good price / performance ratio.

Finest Filter Technology

All BVC Blackline devices are standardly equipped with a double-layered filter made of CORDURA® fabric and satin. This abrasion-resistant filter is weighted with a sewn-in weight. As a result, the filter will sink down after switching off the vacuum cleaner and the coarse dust will fall into the dust container. With this filter technology it is possible to vacuum with or without a dust filter bag.



technical data

- max. suction power
- max. current strength
- engine power
- max. air volume
- max. vacuum
- suitable for
- container volume
- dimensions
- weight
- motor protection filter
- sound isolation
- control electronics
- Item #

with digital control system and **CORDURA®** filter



S 600 DE

approx. 700 Airwatt
 8 A
 1800 Watt
 approx. 234 m³/hour
 approx. 305 mbar
 5-8 inlets and 80 m
 of piping
 20 liter
 108 cm x 35 cm
 17 kg
 CORDURA® + Satin
 yes
 digital
 20006



S 700 DE

approx. 730 Airwatt
 9 A
 2000 Watt
 approx. 241 m³/hour
 approx. 315 mbar
 8-11 inlets and 120
 m of piping
 20 liter
 108 cm x 35 cm
 17 kg
 CORDURA® + Satin
 yes
 digital
 20008



BVC

BLACKLINE

ANALOG EDITION

Analog control system

The machines of the BVC Blackline with analog control electronics have the same high airpower as the BVC central vacuum cleaners with digital electronics control. In contrast to digital devices, the Analog Edition comes with an operating hours counter and LED lights as the only display.

CORDURA Filter Technology

They are equipped as standard with a double-layer CORDURA® / Satin filter. This offers the best protection for the motor and still allows vacuuming without a dust filter bag.

CORDURA® fabrics:

- 10 x more resistant to abrasion than cotton
- 3 x more resistant to abrasion than polyester
- keeps fine dust particles away from the motor



QUALITY MADE IN GERMANY

Timeless and powerful

Hybrid function:
Vacuuming without dust filter bag possible.



technical data

C 600

max. suction power	approx. 680 Airwatt
max. current strength	8 A
engine power	1800 Watt
max. air volume	approx. 224 m ³ /hour
max. vacuum	approx. 296 mbar
suitable for	2-5 inlets and 55 m of piping
container volume	12 liter
dimensions	80 cm x 30 cm
weight	11,8 kg
motor protection filter	CORDURA® + Satin
sound isolation	no
control electronics	analog
Item #	20004

with double-layer CORDURA® filter



S 600

approx. 700 Airwatt
 8 A
 1800 Watt
 approx. 234 m³/hour
 approx. 305 mbar
 5-8 inlets and 80 m
 of piping
 20 liter
 108 cm x 35 cm
 17 kg
 CORDURA® + Satin
 yes
 analog
 20000



S 700

approx. 730 Airwatt
 9 A
 2000 Watt
 approx. 241 m³/hour
 approx. 315 mbar
 8-11 inlets and 120
 m of piping
 20 liter
 108 cm x 35 cm
 17 kg
 CORDURA® + Satin
 yes
 analog
 20002

BVC

SILVERLINE

ANALOG EDITION

Analog control system

The central vacuum cleaners BVC SILVERLINE are considered to be classics.

Cleaning result, durability and technology convince in each regard. That is why our central vacuum cleaners established themselves quickly as an inherent part of the modern home technology.

The Swiss Association for Electrical Technology SEV has tested all BVC models and rated them as functional, safe and appropriate. BVC has received the SEV certification for all its central vacuum cleaners.

BVC motor protection filters consist of a single-layer cotton fabric and are additionally reinforced at the seams, so that no tears occur in the filter even at maximum load and the motor is permanently protected. However, BVC Silverline machines can only be used for a long time with an inserted dust filter bag.



QUALITY MADE IN GERMANY

Reliable and durable

*Hygienic vacuuming
with dust filter bag*



technical data

C 600

max. suction power	approx. 680 Airwatt
max. current strength	8 A
engine power	1800 Watt
max. air volume	approx. 224 m ³ /hour
max. vacuum	approx. 296 mbar
suitable for areas	2-5 inlets and 55 m of piping
container volume	12 liter
dimensions	80 cm x 30 cm
weight	11,8 kg
motor protection filter	cotton
sound isolation	no
control electronics	analog
Item #	20054



S 600

ca. 700 Airwatt
 8 A
 1800 Watt
 approx. 234 m³/hour
 approx. 305 mbar
 5-8 inlets and 80 m
 of piping
 20 liter
 108 cm x 35 cm
 17 kg
 cotton
 yes
 analog
 20050



S 700

ca. 730 Airwatt
 9 A
 2000 Watt
 approx. 241 m³/hour
 approx. 315 mbar
 8-11 inlets and 120
 m of piping
 20 liter
 108 cm x 35 cm
 17 kg
 cotton
 yes
 analog
 20052



THREE-FILTER-SYSTEM

Thanks to the three-filter-system the exhaust air can be filtered up to almost 100 percent. BVC guarantees with this highly modern filter technology maximum hygiene and best protection against house dust allergies and asthmatic illnesses.

HEPA 13 filter

The **High Efficiency Particulate Airfilter** is used if the exhaust air can not be routed to the outside (e.g. passive house). The HEPA 13 filter cleans the exhaust air up to 99,95 percent.

Motor protection filter

The motor generates a vacuum, which pulls the motor protection filter upward. The filter prevents dust particles from entering the engine compartment and filters the exhaust air. After use the motor protection filter falls back into starting position.

Filter bag

The filter bag is crucial for a hygienic and comfortable dust disposal. The filter bag has a volume capacity of 16 liters.

THE TWO-LAYERED CORDURA® MOTOR PROTECTION FILTER

The CORDURA® motor protection filter is standard in all BVC BLACKLINE vacuums. The new two layer motor protection filter consists of a CORDURA® fibre on the inside, which stops fine dust particles from entering the motor compartment. The satin fabric on the outside has a smooth surface. Dirt simply falls off.

The center of the CORDURA® filter is weighted. When vacuuming the filter is pulled up by the underpressure. Due to the weighted center the filter falls back into the dust container after the operation. Dust particles fall off into the dust container.

With this high efficient CORDURA® motor protection filter

VACUUMING WITHOUT FILTER BAG IS NOW POSSIBLE!

CORDURA®
BRAND
F A B R I C

CORDURA® fabrics:


- 10 x more resistant to abrasion than cotton
- 3 x more resistant to abrasion than polyester
- keeps fine dust particles away from the motor

CORDURA® is a trademark of INVISTA and is used under license to NILIT.



Bild: photographee.eu

FILTER



Filter bag, fleece
for S-series and C-series
size: 490 x 640 mm
Item # 13060



3-pieces set filter bags, fleece
for S-series and C-series
size: 490 x 640 mm
Item # 13062



HEPA filter
for S-series and C-series
Item # 12296

Filter bag modernisation kit

Our BVC central vacuum cleaners are standardly equipped with a filter bag. Older devices can be upgraded with the filter bag modernisation kit. This makes it possible to dispose the dust hygienically and comfortably into the domestic waste container. The filter bag has a volume of 16 liters. Depending on the household size approximately three filterbags will be needed per year.



Filter bag modernisation kit
for S-series
including motor protection filter (cotton), 3 fleece filter bags, flange and cover for flange connector
Item # 13734



Filter bag modernisation kit
for C-series
including motor protection filter (cotton), 3 fleece filter bags, flange and cover for flange connector
Item # 13068

all motor protection filters have reinforced seams



motor protection filter cotton
S-series
Item # 10190



motor protection filter cotton
C-series
Item # 13032



motor protection filter two-ply cotton / satin
with weighting plate
S-series
Item # 11916



motor protection filter two-ply, cotton / satin
with weighting plate
C-series
Item # 11917

CORDURA® MOTOR PROTECTION FILTER

With this high efficient CORDURA® motor protection filter **VACUUMING WITHOUT FILTER BAG IS NOW POSSIBLE!**



CORDURA® is a trademark of INVISTA and is used under license to NILIT.

Suitable only for BLACKLINE and SILVERLINE machines



motor protection filter CORDURA® / Satin
S-series
Item # 29122




motor protection filter CORDURA® / Satin
C-series
Item # 29120

BVC CENTRAL VACUUM CLEANERS - OVERVIEW



Elektronic box

The electronic box controls the operation of the motor. An integrated temperature sensor protects the motor against overheating. Thanks to the operating hours counter maintenance intervals can be monitored. The connection socket for the low voltage cable and the power cord (230 V) are also located on the electronic box.



Wall mounting

The robust wall mounting of the S-series is equipped with two sound-absorbing rubber blocks.



Vacuum valves

Two vacuum valves protect the motor even during the hardest pipe obstruction.



Suction flange left

The suction flange is mounted on the left side of the housing. It connects the central vacuum cleaner with the pipe system and is optimized for pipes with 50 mm diameter.



Cover for changeable suction flange

The cover for the suction flange is located on the right side of the housing. If necessary the suction flange can be easily mounted from the left side of the housing to the right side.



Dust container with filter bag


The dust is collected in the dust container. Thanks to the fixing clamps on the housing the dust container can easily be removed. Changing the filter bag is easy and hygienic.



SPECIAL FEATURES OF THE BVC CENTRAL VACUUM CLEANERS

Strong Through-Flow Motor


With Regulation 666/2013, the European Union lays down the requirements for the characteristics of mains-operated vacuum cleaners. Since September 2017, the power consumption of mobile vacuum cleaner is a maximum of 900 watts. Central vacuum cleaners are excluded from this EU regulation. Our BVC central vacuum cleaners have powerful 1,800 and 2,000 watts through-flow motors. Thanks to doubled engine power, BVC central vacuum cleaners can achieve 3 to 5 times more suction power than floor vacuum cleaners. Your cleaning result is significantly better and you save valuable time.



Soft start of the motor

The soft start of the motor causes the motor to be supplied slowly and gradually to its full power. Less wear and less vibration when starting the engine can extend the life of the engine. Furthermore, you prevent an overload of the house circuit breakers.

Up to 2,000 Watts Motor Power!



Suction power regulation through TRIAC control

The TRIAC control regulates the suction power of the motor. For the suction hoses with three-stage switch (MULTI-FLEX and FLEX) the motor can be regulated to 50% or 100% power. With the potentiometer of the SWIVEL suction hose a continuous suction power regulation is possible. For digital devices, the motor power / suction power can also be regulated at the electronics box.

3-stage switch to regulate suction from 0 to 50% or 100%



potentiometer for valuable suction power regulation



CENTRAL VACUUM HOSES & ACCESSORY SETS

MULTI-FLEX central vacuum hose with three integrated nozzles and three-stage switch

The MULTI-FLEX central vacuum hose consists of a textile cover made of braided synthetic fibres. This makes it durable and flexible. The three nozzles are integrated in the handle. Wherever you go, you take a crevice nozzle, an upholstery nozzle and a furniture brush with you. The integrated three-stage switch on the handle enables you to start the central vacuum cleaner. The suction power can be varied from OFF to 50% and 100%.

Item # 14447	length 6,0 m
Item # 14448	length 7,5 m
Item # 14449	length 9,0 m
Item # 14450	length 12,0 m

With
Three-
Stage-
Switch

QUALITY MADE IN
GERMANY

With 3 integrated
nozzles in the handle



crevice nozzle




upholstery nozzle



furniture brush

4-piece accessory set with MULTI-FLEX central vacuum hose

Telescopic tube, combination nozzle for carpets and smooth floors, hose holder and MULTI-FLEX central vacuum hose with three integrated nozzles.



MULTI-FLEX vacuum hose with 3 integrated nozzles

telescopic tube stainless steel

combination nozzle for carpets and smooth floors

hose holder chrome-plated

- Item # 25000 length 6,0 m
- Item # 25002 length 7,5 m
- Item # 25004 length 9,0 m
- Item # 25006 length 12,0 m

7-piece accessory set with MULTI-FLEX central vacuum hose

Telescopic tube, combination nozzle for carpets and smooth floors, hose holder, flexible crevice nozzle 440 x 46 mm, vacuum nozzle with horse hair bristle for smooth floors, turbo nozzle for upholstery and MULTI-FLEX central vacuum hose with three integrated nozzles.



MULTI-FLEX vacuum hose with 3 integrated nozzles

telescopic tube stainless steel

combination nozzle for carpets and smooth floors

hose holder chrome-plated

flexible crevice nozzle, 440 mm long, 46 mm wide

vacuum nozzle with horse hair bristle for smooth floors

turbo nozzle, 16 cm wide incl. universal adapter

- Item # 25008 length 6,0 m
- Item # 25010 length 7,5 m
- Item # 25012 length 9,0 m
- Item # 25014 length 12,0 m

FLEX central vacuum hose with three-stage switch for suction control

The FLEX central vacuum hose has an integrated three-stage switch. The suction power can be varied from OFF to 50% and 100%. The hand grip lies comfortably in your hand. The plastic tube makes it possible to vacuum directly on scratch-sensitive surfaces.

Item # 25400	length 6,0 m
Item # 25401	length 7,5 m
Item # 25402	length 9,0 m
Item # 25403	length 12,0 m



SWIVEL central vacuum hose with potentiometer for electronic suction control

The SWIVEL central vacuum hose has an integrated potentiometer for valuable electronic suction control at the hand grip. The 360° swiveling socket connection facilitates the handling while vacuuming.

Item # 25450	length 6,0 m
Item # 25451	length 7,5 m
Item # 25452	length 9,0 m
Item # 25453	length 12,0 m



Standard central vacuum hose with vacuum strength control

The Standard central vacuum hose is simple and good. By inserting the central vacuum hose into the inlet valve the central vacuum cleaner starts. The slide control on the handle controls the vacuuming power. The Standard central vacuum hose is perfect for the use in garages or workshops.

Item # 10898	length 6,0 m
Item # 10902	length 7,5 m
Item # 10906	length 9,0 m
Item # 10874	length 12,0 m

5-piece accessory set


Telescopic tube, combination nozzle for carpets and smooth floors, crevice nozzle, hose holder and a central vacuum hose of your choice.

Set with vacuum hose
Choice of FLEX, SWIVEL or standard hose




telescopic tube
stainless steel


+



combination nozzle
for carpets and smooth floors



crevice nozzle



hose holder
chrome plated

Set with FLEX vacuum hose

Item # 25410	length 6,0 m
Item # 25412	length 7,5 m
Item # 25414	length 9,0 m
Item # 25416	length 12,0 m

Set with SWIVEL vacuum hose

Item # 25460	length 6,0 m
Item # 25462	length 7,5 m
Item # 25464	length 9,0 m
Item # 25466	length 12,0 m

Set with Standard vacuum hose

Item # 10534	length 6,0 m
Item # 10544	length 7,5 m
Item # 10564	length 9,0 m
Item # 10508	length 12,0 m

8-piece accessory set

Telescopic tube, combination nozzle for carpets and smooth floors, crevice nozzle, hose holder, long flexible crevice nozzle 600 x 30 mm, vacuum nozzle with horse hair bristle for smooth floors, combination nozzle for upholstery and furniture and a central vacuum hose of your choice.

Set with vacuum hose
Choice of FLEX, SWIVEL or standard hose



telescopic tube
stainless steel

+



combination nozzle
for carpets and smooth floors



crevice nozzle



hose holder
chrome plated



long flexible crevice nozzle
600 mm long, 30 mm wide



vacuum nozzle with horse hair bristle
for smooth floors



combination nozzle for
upholstery and furniture

Set with FLEX vacuum hose

Item # 25420	length 6,0 m
Item # 25422	length 7,5 m
Item # 25424	length 9,0 m
Item # 25426	length 12,0 m

Set with SWIVEL vacuum hose

Item # 25470	length 6,0 m
Item # 25472	length 7,5 m
Item # 25474	length 9,0 m
Item # 25476	length 12,0 m

Set with Standard vacuum hose

Item # 10538	length 6,0 m
Item # 10558	length 7,5 m
Item # 10568	length 9,0 m
Item # 10512	length 12,0 m

HOSE ACCESSORIES



Telescopic tube, stainless steel

The working length is adjustable from 55 to 92 cm.

Item # 10586



Hose extension for LED/LUX vacuum hoses, 3 m long

The hose extension makes it possible to enlarge the vacuum hose length when required.

Item # 25150



Hose extension for Standard vacuum hoses

The hose extension makes it possible to enlarge the vacuum hose length when required.

Item # 11064	length 3,0 m
Item # 11072	length 5,0 m
Item # 14414	length 10,0 m



Hose holder chromed, small

Thanks to the hose holder the vacuum hose is always properly stowed.

Item # 10652



Hose holder chromed, large

For hoses longer than 9 m.

Item # 10656



Extension for telescopic tube

stainless steel, length 350 mm, can be used with the model #10586

Item # 10588



Hose cover

protects the vacuum hose from scratching and damages.

Item # 10744	length 9,0 m
Item # 10748	length 12,0 m



Ash-Pot ash cleaner 20 liters

Perfect for cleaning ash residues, fine dusts and coarse contaminants, in the fireplace, workshop and garden.

Item # 11026

VROOM - the retractable suction hose

Vroom is a retractable suction hose that is directly connected to the central vacuum cleaner. The slim case can easily be installed in cabinets or closets and turns any central vacuum system into a powerful, quick-clean appliance. Vroom automatically turns on when the hose handle is removed. After use the hose retracts into its case and automatically turns off when the hose handle is replaced. Vroom is always there when you need it, but out of sight when you don't.

Item # 25700 hose length 4,4 m
45,1 x 7,6 x 39,4 cm (WxHxD)

Item # 25702 hose length 6,2 m
55,0 x 7,6 x 39,4 cm (WxHxD)

All Ø 32 mm BVC accessories can be used with the VROOM.



VROOM telescopic tube and nozzle

The Original VROOM accessory set consists of a variable telescopic tube made of a metal alloy and a 15 cm wide nozzle. It is the optimal complement to your VROOM retractable suction hose.

The working length of the telescopic tube is adjustable from 49 cm to 77 cm.

Item # 25704



WallyFlex®

WallyFlex® is an innovative auxiliary hose for central vacuum systems. It is easy to use, practical and very nice-looking. The case can easily be installed everywhere in the house. WallyFlex® automatically turns on when the hose handle is removed. The hose can be stretched to 4 meters. WallyFlex® turns any central vacuum system into a quick-clean appliance.

WallyFlex®, white
Item # 25720

WallyFlex®, black
Item # 25722



HIDE-A-HOSE RETRACTABLE HOSE SYSTEM

The perfect solution for quick and easy cleaning. Hide-A-Hose solves the problem of carrying and storing a central vacuum hose.


Each retractable Hide-A-Hose is housed inside the wall. Simple cleanups are just that: simple!



Simply pull the hose out to the required length for cleaning,...



... attach the preferred tool for your cleaning task and switch the system on.



Now you are able to vacuum at lightning speed.

Once you've finished disconnect the cleaning tool, partially cover the mouth of the hose with your hand and it retracts back into its wall housing.

Hide-A-Hose increases the comfort of your central vacuum system enormously. In the living area only the inlet valve of the Hide-A-Hose is visible. The inlet valves are available with customized covers to match the client's decor.




Installation kit for dry wall



Item # 25838

Installation kit for brick wall



Item # 25839

Hide-A-Hose kit includes:

- HAH mounting frame
- 3 pcs. 90° F-F Long elbow
- 2 pcs. 45° F-F Long elbow
- 2 pcs. 22.5° F-F Long elbow
- 10 pcs. PVC Pipe Ø51mm 1.5m
- 5 pcs. F-F coupling Ø51mm
- 10 pcs. Metal pipe strap Ø51mm
- 1 pcs. F-M stop coupling 51 mm
- 1 pcs. PVC glue
- 1 pcs. manual Hide-A-Hose

Suitable for all hose lengths.

HAH start-up kit without hose sock

kit includes retractable hose without hose sock and inlet valve



- Item # 25840 length 8 m
- Item # 25841 length 10 m
- Item # 25842 length 12 m
- Item # 25843 length 15 m

HAH start-up kit with hose sock

kit includes retractable hose with hose sock and inlet valve



- Item # 25844 length 8 m
- Item # 25845 length 10 m
- Item # 25846 length 12 m
- Item # 25847 length 15 m

Customized valve covers



We are happy to offer customized valve covers to match the client's decor. Please contact us for details.

4-piece cleaning kit

kit includes handle, stainless steel telescopic tube, combination nozzle for carpets and smooth floors, crevice nozzle.

(1) + (2) + (3) + (4)

Item # 25848

7-piece cleaning kit


kit includes handle, stainless steel telescopic tube, combination nozzle for carpets and smooth floors, crevice nozzle, flexible crevice nozzle, suction nozzle with horse hair, bristle for smooth floors, combination upholstery and furniture nozzle

(1) + (2) + (3) + (4) + (5) + (6) + (7)

Item # 25849



Hide-A-Hose handle




telescopic tube stainless steel



combination nozzle for carpets and smooth floors



crevice nozzle



flexible crevice nozzle, 600 mm long, 30 mm wide



suction nozzle with horse hair for smooth floors



combination upholstery and furniture nozzle

NOZZLES FOR FLOORS



Nozzle with horse hair bristles

for smooth floors, black
30 cm wide, Ø 32 mm*

Item # 10614



Nozzle with plastic bristles

for smooth floors, black
36 cm wide, Ø 32 mm*

Item # 14111



Combination nozzle, adjustable

for carpets and smooth floors
28 cm wide, Ø 32 mm*

Item # 10798



Turbo brush, air driven

for short piled carpets
28 cm wide, Ø 32 mm*

Item # 10770


SPECIAL NOZZLES



Crevice nozzle

for crevices and corners, Ø 32 mm*

Item # 10636



Flexible crevice nozzle 440 x 46 mm

Ø 35 mm connection
with adapter to Ø 32 mm

Item # 14430



Flexible crevice nozzle 600 x 30 mm

for areas which are difficult to access,
Ø 32-35 mm connection

Item # 10644



Radiator brush

for classic radiators,
Ø 32 mm*

Item # 10642



Furniture brush with horse hair bristle

for furniture, dashboards, Ø 32 mm*

Item # 10606



Combination nozzle of upholstery and furniture

for upholstery and furniture, Ø 32 mm*

Item # 10714



Clothes brush, single*

for clothes, upholstery and animal hair, Ø 32 mm*

Item # 10722



Clothes brush, set

clothes brush (Ø 32 mm) and 5 m Standard vacuum hose

Item # 10718



NOZZLES FOR ANIMAL HAIR



Turbo nozzle for upholstery, 16 cm wide

air driven, incl. universal adapter

Item # 14426



Upholstery nozzle for hair and fuzz

with two velour strips, Ø 32 mm

Item # 10648



Animal care set

includes animal brush, comb for pet grooming, curry comb (Ø 32 mm) and 5 m Standard vacuum hose

Item # 11048



Animal brush, Ø 32 mm*

Item # 11058



Comb for pet grooming, Ø 32 mm*

Item # 11050



Curry comb, Ø 32 mm*

Item # 11054

* Cloth brush and nozzles with connection Ø 32 mm fit all BVC vacuum hoses and telescopic tubes. Previous animal care items with connection Ø 35 mm are available upon request.

ORIGINAL BVC INLET VALVES

The inlet valve is the visible part of your central vacuuming system in your living area. When closed it seals the pipeline. As soon as it is opened and the central vacuum hose connects with the low voltage contacts, the central unit is able to exchange signals with the central vacuum hose.

Wall inlet valve plastic

classic

Our wall inlet valves in classic design match ideally in every living ambience.

Dimensions (WxHxD):
81 x 115 x 11 mm;
Ø 40 mm connection

Color



antique white



pure white



matt nickel



matt chrome

Item #

11382

11383

11376

11354

„Flat Design“

modern

Our flat inlet valves made of plastic are thinner than classic wall inlet valves. This „flat design“ makes them appear more modern.

Dimensions (WxHxD):
83 x 120 x 8 mm; Ø 40 mm connection

Color



pure white



matt nickel

Item #

14432

11416

Inlet valve metall

robust

The robust inlet valve made of full metall is available as floor inlet valve and as wall inlet valve.

Ø 40 mm connection



white



bronze



chrom

Color

Dimensions (WxHxD)

Item # floor inlet valve 122 x 80 x 5 mm
Item # wall inlet valve 132 x 90 x 11 mm

11250
11246

11230
11224

11238
11232

Wall inlet valve made of aluminium

most popular

The wall inlet valve made of aluminium is the favorite wall inlet valve of our customers. It consists of a robust aluminium housing and is powder coated with a special lacquer. This makes it resistant against scratches and abresion. What is technically perfect also convinces optically with pure elegance. Dimensions (WxHxD): 81 x 115 x 11,1 mm; Ø 40 mm connection

Item # 11304



Surface mounted box

pre-assembled with inlet valve # 11304 and pipe elbow 90°

Item # 11494

„VACPAN“ - AUTOMATIC DUSTPAN

With the VacPan you are able to quickly and easily remove crumbs and other kinds of dirt without using a central vacuum hose. The VacPan is installed flush-mounted to a baseboard, cabinet kickboard or wall. By moving the kick switch to the „on“ position with your foot, the central vacuum cleaner starts. Sweep dirt towards to the VacPan inlet and watch the dirt disappear. Perfect for kitchens, entrance areas, garages or beauty salons.

VacPan set „flex“

including cover (plastic), connecting knee and 75 cm flexible connecting tube for 50 mm connection.

Available in pure stainless steel upon request (Item # 11118).



stainless steel design

Item # 11150



black

Item # 11158



white

Item # 11162

KITVAC DUSTPAN

KitVac Dustpan is the first ever flush auto dustpan that has been designed without a protruding footswitch. Thanks to its modern design, it blends smoothly with the kitchen base or the wall. The screws are veneered with a plastic cap. This makes KitVac seamlessly obscure to the eye. Foot injuries and damage to shoes and the KitVac are avoided. The surface cleaning of the stop nozzle is quick and easy. KitVac is easy to open and close with the tension spring-driven flip-flop door. The front door is totally sealed with a dual rubber seal.

KitVac Dustpan

The dimensions of the cover plate are 229 x 84 mm.



silver

Item # 26102



black

Item # 26103



white

Item # 26101

KitVac Dustpan - Set

Dustpan for convenient quick cleaning, with hose clamp and 75 cm flexible connecting tube for 50 mm connection.



silver

Item # 26105



black

Item # 26106



white

Item # 26104

PIPELINES, PIPE CONNECTIONS & MOUNTING ACCESSORIES

The original BVC polypropylene pipes have a diameter of 50 mm and are equipped with a double O-ring seal. This guarantees a 100 percent seal and generates an optimal vacuum. The mounting is performed by inserting one pipe inside another without using glued joints. We recommend the mounting of pipes in the color white to differentiate them better from drain pipes.



**Polypropylene pipe
15 cm**
Item # 11638

**Polypropylene pipe
50 cm**
Item # 11652

**Polypropylene pipe
100 cm**
Item # 11632

**Polypropylene pipe
200 cm**
Item # 11642

Advantages of the original BVC double O-ring seal

Fast - the pipes are quickly inserted together. Costly working hours can be avoided.

Easy - no glue fittings are needed. Pipes does not have to be laminated with glue to connect them with other pipes. No time-consuming gluing process, no drying time, no cleaning up afterwards.

Safe - even by lateral movement of the pipes during the installation (which occurs relatively often) the necessary seal of the pipe connections remains. The avoidance of air escaping in the pipeline is crucial to generate a strong suction vacuum.

Sustainable - production, use and disposal of toxic solvent can be avoided with the original BVC double O-ring seal.



Original BVC double O-ring seal
50 mm Ø

Item # 11728



Pipe bend 90°, long
Reinforced in the radius (outer wall area) by approx. 2.5 mm
Item # 11604



Pipe bend 87°
Safety pipe bend for mounting directly behind the inlet valve
Item # 14105



Pipe bend 30°
with double O-ring seal
Item # 14103



Branch 45°
with double O-ring seal
Item # 14102



Pipe coupling
for connecting two cut PP pipes
Item # 14102



Inlet valve adapter
e.g. for installation without mounting on a frame, Ø 50 mm connection
Item # 11682



Extension adapter
to compensate for plaster thicknesses. Extension in five grades
Item # 11700



Pipe valve set
incl. pipe valve and T-branch 87°, for 50 mm pipe, incl. O-ring seal
Item # 11866



Pipe bracket
pipe holder for HT pipes 50 mm, plastic
Item # 11626



Pipe lubricant, 150g
for greasing plug-in pipes made of plastic (e.g. HT pipes)
Item # 11660

Further installation tools and installation aids are available on request.




Mounting set, depth 7 cm
incl. mounting frame and 90° pipe bend short for 50 mm pipe, incl. O-ring seal
Item # 11514



Metal mounting bracket with flange
15 mm connection flange, for Ø 50 mm adhesive pipe, incl. O-ring seal
Item # 11498



Metal mounting bracket with flange
15 mm connection flange, for Ø 50 mm pipe, incl. O-ring seal and breakable edge
Item # 11704



Plastic mounting bracket with flange
15mm connection flange, for Ø 50 mm adhesive pipe, incl. O-ring seal
Item # 11722



Plaster guard incl. 2 screws
prevents plaster from entering the mounting holes, suitable for all BVC mounting frames
Item # 11508



Flexible pipe for VacPan & VROOM
for connecting the HT pipe to VacPan, KitVac & Vroom, length 75 cm
Item # 11170



Low voltage cable
2-wired 2 x 0,75 qmm H05VV, 15 m long, black
Item # 10138



Fire protection sleeve
Type RK I, 50 mm
Item # 11670



Air exhaust grating, stainless steel
ventilation grille with pipe connection and fly gauze, Ø 110 mm, (WxH) 155 x 155 mm
Item # 35000



Air exhaust grating, plastic, white
for installation in masonry, fly screens, connection Ø 110 mm, (WxH) 140 x 140 mm
Item # 11804



Exhaust muffler metal
Our exhaust muffler of high-quality is made of electrolytic galvanised steel with powder coated finish. It reduces the motor noise level and fits with all models of the S-series and C-series. The noise can be reduced up to approx. 9 dB (measured at a distance of 3 meters).
size: connection 110 mm diameter, length 65 cm
Item # 21160



Exhaust muffler plastic
Our short exhaust muffler made of plastic suits perfectly for the operation in recirculation mode e.g. in passive houses. It fits with all models of the S-series and C-series. The noise can be reduced up to approx. 8 dB (measured at a distance of 3 meters).
size: connection 110 mm diameter, length 25 cm
Item # 11824

FREQUENTLY ASKED QUESTIONS

How many inlet valves are needed approximately for a single-family house?

Our motto: As many as necessary and as few as possible. In order to reach all areas from basement to attic, the inlet valves should be placed appropriate to the architectural circumstances of the building. The suction hoses have, depending on the length, a radius of action of 6 to 12 meters. A single-family home with a living space of about 150 square meters requires normally 5 to 7 inlet valves. We recommend to install an inlet valve at the entrance of the garage in order to vacuum the car comfortably and thoroughly. With a pipe valve set it is possible to vacuum the room in which the central vacuum unit is located.

Is suction power constant throughout the whole building?

Distances up to 100 m are no problem. A properly installed BVC central vacuum system offers the same powerful cleaning performance at every inlet valve and won't lose suction over time. BVC offers units with various motor strengths, so every building has a central vacuum cleaner with optimal performance.

Is there a risk of blockage?

No, provided that the pipes are properly installed. A so called safety bend is located behind each inlet valve. This is a short 87° bend that prevents bigger edge objects from entering into the piping system. If, despite of this, a blockage occurs (e.g. vacuumed cloth fabrics), there are a few easy actions to solve the problem.

Why you should not install a BVC central vacuum cleaner in the attic.


Due to gravity, large and heavy particles can not be sucked up several meters. There is a risk that the particles remain inside the piping system and fall to the deepest inlet valve. For this reason we suggest to install the central vacuum cleaner at the deepest point in your home.

Can a BVC system be installed in a present home?

Yes! Virtually any home, from new to decades old, can enjoy the cleaning power of a BVC system. The easiest way is to install pipelines into an inoperative chimney, supply shaft or open stairwell. There are always different installation possibilities. Everything is do-able. We will be pleased to help you with your installation options.

Does the BVC central vacuum cleaner need repairs and maintenance?

The BVC central vacuum systems are designed for a long lifetime. Like all high performance products, BVC central vacuum cleaners need regular maintenance. The high-quality Domel motor has to be protected against fine dust particles. That makes it necessary to clean the motor protection filter once a year or to completely replace the filter. BVC recommends not filling the filter bag completely, since suction decreases with a full filter bag and can cause damage to the filter bag.



NOTES

A large grid of dotted lines for taking notes, consisting of approximately 30 columns and 30 rows of small dots.

Disclaimer:
BVC reserves the right to amend typing errors/mistakes to price lists and technical data at any time. We reserve the right for changes in technical manners and equipment at anytime. We shall not be liable for slight deviations of samples, colour, purity, properties, quality or weight to the extent that the commodities provided are suitable for the purpose of use stated in the order.



BVC EBS Distribution GmbH

Londonstraße 9 • D-97424 Schweinfurt

Fon +49 97 21-78 57-0

Fax +49 97 21-78 57-29

Email: info@bvc-vac.com

Web: www.bvc-zentralstaubsauger.de/en

presented by:

