

6000 Metric Bearing Series						
Bearing Code	Inner Diameter	Outer Diameter	Width	Dynamic(kgf)	Static(kgf)	Weight(kg)
6000	10	26	8	467.2	201.848	0.019
6001	12	28	8	520.27	242.672	0.022
6002	15	32	9	568.804	290.752	0.031
6003	17	35	10	611.896	331.576	0.04
6004	20	42	12	956.626	512.105	0.068
6005	25	47	12	1019.675	596.473	0.078
6006	30	55	13	1345.807	846.403	0.11
6007	35	62	14	1651.982	1070.477	0.148
6008	40	68	15	1754.04	1203.38	0.185
6009	45	75	16	2141.408	1509.101	0.23
6010	50	80	16	2243.466	1651.982	0.258
6011	55	90	18	3079.436	2223.054	0.361
6012	60	95	18	3211.885	2467.54	0.384
6013	65	100	18	3110.28	2569.599	0.434
6014	70	110	20	3885.015	3151.104	0.601
6015	75	115	20	4037.876	3416.001	0.637
6016	80	125	22	4853.888	4058.288	0.848
6017	85	130	22	5047.572	4394.853	0.888
6018	90	140	24	5934.798	5067.983	1.158
6019	95	145	24	6158.872	5496.174	1.207
6020	100	150	24	6138.461	5527.019	1.247
6021	105	160	26	7372.684	6709.533	1.587
6022	110	170	28	8361.515	7443.898	1.956
6024	120	180	28	8463.573	7953.736	2.175
6026	130	200	33	10604.981	10197.202	3.323
6028	140	210	33	11012.76	11012.76	3.553
6030	150	225	35	12440.668	12746.389	4.371

6200 Bearing Metric Series						
Bearing Code	Inner Diameter	Outer Diameter	Width	Dynamic(kgf)	Static(kgf)	Weight(kg)
6200	10	30	9	520.27	242.672	0.032
6201	12	32	10	695.357	311.164	0.035
6202	15	35	11	780.178	379.203	0.045
6203	17	40	12	977.037	487.611	0.064
6204	20	47	14	1305.438	678.12	0.103
6205	25	52	15	1427.454	803.311	0.127
6206	30	62	16	1988.547	1172.535	0.2
6207	35	72	17	2600.443	1549.924	0.288
6208	40	80	18	3008.222	1835.687	0.367
6209	45	85	19	3211.885	2090.606	0.415
6210	50	90	20	3568.862	2365.936	0.462
6211	55	100	21	4425.697	2997.79	0.606
6212	60	110	22	5343.314	3691.332	0.782
6213	65	120	23	5832.74	4089.132	0.988
6214	70	125	24	6342.577	4496.911	1.068
6215	75	130	25	6872.826	4925.102	1.178
6216	80	140	26	7413.508	5404.549	1.397
6217	85	150	28	8565.631	6312.186	1.786
6218	90	160	30	9799.402	7291.038	2.145
6219	95	170	32	11114.818	8351.536	2.615
6220	100	180	34	12440.668	9493.681	3.133
6221	105	190	36	13561.947	10707.039	3.692
6222	110	200	38	14683.68	11930.83	4.351
6224	120	215	40	14887.797	12440.668	5.618
6226	130	230	40	16927.146	14887.797	6.227
6228	140	250	42	17946.821	16927.146	8.053
6230	150	270	45	17946.821	17334.925	10.278

6300 Bearing Metric Series

Bearing Code	Inner Diameter	Outer Diameter	Width	Dynamic(kgf)	Static(kgf)	Weight(kg)
6300	10	35	11	780.178	354.709	0.054
6301	12	37	12	991.099	518.002	0.059
6302	15	42	13	1172.535	552.475	0.082
6303	17	47	14	1376.652	670.863	0.109
6304	20	52	15	1611.159	803.311	0.141
6305	25	62	17	2263.878	1172.535	0.218
6306	30	72	19	2753.303	1549.924	0.349
6307	35	80	21	3385.611	1957.703	0.454
6308	40	90	23	4160.346	2447.129	0.64
6309	45	100	25	5384.137	3242.729	0.871
6310	50	110	27	6322.165	3905.427	1.066
6311	55	120	29	7301.017	4588.537	1.365
6312	60	130	31	8351.536	5322.902	1.696
6313	65	140	33	9452.857	6108.07	2.077
6314	70	150	35	10604.981	6949.937	2.513
6315	75	160	37	11522.598	7872.089	3.012
6316	80	170	39	12542.272	8840.962	3.583
6317	85	180	41	13561.947	9870.616	4.223
6318	90	190	43	14582.076	10910.702	4.899
6319	95	200	45	15601.75	12134.493	5.656
6320	100	215	47	17641.1	14377.959	6.985
6321	105	225	49	18762.833	15601.75	8.033
6322	110	240	50	20904.241	18354.6	9.521
6324	120	260	55	21617.741	19374.729	12.773
6326	130	280	58	23249.312	22025.974	18.262
6328	140	300	62	26002.615	24982.94	22.253
6330	150	320	65	29061.639	30591.152	26.644

6700 Bearing Metric Series

Bearing Code	Inner Diameter	Outer Diameter	Width	Dynamic(kgf)	Static(kgf)	Weight(kg)
6701	12	18	4	92.986	53.977	0.002
6702	15	21	4	86.636	49.895	0.002
6703	17	23	4	97.976	62.142	0.003
6704	20	27	4	105.233	73.482	0.005
6705	25	32	4	111.584	84.822	0.007
6706	30	37	4	119.295	99.79	0.008
6707	35	44	5	188.694	166.015	0.01

6800 Bearing Metric Series						
Bearing Code	Inner Diameter	Outer Diameter	Width	Dynamic(kgf)	Static(kgf)	Weight(kg)
6800	10	19	5	186.426	94.347	0.005
6801	12	21	5	195.952	106.141	0.006
6802	15	24	5	212.281	129.727	0.007
6803	17	26	5	286.67	175.54	0.008
6804	20	32	7	407.779	251.744	0.019
6805	25	37	7	438.623	300.731	0.022
6806	30	42	7	479.447	372.399	0.026
6807	35	47	7	499.858	412.769	0.029
6808	40	52	7	504.848	428.191	0.033
6809	45	58	7	632.307	550.661	0.04
6810	50	65	7	673.131	621.875	0.052
6811	55	72	9	897.205	825.991	0.083
6812	60	78	10	1172.535	1080.91	0.104
6813	65	85	10	1213.359	1172.535	0.126
6814	70	90	10	1233.77	1213.359	0.134
6815	75	95	10	1274.594	1315.417	0.142
6816	80	100	10	1295.005	1356.24	0.15
6817	85	110	13	1906.901	1937.291	0.265
6818	90	115	13	1937.291	2008.959	0.278
6819	95	120	13	1968.136	2008.959	0.704
6820	100	125	13	1998.526	2161.819	0.308
6821	105	130	13	2018.938	2437.15	0.323
6822	110	140	16	2865.341	3130.692	0.605
6824	120	150	16	2956.966	3365.199	0.654
6826	130	165	18	3762.546	4201.169	0.937
6828	140	175	18	3895.448	4527.302	0.998
6830	150	190	20	4874.3	5598.232	1.397

6900 Bearing Metric Series						
Bearing Code	Inner Diameter	Outer Diameter	Width	Dynamic(kgf)	Static(kgf)	Weight(kg)
6900	10	22	6	295.742	147.871	0.005
6901	12	24	6	438.623	229.518	0.005
6902	15	28	7	469.014	259.908	0.008
6903	17	30	7	647.729	377.389	0.008
6904	20	37	9	713.954	464.025	0.016
6905	25	42	9	739.355	509.837	0.019
6906	30	47	9	1111.3	790.157	0.02
6907	35	55	10	1397.063	1014.685	0.033
6908	40	62	12	1437.887	1111.3	0.051
6909	45	68	12	1478.71	1192.947	0.06
6910	50	72	12	1692.805	1437.887	0.06
6911	55	80	13	2059.761	1764.019	0.084
6912	60	85	13	2390.432	2023.734	0.047
6913	65	90	13	2416.738	2161.819	0.096
6914	70	100	16	2487.952	2304.701	0.155
6915	75	105	16	2549.187	2447.129	0.165
6916	80	110	16	3252.708	3018.201	0.173
6917	85	120	18	3344.787	3222.318	0.243
6918	90	125	18	3436.413	3416.001	0.256
6919	95	130	18	4588.537	4272.383	0.32
6920	100	140	20	4741.851	4568.125	0.435
6921	105	145	20	4884.279	4874.3	0.454
6922	110	150	20	5832.74	5802.349	0.472
6924	120	165	22	7097.354	7138.177	0.64
6926	130	180	24	7270.626	7627.603	0.844
6928	140	190	24	9524.071	9615.697	0.898
6930	150	210	28	9525.432	9673.303	1.383

16000 Bearing Metric Series

Bearing Code	Inner Diameter	Outer Diameter	Width	Dynamic(kgf)	Static(kgf)	Weight(kg)
16001	12	28	7	518.002	242.672	0.019
16002	15	32	8	571.072	259.908	0.025
16003	17	35	8	695.357	344.73	0.027
16004	20	42	8	805.579	453.592	0.05
16005	25	47	8	805.579	453.592	0.06
16006	30	55	9	1142.145	637.297	0.085
16007	35	62	9	1172.535	897.205	0.1
16008	40	68	9	1274.594	1040.086	0.13
16009	45	75	10	1305.438	1040.086	0.17
16010	50	80	10	1651.982	1345.807	0.18
16011	55	90	11	1651.982	1754.04	0.259
16012	60	95	11	1682.373	1529.512	0.279
16013	65	100	11	1784.431	1631.57	0.299
16014	70	110	13	2732.892	2406.306	0.44
16015	75	115	13	2814.538	2580.031	0.462
16016	80	125	14	3263.141	3018.201	0.62
16017	85	130	14	3365.199	3211.885	0.651
16018	90	140	16	4232.013	4027.897	0.871
16019	95	145	16	4384.874	4282.816	0.902
16020	100	150	16	4333.618	4282.816	0.943
16021	105	160	18	5302.49	5149.63	1.237
16022	110	170	19	5863.13	5761.526	1.507