



World Gate Energy WGE equipment catalogue

String Stabilizer Inventory

Item	Serial Number	Size
1	WGE-STB-12-001	12 1\8"
2	WGE-STB-12-002	12 1\8"
3	WGE-STB-12-003	12 1\8"
4	WGE-STB-12-004	12 1\8"
5	WGE-STB-8.385-001	8 3\8"
6	WGE-STB-8.385-002	8 3\8"
7	WGE-STB-8.385-003	8 3\8"
8	WGE-STB-8.385-004	8 3\8"
9	WGE-STB-8.385-005	8 3\8"
10	WGE-STB-8.385-006	8 3\8"
11	WGE-STB-8.385-007	8 3\8"
12	WGE-STB-8.385-008	8 3\8"
13	WGE-STB-5.875-001	5 7\8"
14	WGE-STB-5.875-002	5 7\8"
15	WGE-STB-5.875-003	5 7\8"
16	WGE-STB-5.875-004	5 7\8"
17	WGE-STB-5.875-005	5 7\8"
18	WGE-STB-5.875-006	5 7\8"
19	WGE-STB-5.875-007	5 7\8"
20	WGE-STB-5.875-008	5 7\8"
21	WGE-STB-4.625-001	4 1\16"
22	WGE-STB-4.625-002	4 1\16"



String Stabilizers Distribution Summary

Size
12 1/8"
8 3/8"
5 7/8"
4 1/16"

DRLG Rigs				Work Over Rigs
ECDC#01	ECDC#03	ECDC#05	HI TECH 103	Yard
2X12 1/8" STB	2X12 1/8"STB	2X 8 3/8" STB	2x 8 3/8" STB	2 7/8 HTPAC STRG&Handling Tools
2X 8 3/8" STB	2X 8 3/8" STB	2X 5 7/8" STB	2X 5 7/8" STB	2 7/8 HTPAC Kelly Package#01
2X 5 7/8" STB	2X 5 7/8" STB			2x 15' PJ HTPAC
				1X10' PJ HTPAC
				2 X 4 1/16 STB,2 7/8 HTPAC



Rotary Handling Equipments in yard

Description
Elevator,Drill Pipe 2 7/8 "
Elevator,Drill Collar 3 1/8 "
Safety Clamp For Drill Collar
Slips,Rotary, Drill Pipe 2 7/8 "
Slips,Rotary, Drill Collar 3 1/8 "

Square Kelly Package#01 in YARD

Kelly,Square,OD 3 7/8",2 7/8 HTPAC pin,6 5/8 Regular LH Box,42 feet Length
Bushing, Kelly Square
Lower Kelly Cook (Not Used)
Upper Kelly Cook
Saver Sub,2 7/8 HTPAC PinxBox,2 feet



2 7/8 HTPAC Drilling String #01 in YARD

Description
D/P, 2 7/8 HTPAC, S135, 10.4 lb/ft, Range 2
D/C, Spiral, 3 1/8" OD, 2 7/8 HTPAC, 22 lb/ft
D/C, Slick, 3 1/8" OD, 2 7/8 HTPAC
Pup Joint, 2 7/8 HTPAC, 15 feet Length
Pup Joint, 2 7/8 HTPAC, 10 feet Length
Bit Sub, 2 3/8 Regular / 2 7/8 HTPAC
Saver Sub, 2 7/8 HTPAC Pin x Box
Cross Over 2 7/8 HTPAC Pin / 3 1/2 IF Box
Lifting Sub 2 7/8 HTPAC
Lifting Cap 2 7/8 HTPAC For D/P
Rig Tong

Kelly, Square #02 In YARD (New)

Kelly, Square, OD 3 7/8", 2 7/8 HTPAC pin, 6 5/8 Regular LH Box, 42 feet Length



Additional Downhole Tools

Item	Description
1	4 3/4" Float Subs
2	6 1/2" Float Subs
3	8 1/4" Float Subs
4	4 3/4" Circulating Subs
5	6 1/2" Circulating Subs
6	7" Heavy Duty Rotatin Scraper
7	9 5/8" Heavy Duty Rotatin Scraper
8	4 3/4" Non-Magnetic Drill Collars
9	6 1/2" Non-Magnetic Drill Collars
10	8 1/4 " Non-Magnetic Drill Collars
11	4 3/4" Jar
12	6 1/2" Jar
13	8 1/4 " Jar
14	Orient Subs & Shock Subs
15	Non Mag Subs (UBHO & Extension & Flow Sub)

Key Benefits

Wide Range of tool sizes and configurations
Field-proven and certified equipment
Regular inspection and maintenance programs
Fast mobilization and delivery support
Technical assistance and operational support



Cost-effective rental solutions for drilling projects

Roller Reamer

Item	Description
1	6" Reamer
2	8 1/2" Reamer
3	12 1/4" Reamer
4	17 1/2" Reamer

Applications

Directional Drilling
Vertical Drilling
Hole Enlargement
Wellbore Conditioning
Casing Cleaning
Reaming Operations
Drilling Performance Optimization
Extended Reach Drilling (ERD)

Note

Additional Size available upon request