20MM OUTDOOR PORCELAIN

600X600mm | 60X60cm




NATURE'S EMBRANCE CRAFTED INPORCELAIN

MADE IN INDIA

STONE LIKE PORCELAIN TILES WITH COLOR BODY AND STONE-LIKE TEXTURE IDEAL USE IN EXTERIOR LANDSACPE AND LIVING AREAS.

The possibilities in porcelainare endless with Lancosa Out door porcelaintiles
with 20mm thickness.Their potential applications quadruple and acquirea
new dimension. Banking on an innovative product full of character, Lancosa
having 20mm thick porcelain tile with excellent quality







VARIETY OF SIZE & SURFACE

Lancosa brings all the potential of the 20mm collection to three different sizes and also mix sizes patio pack to guarantee maximum freedom of expression and engineering safety. The latest collection for new design trends in contemporary exteriors.









APPLICATION & SOLUTIONS



Sidewalk and Pedestrian Area








Parking Lots



Pool Surrounding Areas







Outside Terraces

SYSTEMS & SURFACES FEATURES

Stone, Cement and wood these are the source of inspiration featured in the extensive Lancosa range, including over 25 collections, our material are designed to lend all kind of outdoor settings, Both public and private, an original and exclusive feel.



Easy to Install & Removable



Color Resistance to Sunlight Exposure



Frost Resistance



High Mechanical Resistance



Extremely High Resistance to Breaking Load



Anti Slip Surface



Wear and Abrasion Resistance



Easy to Install



Stain Resistant



Resistance to Chemicals



Easy to Clean










INSTALLATION ON GRASS

Where there are lawns, be they in public areas or private homes, the tiles must be dry laid on top of this grass without using any building adhesives. This allows users to change the paving at any time, reusing the same material several times.












INSTALLATION ON SAND

The tiles can be laid dry by simply placing them in the desired position, without the need for building adhesives. This means the tiling is easily levelled out on top of the gravel and is ready for use immediately afterwards.












INSTALLATION ON GRAVEL

Apart from the attractive decorative effects that can be created, this system is particularly recommended in areas where drainage of the water in the underlying soil is a problem, and also for cement or concrete laying beds, such as on balconies or











TRADITIONAL LAYING

The advanced technical features of the 2 cm-thick collections, combined with an adhesive laying technique in screed, allow users to create perfectly stable and exceptionally hard-wearing surfaces. The 20mm slabs used with this solution can withstand both moving and parked vehicles.











RAISED PEDESTAL LAYING

20mm porcelain stoneware slabs can be used in conjunction with a support framework consisting of polypropylene bearing struts.

The support is fully adjustable and allows the creation, on any substrate, of raised floors, allowing for the installation of electrical and water systems in the cavity below.










LASTLE Series





6 Random













600X600mm | 60X60cm | 600X900mm | 60X90cm 600X1200mm | 60X120cm



STONE WAVE Series

AVAILABLE SIZE IN : 600x 600mm 600x 1200mm 600x 900mm



6 Random





OUTDOOR PORCELAIN TILES







600X600mm | 60X60cm | 600X900mm | 60X90cm 600X1200mm | 60X120cm



OPAL Series

AVAILABLE SIZE IN:





8 Random



OUTDOOR PORCELAIN TILES









20mm | OUTDOOR PORCELAIN

600X600mm | 60X60cm | 600X900mm | 60X90cm 600X1200mm | 60X120cm

