




Product photo	Product info
	<p>Travel charger with cable Input: AC 100-240V 50/60 Hz 0.4A Output: DC 5V 2.4A USB-Micro Charge / Sync Cable Current up to 3A Length: 1.2M / 4FT</p>
	<p>Travel charger with cable Input: AC 100-240V 50/60 Hz 0.4A Output: DC 5V 2.4A USB-Lightning Charge/Sync Cable Current up to 3A Length: 1.2M / 4FT</p>
	<p>Travel charger with cable Input: AC 100-240V 50/60 Hz 0.4A Output: DC 5V 2.4A USB-Type-C Charge/Sync Cable Current up to 3A Length: 1.2M / 4FT</p>



Sport Bluetooth headset
Charging Voltage: 5V
Charging Time: 1.5 Hours
Talking Time: 5 Hours
Music Time: 5 Hours



Bluetooth earphones
Charging Voltage: 5V
Charging Time: 1.5 Hours
Talking Time: 4 Hours
Music Time: 4 Hours



Lightning - Audio adapter
2-in-1 interface design
Lightning to 3.5mm Audio
Charging and speaker connection
Support Charging and Music



Bluetooth speaker
Input: DC5V
Output: 5W THD+N <10%
Battery: 3.7V / 500mAH
Music Time: 3 Hours



20W fast charger
Input: AC 100-240V 50/60 Hz 0.4A
Output USB-C: DC5V 3A/9V2.2A/12V1.67A
Output USB-A: DC5V3A
Output USB-A+C: DC 5V 3A



3-IN-1 charging cable
USB-Micro/ Type-C / Lightning
Current 2.4
1 Meter / 3.2FT
TPE+Nylon+Metal Sheel



USB- Lightning charge/sync cable
Current up to 3A
2 Meter / 6.5FT
TPE+Nylon+Metal Sheel



USB- Micro charge/sync cable
Current up to 3A
2 Meter / 6.5FT
TPE+Nylon+Metal Sheel



USB- Type-C charge/sync cable
Current up to 3A
2 Meter / 6.5FT
TPE+Nylon+Metal Sheel



Mobile power bank
10000mA
Input: 5V 2A / Output: 5V 2A
Double USB + Type-C+ Micro
With Charging Cable



MFi cable
USB-Lightning
Current 2.4A
1 Meter / 3.2FT
MFI Approval




USB-Micro charge/sync cable
Current up to 3A
1 Meter / 3.2FT
TPE Material



USB-Lightning charge/sync cable
Current up to 3A
1 Meter / 3.2FT
TPE Material



USB-Type-C charge/sync cable
Current up to 3A
1 Meter / 3.2FT
TPE Material



Earphones
SKP Size: ϕ 10mm
3.5 connector
Cable Length: 1 Meter/ 3.2FT
TPE Material



Mini car charger
Input: DC 12-24V
Output: DC 5V 2.4A
Overload protection
Short circuit protection



Travel charger with 2 USB ports
Input: AC 100-240V 50/60 Hz 0.4A
Output: DC 5V 2.4A



LED Mini torch light
Input Voltage:3.7V-4.2V
LED Type: Cree XPE / 1pcs
Battery : 1000Ah
Black color



LED Mini torch light
Input Voltage:3.7V-4.2V
LED Type: Cree XPE / 1pcs
Battery : 1000Ah
Silver color



LED Mini torch light
Input Voltage:3.7V-4.2V
LED Type: Cree XPE / 1pcs
Battery : 1000Ah
Gold color