

## Tachometer

### Description

Instrument to measure engine speed for gasoline or diesel engines.

### Features

- Nylon, corrosion free housing
- Standard 10-32UNF mounting studs with nuts
- 6.3mm (1/4" ) spade electrical connections
- Dip switch signal selector for greater tachometer durability

### Concept

- 12/24V operating voltage
- Ignition coil, alternator and magnetic pickup based signals
- Mineral glass lens
- Painted brass bezel
- Standard wedge style bulb
- Balanced pointer
- Lens sealing gasket

# Product Information

[www.vdo.com/usa](http://www.vdo.com/usa)

Technical Data	
Installation Depth	76mm
Installation Diameter	85mm
Deflection Angle	240°
Operating Voltage	11-28V
Accuracy	±2.0% of full scale reading
Operating Temperature	-40 to + 82 C°
Pointer	Polycarbonate
Housing	Nylon
Mounting Bracket	Zinc Plated
Dial	PC Translucent
Signal Voltage	1.5-12V
Sensors	Magnetic Pickup Ignition Coil Alternator
Measurement Range	0-4000RPM
Chemical Resistance	Drinks containing carbonation & caffeine, sun tanning lotions & sprays, cleaning agents, silicon based protectants
Temperature	Storage Temperature -40°C to +82°C

[www.vdo.com/usa](http://www.vdo.com/usa)

