





NightViu® Working Lights

Compact, Rugged & High-output illumination system

Continental introduces NightViu® Lighting Solutions. Raising the standard for versatility and durability. NightViu® Working Lights were designed to be compact and powerful replacements that can be easily integrate into your application. With three mounting options, integrated connector and 16 lighting variants, lighting up the workspace is no longer a challenge. Improved visibility allows for safer working conditions with Continental NightViu® Working Lights.

Benefits and Features

- › Versatile fitment:
 - 1 compact housing
 - 4 Lumen levels
 - 4 beam pattern options
- › Rugged Aluminum Die-cast housings with cataphoretic coating
- › Resilient shatterproof polycarbonate lenses
- › Endurance through Integrated driver and thermal management system
- › Highest IP Class: IP6K8 & IP6K9K
- › Operating Temperature: -40°F to +190°F





Applications




NightViu® Working Lights

Basic components








Product		Performance		Part number
NightViu® Working Lights				
	LED Light Ultra Wide		1500 lm	2801700001301
			2500 lm	2801700002301
			3500 lm	2801700003301
			4500 lm	2801700013301
	LED Light Wide		1500 lm	2801700004301
			2500 lm	2801700005301
			3500 lm	2801700006301
			4500 lm	2801700014301
	LED Light Flood		1500 lm	2801700007301
			2500 lm	2801700008301
			3500 lm	2801700009301
			4500 lm	2801700015301
	LED Light Spot		1500 lm	2801700010301
			2500 lm	2801700011301
			3500 lm	2801700012301
			4500 lm	2801700016301
NightViu® Accessories				
	Heavy duty holder			2801780001301
	Standard holder			2801780002301
	Cable 3 m			2801780003301
 	Cable 0.3 m			2801780006301

NightViu® Working Light Kits

	Product		Performance	Part number
NightViu® Working Light + Standard holder + 0.3 m Cable				
  	LED Light Ultra Wide		1500 lm	2801700017301
			2500 lm	2801700018301
			3500 lm	2801700019301
			4500 lm	2801700061301
  	LED Light Wide		1500 lm	2801700020301
			2500 lm	2801700021301
			3500 lm	2801700022301
			4500 lm	2801700062301
  	LED Light Flood		1500 lm	2801700023301
			2500 lm	2801700024301
			3500 lm	2801700025301
			4500 lm	2801700063301
  	LED Light Spot		1500 lm	2801700026301
			2500 lm	2801700027301
			3500 lm	2801700028301
			4500 lm	2801700064301

Coming Soon

NightViu® Working Lights

Product			Performance	Part number		
NightViu® Working Light + Standard holder						
		LED Light Ultra Wide		1500 lm	2801700065301	
				2500 lm	2801700066301	
				3500 lm	2801700067301	
				4500 lm	2801700068301	
		LED Light Wide		1500 lm	2801700069301	
				2500 lm	2801700070301	
				3500 lm	2801700071301	
				4500 lm	2801700072301	
		LED Light Flood		1500 lm	2801700073301	
				2500 lm	2801700074301	
				3500 lm	2801700075301	
				4500 lm	2801700076301	
		LED Light Spot		1500 lm	2801700077301	
				2500 lm	2801700078301	
				3500 lm	2801700079301	
				4500 lm	2801700080301	
NightViu® Working Light + Heavy duty holder + 0.3 m Cable						
			LED Light Ultra Wide		1500 lm	2801700029301
					2500 lm	2801700030301
					3500 lm	2801700031301
					4500 lm	2801700045301
			LED Light Wide		1500 lm	2801700032301
					2500 lm	2801700033301
					3500 lm	2801700034301
					4500 lm	2801700046301
			LED Light Flood		1500 lm	2801700035301
					2500 lm	2801700036301
					3500 lm	2801700037301
					4500 lm	2801700047301
			LED Light Spot		1500 lm	2801700038301
					2500 lm	2801700039301
					3500 lm	2801700040301
					4500 lm	2801700048301
NightViu® Working Light + Heavy duty holder						
		LED Light Ultra Wide		1500 lm	2801700049301	
				2500 lm	2801700050301	
				3500 lm	2801700051301	
				4500 lm	2801700041301	
		LED Light Wide		1500 lm	2801700052301	
				2500 lm	2801700053301	
				3500 lm	2801700054301	
				4500 lm	2801700042301	
		LED Light Flood		1500 lm	2801700055301	
				2500 lm	2801700056301	
				3500 lm	2801700057301	
				4500 lm	2801700043301	
		LED Light Spot		1500 lm	2801700058301	
				2500 lm	2801700059301	
				3500 lm	2801700060301	
				4500 lm	2801700044301	