









New Generation of USB Rechargeable Flashlights

by **LIGHTINGALE**

Our USB Rechargeable Aluminum Flashlights

LTG1001

MATERIAL	Durable and Anodized Aluminum				
LIGHT SOURCE	High Performance Cool White LED with Collimator Lens				
OPERATION	HIGH > OFF > LOW > OFF				
BATTERY	LTG0001 - 3.6V 3400mAh 18650 USB Rechargeable Li-ion Battery (Compatible with 2 x 3V CR123A Lithium Batteries - Excluded)				
ACCESSORY	Power Bank Cable, Lanyard Ring				
CHARGING PORT	USB Type-C	SIZE	Ø31.7mm x 125.2mm		
CHARGING TIME	4hours	WEIGHT	140g (w/ battery)		

MODE	 LUMENS	 HOURS	 METERS	 CD	 METERS	
-------------	--	---	--	--	--	---







HIGH	1050lm	2.5h	270m	18200cd	1m	IPX4
LOW	30lm	32h	44m	500cd		

1050lm
3400mAh



LTG1002

MATERIAL	Durable and Anodized Aluminum				
LIGHT SOURCE	High Performance Cool White LED with Collimator Lens				
OPERATION	HIGH > OFF > LOW > OFF				
BATTERY	LTG0002 - 3.6V 2600mAh 18650 USB Rechargeable Li-ion Battery (Compatible with 2 x 3V CR123A Lithium Batteries - Excluded)				
ACCESSORY	Power Bank Cable, Lanyard Ring				
CHARGING PORT	USB Type-C	SIZE	Ø31.7mm x 125.2mm		
CHARGING TIME	3hours	WEIGHT	138g (w/ battery)		

MODE	 LUMENS	 HOURS	 METERS	 CD	 METERS	
-------------	--	---	--	--	--	---







HIGH	1050lm	2.5h	270m	18200cd	1m	IPX4
LOW	30lm	32h	44m	500cd		

1050lm
2600mAh



LTG1003

MATERIAL	Durable and Anodized Aluminum				
LIGHT SOURCE	High Performance Cool White LED with Collimator Lens				
OPERATION	HIGH > OFF > LOW > OFF				
BATTERY	LTG0003 - 1.5V 400mAh AAA 10440 USB Rechargeable Li-ion Battery (Compatible with 1 x AAA Alkaline Battery - Excluded)				
ACCESSORY	Metal Clip				
CHARGING PORT	Micro USB	SIZE	Ø15.8mm x 95.1mm		
CHARGING TIME	2hours	WEIGHT	31g (w/ battery)		

MODE	 LUMENS	 HOURS	 METERS	 CD	 METERS	
-------------	--	---	--	--	--	---

HIGH	150lm	2.5h	69m	1190cd	1m	IPX4
LOW	28lm	8h	30m	230cd		

150lm
400mAh



LTG1004

MATERIAL	Durable and Anodized Aluminum				
LIGHT SOURCE	High Performance Cool White LED with Collimator Lens				
OPERATION	HIGH > OFF > LOW > OFF				
BATTERY	LTG0004 - 1.5V 1840mAh AA 14500 USB Rechargeable Li-ion Battery (Compatible with 1 x AA Alkaline Battery - Excluded)				
ACCESSORY	Lanyard Ring				
CHARGING PORT	Micro USB	SIZE	Ø25.6mm x 107.8mm		
CHARGING TIME	4hours	WEIGHT	76g (w/ battery)		

MODE	LUMENS	HOURS	METERS	CD	METERS	WEATHER
HIGH	185lm	4.75h	89m	1980cd	1m	IPX4
LOW	60lm	14.5h	47m	550cd		

185lm
1840mAh



LTG1005

MATERIAL	Durable and Anodized Aluminum				
LIGHT SOURCE	High Performance Cool White LED with Collimator Lens				
OPERATION	HIGH > OFF > LOW > OFF				
BATTERY	2 x LTG0003 - 1.5V 400mAh AAA 14500 USB Rechargeable Li-ion Battery (Compatible with 2 x AAA Alkaline Batteries - Excluded)				
ACCESSORY	Metal Clip				
CHARGING PORT	Micro USB	SIZE	Ø15.8mm x 139.2mm		
CHARGING TIME	2hours	WEIGHT	46g (w/ batteries)		

MODE	LUMENS	HOURS	METERS	CD	METERS	WEATHER
HIGH	280lm	5h	99m	2460cd	1m	IPX4
LOW	28lm	20h	30m	238cd		

280lm
400mAh
x 2pcs



LTG1006

MATERIAL	Durable and Anodized Aluminum				
LIGHT SOURCE	High Performance Cool White LED with Collimator Lens				
OPERATION	HIGH > OFF > LOW > OFF				
BATTERY	2 x LTG0004 - 1.5V 1840mAh AA 14500 USB Rechargeable Li-ion Battery (Compatible with 2 x AA Alkaline Batteries - Excluded)				
ACCESSORY	Lanyard Ring				
CHARGING PORT	Micro USB	SIZE	Ø25.6mm x 148.2mm		
CHARGING TIME	4hours	WEIGHT	116g (w/ batteries)		

MODE	LUMENS	HOURS	METERS	CD	METERS	WEATHER
HIGH	320lm	6.5h	127m	4060cd	1m	IPX4
LOW	70lm	16h	68m	1150cd		

320lm
1840mAh
x 2pcs



Multi-usage of our USB Rechargeable Battery




Our Flashlights work with **LIGHTINGALE** or normal battery!



Our **LIGHTINGALE** Batteries also work with many products!



Power Bank Function for Emergency use



Eco-Friendly



LTG0001 / LTG0002

=



2 x 3V CR123A Lithium



LTG0003

=



1.5V AAA Alkaline



LTG0004


=



1.5V AA Alkaline



Easy to Charge



Red Light - Charging
Green Light - Fully Charged