

RESIDENTIAL OPERATORS

LINEAR



LDO50
Deluxe Single Lamp
½-HP Operator



LDC0801
DC Powered
800N Operator



LSO50
Deluxe Dual Lamps
½-HP Operator



LCO75
Deluxe Dual Lamps
¾ HP Operator

7' Chain			
8' Chain			
10' Chain			
7' Belt			NA
8' Belt			NA
10' I-Rail	NA	NA	NA
12' I-Rail	NA	NA	NA
14' I-Rail		NA	NA

TRANSMITTERS



MTS-1
1 Car
Transmitter



MTS-3
3 Car
Transmitter



MDT-4A
4 Car
Transmitter



ACT-31B
Mini 1 Car
Transmitter



ACT-34B
Mini 3 Car
Transmitter



MDT-K
Wireless
Keypad

RECEIVERS



MDR-G
Receiver/Coax
& Connectors



MDR-U
Universal
Receiver

RESIDENTIAL OPERATORS

LiftMaster



8164WAC
AccessMaster®
½-HP Wi-Fi
Operator

8365W-267
½-HP Wi-Fi Operator
w/two-3 button
transmitter & keypad

8587W
¾-HP Wi-Fi
Operator
with I-Rail

8155W
½-HP Wi-Fi
Operator

84501
Wi-Fi Operator
w/one-3 button
remote

87504-267
Wi-Fi Operator
w/one-3 button
remote

7ft Chain	7ft Chain	7ft Chain	7ft Chain			
8ft Chain	8ft Chain	8ft Chain	8ft Chain			
10ft Chain	10ft Chain	10ft Chain	10ft Chain			
			12ft Chain			
			14ft Chain			
				7ft Belt	7ft Belt	7ft Belt
				8ft Belt	8ft Belt	8ft Belt
				10ft Belt	10ft Belt	10ft Belt

WALL MOUNT JACKSHAFT



8500

DC-Powered
Operator
• Remote Light

8500W

DC-Powered Wi-Fi Operator
• Battery Backup
• Remote LED Light
• Automatic Door Lock

KEYPADS



877LM

Wireless
Keypad

387LM

Universal
Keypad

878MAX

Wireless
Keypad

CONTROL PANEL



889LM

MyQ Control
Panel

TRANSMITTERS



891LMMC
(Previously 891LM)

1 Car
Transmitter

892LT

2-Button
Transmitter

893LMMC
(Previously 893LM)

3 Car
Transmitter

893MAX

3-Button Max
Transmitter

894LT

4-Button
Transmitter

380UT

2-Button Universal
Transmitter




INTERNET GATEWAY



828LM

Internet
Gateway

LiftMaster

Part	Part Number	12'	14'	16'	18'	20'	24'	HP	Volts	Phase	Max Sq Ft
	MT50							1/2	115	1	Med. Duty
	T50-1						-	1/2	115/230	1	350
	BT50-1						-	1/2	115/230	1	350
	CT50-1						-	1/2	115/230	1	350
	T75-1							3/4	115/230	1	500
	CT75-1							3/4	115/230	1	500
	T10-1							1	115/230	1	625
	GT10-1							1	115/230	1	575
	GT15-1							1 1/2	115/230	1	575

- T10s, GT10s & GT15s come standard with slow speed modification and OPEN4 photo eyes
- CTs come standard with OPEN4 photo eyes
- **Other operator configurations available. Please call factory**

DUAL TROLLEY/TRIPLE TROLLEY OPTIONS 12' 14' 16' 18' 20' 24'

T50 #48 Chain

T75, T10, GT10 & GT15 #41 Chain Dual Trolley

Triple Trolley

- A dual trolley setup is required for all doors 22 feet and wider to retain top section warranty
- For doors 26 to 30 feet wide, use the T10 with Dual Trolley
- For doors 30 to 36 feet wide, use the GT10 with Dual Trolley
- For doors more than 36 wide, use the GT15 with Triple Trolley

OPTIONS

Damp Environment Modification Package (with OPEN4)

Water-Tight/Oil-Tight NEMA 4-12 (GT only)







Corrosion-Resistant NEMA 4x (GT only)

Hazardous Area Modification

Solenoid Brake

25 foot Coax Extension Kit for Trolley

LiftMaster

Part	Part Number	Price	HP	Volts	Phase	Max SqFt
	LJ8900W			120	-	180
	MJ50		1/2	115	1	Med Duty
	J50		1/2	115/230	1	350
	CJ50		1/2	115/230	1	350
	J75		3/4	115/230	1	500
	CJ75		3/4	115/230	1	500
	J10		1	115/230	1	500
	MH50		1/2	115	1	Med Duty
	H50		1/2	115/230	1	350
	H75		3/4	115/230	1	500
	GH50		1/2	115/230	1	300
	GH75		3/4	115/230	1	430
	GH10		1	115/230	1	560
	GH15		1½	115/230	1	625

- Jackshaft Operators come standard with chain tensioners
- GH10s and GH15s come standard with OPEN4 photo eyes

- CJs come standard with OPEN4 photo eyes
- **Other operator configurations available—please call factory**

OPTIONS

Damp environment modification package with OPEN4

Water-Tight/Oil Tight NEMA 4-12 (GH only)

Corrosion Resistant NEMA4x (GH only)

Hazardous Area Modification

Solenoid Brake

6-Foot Coax Extension Kit for Jackshaft

1" Chain Tensioner (other than one supplied with operator) \$33.00

1 1/4" Chain Tensioner

Pusher Springs for J or H Installed on Standard Radius

Center Pull Modification

RADIO & WALL CONTROLS



All Star Commercial Transmitter
(Open-Close-Stop-ABC)



371LM 1-Button Transmitter
(MT, MJ, MH & L4)



891LMMC 1-Button Transmitter
(L5) (Previously 891LM)



892LT 2-Button Transmitter
(L5)



893LMMC 3-Button Transmitter
(L5) (Previously 893LM)



894LT 4-Button Transmitter
(L5)



813LMX Open-Close-Stop Transmitter
(L5)

CHAIN HOISTS



4:1 Chain Hoist 1" Shaft
(Requires solid shaft)



4:1 Chain Hoist 1-1/4" Shaft
(Requires solid shaft)



Extra Chain For Doors More Than 14 Feet High



Pusher Springs
(For doors with standard radius track)

RADIO & WALL CONTROLS



3-Button Wall Station NEMA1



Waterproof 3-Button Wall Station NEMA4



All Star Commercial Receiver



All Star Commercial Transmitter
(Open-Close-Stop)
