

Full Spectrum Sour Cola, 20mg CBD and 12mg THC per 5.5g Gummy

Matrix: Edible Type: Gummy



**4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

**COMPLIANCE FOR RETAIL** 

Sample: DA30424004-002 Harvest/Lot ID: FSSCG2423

Batch#: FSSCG2423

Sample Size Received: 144 units

Retail Product Size: 5.5 gram

Ordered: 04/21/23 Sampled: 04/21/23

Completed: 04/27/23

Sampling Method: SOP.T.20.010.FL

**PASSED** 

Pages 1 of 5

## Apr 27, 2023 | HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY HOLLYWOOD, FL, 33020, US





Pesticides



Heavy Metals PASSED



Microbials



Mycotoxins



Residuals Solvents



Filth PASSED



Water Activity



Moisture



**NOT TESTED** 

**PASSED** 



#### Cannabinoid

**Total THC** 

0.091%Total THC/Gummy: 5.005 mg



**Total CBD** 



**Total Cannabinoids** .644%

Total Cannabinoids/Gummy: 35.42 mg

	%	%	%	%	%	%	%	%	%	%	%
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
mg/unit	5.005	ND	21.78	ND	8.635	ND	ND	ND	ND	ND	ND
%	0.091	ND	0.396	ND	0.157	ND	ND	ND	ND	ND	ND
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA059228POT Instrument Used: DA-LC-007 Analyzed Date: 04/25/23 12:47:25

Reviewed On: 04/26/23 11:53:51 Batch Date: 04/25/23 09:13:28

Reagent: 040323.01; 041923.R09; 070122.11; 030923.08; 041923.R04 Consumables: 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





**Kaycha Labs** 

Matrix : Edible

Full Spectrum Sour Cola, 20mg CBD and 12mg THC per 5.5g Gummy Type: Gummy



**PASSED** 

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

4095N 28TH WAY HOLLYWOOD, FL, 33020, US Telephone: (954) 505-4481 Email: admin@highrollerllc.com Sample : DA30424004-002 Harvest/Lot ID: FSSCG2423

Batch#: FSSCG2423 Sampled: 04/21/23 Ordered: 04/21/23

Sample Size Received: 144 units Completed: 04/27/23 Expires: 04/27/24 Sample Method: SOP Client Method

Page 2 of 5



### **Pesticides**

DΛ	C	C	Е	
		9	4	$\mathbf{\nu}$

NMM.	100	1114	A - 41	D/E-!!	Describ.						
Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide	LOD	Units	Action Level	Pass/Fail	
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
OTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
OTAL SPINOSAD	0.01	ppm	3	PASS	ND		0.01	ppm	1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPICONAZOLE					
СЕРНАТЕ	0.01	ppm	3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	2	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
CETAMIPRID	0.01	ppm	3	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ZOXYSTROBIN	0.01	ppm	3	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
FENTHRIN	0.01	ppm	0.5	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	3	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND		0.01	ppm	3	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN					
HLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	PENTACHLORONITROBENZENE (PCNB)		PPM	0.2	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
OFENTEZINE	0.01	ppm	0.5	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
AZINON	0.01	ppm	3	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	-/-//-/			A - A		
METHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight: 3379, 585, 1440 1.0925q		on date: 3 17:12:47		3379,450,58	
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gain			(Davio) SOB		
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	esville), 30F.1	.50.102.1 L	(Davie), 30F	.1.40.101.11 (	Gairlesviii
TOXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch : DA059247PES		Reviewed	On:04/27/2	3 10:46:20	
NHEXAMID	0.01	ppm	3	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Dat	te:04/25/23	10:54:11	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : 04/25/23 15:36:53					
ENPYROXIMATE	0.01	ppm	2	PASS	ND	Dilution: 250	/	/		.1.\ 1	
PRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 042123.R02; 042423.R10; 041	323.R35; 042	423.R12; 04	11123.R05; 0	41923.R01; 0	40521.11
LONICAMID	0.01	ppm	2	PASS	ND	Consumables: 6697075-02 Pipette: DA-093: DA-094: DA-219					
LUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed	utilizina Liauia	Chromaton	ranhy Tripla	Quadrupolo Ma	cc
EXYTHIAZOX	0.01	ppm	2	PASS	ND	Spectrometry in accordance with F.S. Rule 6		Cilioinatog	grapity triple-	Quadi upole Ma	155
1AZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extraction	n date:		Extracted b	v:
IIDACLOPRID	0.01	ppm	1	PASS	ND	<b>450, 585, 1440</b> 1.0925g	04/25/23			3379,450,58	
RESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analysis Method: SOP.T.30.151.FL (Gain-	esville), SOP.T	.30.151A.F	L (Davie), SO	P.T.40.151.FL	
ALATHION	0.01	ppm	2	PASS	ND	Analytical Batch : DA059249VOL	Re	eviewed O	n:04/26/23 1	1:49:54	
ETALAXYL	0.01	ppm	3	PASS	ND	Instrument Used : DA-GCMS-006	Ba	atch Date :	04/25/23 10	:55:47	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : 04/25/23 17:21:02					
ETHOCARD	0.01	ppm	0.1	PASS	ND	Dilution: 250	22 042 0427	22.044			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Reagent: 041823.R35; 040521.11; 0407 Consumables: 6697075-02; 14725401	23.R43; U4077	23.K44			
YCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
ALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed	utilizing Gas C	hromatogra	nhy Trinle-O	adrunole Mace	Spectrom
ALED	0.01	phili	0.5	- MJJ	IND	. coming for agricultural agents is periorified	acrizing ods C	orrideogra	bud unbicado	aarupoic Mass	Speciali

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Jorge Segredo**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





**Kaycha Labs** 

Full Spectrum Sour Cola, 20mg CBD and 12mg THC per 5.5g Gummy

Matrix : Edible Type: Gummy



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

4095N 28TH WAY HOLLYWOOD, FL, 33020, US Telephone: (954) 505-4481 Fmail: admin@highrollerllc.com Sample : DA30424004-002 Harvest/Lot ID: FSSCG2423

Batch#: FSSCG2423 Sampled: 04/21/23 Ordered: 04/21/23

Sample Size Received: 144 units Completed: 04/27/23 Expires: 04/27/24 Sample Method: SOP Client Method

**PASSED** 

Page 3 of 5



### **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by:	Weight:	Extraction date:	1 /1 //	77 T/ \ 7	Extracted by:

Analysis Method: SOP.T.40.041.FL Analytical Batch : DA059286SOL Instrument Used: DA-GCMS-003 Analyzed Date: 04/26/23 13:41:09

Dilution: 1

850, 585, 1440

Reagent: 030420.09 Consumables: R2017.167; G201.167 Pipette: DA-309 25 uL Syringe 35028

Reviewed On: 04/26/23 14:42:30 Batch Date: 04/25/23 17:49:16

04/26/23 12:56:18

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

0.0299g

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Full Spectrum Sour Cola, 20mg CBD and 12mg THC per 5.5g Gummy

N/A Matrix : Edible

**Kaycha Labs** 

Type: Gummy



# **Certificate of Analysis**

PASSED

**DAVIE, FL, 33314, US** (954) 368-7664

HOLLYWOOD, FL, 33020, US Telephone: (954) 505-4481 Email: admin@highrollerllc.com Sample : DA30424004-002 Harvest/Lot ID: FSSCG2423

Batch#: FSSCG2423 Sampled: 04/21/23 Ordered: 04/21/23

Sample Size Received: 144 units Completed: 04/27/23 Expires: 04/27/24 Sample Method : SOP Client Method

Page 4 of 5



### Microbial

3336.3621

**Reviewed On:** 04/26/23

Batch Date : 04/25/23



## oxins

#### **PASSED**

Analyzed by:	Weight:	Extraction of	late:	Extracted	by:
TOTAL YEAST AND MOLD	10	CFU/g	ND	PASS	100000
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
Analyte	LOD	Units	Result	Pass / Fail	Level

3621, 3390, 585, 1440 1.0635g 04/25/23 10:48:50 Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA059224MIC

Instrument Used: PathogenDx Scanner DA-111, Applied Biosystems MiniAmp Thermocycler DA-190, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021, APPLIED BIOSYSTEMS THERMOCYCLER

Analyzed Date: 04/25/23 13:12:17

**Dilution :** N/A **Reagent :** 031023.04; 031423.R29; 092122.06

Consumables: 7559002048

Pinette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
3621, 3390, 585, 1440	1.0635g	N/A	3336,3621,3390

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA059240TYM
Instrument Used : Incubator (25-27C) DA-097 Reviewed On: 04/27/23 14:26:11 Batch Date: 04/25/23 10:45:56 Analyzed Date: 04/25/23 14:02:00

Dilution: 10

Reagent: 031023.04; 032323.R29 Consumables: 007109

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Ç.	Mycoto

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by:	Weight:	Extraction date		Fxt	racted by	

04/25/23 17:12:47

Batch Date: 04/25/23 10:55:44

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie Analytical Batch : DA059248MYC Reviewed On: 04/27/23 10:43:19

1.0925a

Instrument Used : N/A Analyzed Date: 04/25/23 15:37:02

3379, 585, 1440

Dilution: 250

Reagent: 042123.R02; 042423.R10; 041823.R35; 042423.R12; 041123.R05; 041923.R01; 040521 11

Consumables: 6697075-02

Pipette: DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in



### **Heavy Metals**

## **PASSED**

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METAL	<b>S</b> 0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: Weight:	Extraction dat	te:	E	tracted b	y:

1022, 585, 1440 0.2633g 04/25/23 10:45:35 Analysis Method: SOP.T.30.082.FL. SOP.T.40.082.FL

Analytical Batch : DA059235HEA **Reviewed On:** 04/26/23 11:46:33 Instrument Used: DA-ICPMS-003 Batch Date: 04/25/23 10:10:43 Analyzed Date: 04/25/23 14:29:10

Reagent: 040623.R23; 031423.R18; 042423.R03; 041723.R30; 042423.R01; 042423.R02;

041123.R28; 040323.R21; 020123.02

Consumables: 179436; 210508058; 12620-307CD-307D

**Pipette :** DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Full Spectrum Sour Cola, 20mg CBD and 12mg THC per 5.5g Gummy

**Kaycha Labs** 

Matrix : Edible Type: Gummy



# **Certificate of Analysis**

**DAVIE, FL, 33314, US** (954) 368-7664

4095N 28TH WAY HOLLYWOOD, FL, 33020, US Telephone: (954) 505-4481 Sample : DA30424004-002 Harvest/Lot ID: FSSCG2423

Batch#: FSSCG2423 Sampled: 04/21/23 Ordered: 04/21/23

Sample Size Received: 144 units Completed: 04/27/23 Expires: 04/27/24 Sample Method: SOP Client Metho

**PASSED** 

Page 5 of 5



#### Filth/Foreign **Material**

**PASSED** 

Reviewed On: 04/26/23 18:25:39 Batch Date: 04/26/23 18:12:13

**Analyte** LOD Units Result P/F **Action Level** Filth and Foreign Material 0.1 % ND PASS

Extracted by: N/A Extraction date:

Analysis Method: SOP.T.40.090

Analytical Batch : DA059356FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 04/26/23 18:16:26

Dilution: N/A Reagent: N/A Consumables : N/A Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

