

CERTIFICATE OF ANALYSIS



Unlimited Gummies/ Gummies Lab
Customer: 4552 N. Hiatus Rd
Sunrise, FL 33351

Batch #: D95023

Laboratory Number: ATL-12130

Report Issue Date: 2/21/2023


Order Date: 2/20/2023

Analysis Date: 2/20/2023

Sample Description:

D9 50mg Gummy - Assorted Flavors

Unit Weight: 21.1135g / Gummy



Extraction Technician: LL

Analytical Chemist: LL

Abraham Yacamán
Laboratory Manager

CANNABINOID PROFILE

Analyte	LOQ (mg/g)	Results mg/gummy	%	Analyte	LOQ (mg/g)	Results mg/gummy	%	Analyte	LOQ (mg/g)	Results mg/gummy	%
CBDV-A	<0.06	N/D	N/D	THCV-A	<0.06	N/D	N/D	9S-HHC	<0.01	N/D	N/D
CBDV	<0.03	N/D	N/D	CBN	<0.03	N/D	N/D	CBC	<0.06	N/D	N/D
CBD-A	<0.03	N/D	N/D	D9-THC	<0.03	55.32	0.26	CBC-A	<0.03	N/D	N/D
CBG-A	<0.03	N/D	N/D	D8-THC	<0.03	3.59	0.02	THC-A	<0.03	N/D	N/D
CBG	<0.02	N/D	N/D	9R-D10-THC	<0.02	N/D	N/D	D9-THCP	<0.01	N/D	N/D
CBD	<0.01	4.86	0.02	9S-D10-THC	<0.02	N/D	N/D	D8-THCO	<0.02	N/D	N/D
THCV	<0.01	N/D	N/D	9R-HHC	<0.01	N/D	N/D				

Max Active THC mg/gummy %
55.32 0.26

Max Active CBD mg/gummy %
4.86 0.02

Total Active Cannabinoids mg/gummy %
63.76 0.30

Total Cannabinoids mg/gummy %
63.76 0.30

NOTES

Cannabidiol (CBD), Cannabidiol Acid (CBDA), Cannabigerol (CBG), Cannabigerol Acid (CBGA), Tetrahydrocannabinol (THC), Tetrahydrocannabinol Acid (THCA), Delta-9-Tetrahydrocannabinol (D9-THC), Delta-8-Tetrahydrocannabinol (D8-THC), 9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC), 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC), 9S-Hexahydrocannabinol (9S-HHC), 9R-Hexahydrocannabinol (9R-HHC), Cannabichromene (CBC), Cannabichromene Acid (CBCA), Tetrahydrocannabinolic Acid (THCA), Delta-9-Tetrahydrocannabinol (D9-THC), Delta-8-Tetrahydrocannabinol (D8-THC), Delta-9-Tetrahydrocannabinol-O-Acetate (D9-THCO), Delta-8-Tetrahydrocannabinol-O-Acetate (D8-THCO).

Document ID: ATL-225 Revision: 02 Effective Date: 7/15/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC >>>> 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA >>>>

(954) 515 - 0200

info@accuratetestlab.com

