

Powered by Confident Cannabis 1 of 7

## Loon Lab Extracts & Research LLC

4730 Quebec Ave N. New Hope, MN 55428 gabriel@loonlabmn.com (651) 808-7240

## Sample: 2207AIT0208.0959

Strain: N/A Batch#: LL- Caramel-001; Batch Size: 90 g Sample Received: 07/20/2022; Report Created: 08/05/2022

PJLA

#### LL-Caramel-001

Ingestible, Chocolate



	42.8 m 4.3 r	0.130% ng/container mg/serving	<loq <loq <loq< th=""><th><b>0.149</b> 49.3 mg/cc <i>4.9 mg/se</i></th><th>ontainer erving</th></loq<></loq </loq 	<b>0.149</b> 49.3 mg/cc <i>4.9 mg/se</i>	ontainer erving
	Tc	otal THC	Total CBD	Total Canna	abinoids
Cannabinoids Date Teste	ed: 07/22/2022 %	mg/g	mg/ml	mg/serving	LOQ
CBC	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBD	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBDa	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBDV	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBG	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBGa	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBL	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
CBN	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
∆8-THC	0.016	0.16	0.16	0.524	0.001
∆9-THC	0.103	1.03	1.03	3.410	0.001
THCa	0.030	0.30	0.30	0.994	0.001
THCVa	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>0.001</td></loq<></td></loq<>	<loq< td=""><td>0.001</td></loq<>	0.001
Method: HPLC Total THC = THCa * 0.877 + Δ9-THC Total CBD = CBDa * 0.877 + CBD		ted on a dry weight basis: Ca	annabinoids in the table above. nnabinoid % / (1.0 - moisture content % /	100) = Dry weight cannabi	noids %

#### Summary

Pass Residual Solvents	Not Tested NT Terpenes	Pass Pesticides
Pass	Pass	Not Tested
Mycotoxins	Heavy Metals	Moisture
150 98th Ave S argo, ND 88) 897-4367		Confident Cannal All Rights Reserv (866) 506-58

(888) 897-4367 www.hempinspection.com



Measurement Uncertainty is not used for pass/fail conditions but available upon request.



Powered by Confident Cannabis 2 of 7

## Loon Lab Extracts & Research LLC

## Sample: 2207AIT0208.0959

4730 Quebec Ave N. New Hope, MN 55428 gabriel@loonlabmn.com (651) 808-7240

Strain: N/A Batch#: LL- Caramel-001; Batch Size: 90 g Sample Received: 07/20/2022; Report Created: 08/05/2022

#### LL-Caramel-001

Ingestible, Chocolate

## **Mycotoxins**



Pass

Analyte	LOQ	Limit	Units	Status
	PPB	PPB	PPB	
Aflatoxin B1	1.00	20.00	<loq< td=""><td>Pass</td></loq<>	Pass
Aflatoxin B2	1.00	20.00	<loq< td=""><td>Pass</td></loq<>	Pass
Aflatoxin G1	1.00	20.00	<loq< td=""><td>Pass</td></loq<>	Pass
Aflatoxin G2	1.00	20.00	<loq< td=""><td>Pass</td></loq<>	Pass
Ochratoxin A	1.00	20.00	<loq< td=""><td>Pass</td></loq<>	Pass



Method: LCMS					
4150 98th Ave S Fargo, ND (888) 897-4367	THE EMPERATION TEST Break a start MY2COTOXINS IN HEMP	B-Jahry	ISO/IEC 17025	Confident All Rights (866) 9	t Canna Reserv 506-58

(888) 897-4367 www.hempinspection.com



**Ben Gaboury** 

PJLA

abis rved (866) 506-5866

Www.hempinspection.com This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certicate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division – Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.



Powered by Confident Cannabis 3 of 7

## Loon Lab Extracts & Research LLC

## Sample: 2207AIT0208.0959

4730 Quebec Ave N. New Hope, MN 55428 gabriel@loonlabmn.com (651) 808-7240

Strain: N/A Batch#: LL- Caramel-001; Batch Size: 90 g Sample Received: 07/20/2022; Report Created: 08/05/2022

#### LL-Caramel-001

Ingestible, Chocolate

## **Heavy Metals**



Date Tested: 08/04/2022

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.10	1.50	<loq< td=""><td>Pass</td></loq<>	Pass
Cadmium	0.10	0.50	<loq< td=""><td>Pass</td></loq<>	Pass
Lead	0.10	0.50	<loq< td=""><td>Pass</td></loq<>	Pass
Mercury	0.10	3.00	<loq< td=""><td>Pass</td></loq<>	Pass



4150 98th Ave S Fargo, ND (888) 897-4367 www.hempinspection.com



**Confident Cannabis** All Rights Reserved (866) 506-5866

**Ben Gaboury** 

Senior Analytical Chemist This product has been tested by Adams Indepenent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certicate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division – Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.



Powered by Confident Cannabis 4 of 7

### Loon Lab Extracts & Research LLC

4730 Quebec Ave N. New Hope, MN 55428 gabriel@loonlabmn.com (651) 808-7240

### Sample: 2207AIT0208.0959

Strain: N/A Batch#: LL- Caramel-001; Batch Size: 90 g Sample Received: 07/20/2022; Report Created: 08/05/2022

#### LL-Caramel-001

Ingestible, Chocolate

#### Pesticides

Date Tested: 08/03/2022

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Abamectin	0.01	0.50	<loq< td=""><td>Pass</td></loq<>	Pass
Acephate	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Acequinocyl	0.01	2.00	<loq< td=""><td>Pass</td></loq<>	Pass
Acetamiprid	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Aldicarb	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Azoxystrobin	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Bifenazate	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Bifenthrin	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Boscalid	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Carbaryl	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Carbofuran	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Chlorantraniliprole	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Chlorfenapyr	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
Chlorpyrifos	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Clofentezine	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Cyfluthrin	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
Cypermethrin	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
Daminozide	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
DDVP	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
Diazinon	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Dimethoate	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Ethoprophos	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Etofenprox	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Etoxazole	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Fenoxycarb	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass

Methods: LCMS and GCMS



Www.hempinspection.com This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certicate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division – Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.



Pass



Powered by Confident Cannabis 5 of 7

### Loon Lab Extracts & Research LLC

4730 Quebec Ave N. New Hope, MN 55428 gabriel@loonlabmn.com (651) 808-7240

#### Sample: 2207AIT0208.0959

Strain: N/A Batch#: LL- Caramel-001; Batch Size: 90 g Sample Received: 07/20/2022; Report Created: 08/05/2022

#### LL-Caramel-001

Ingestible, Chocolate

#### Pesticides

Date Tested: 08/03/2022

Analyte	LOQ	Limit	Mass	Status
•	PPM	PPM	PPM	
Fenpyroximate	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Fipronil	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Flonicamid	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
Fludioxonil	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Hexythiazox	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
Imazalil	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Imidacloprid	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Kresoxim Methyl	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Malathion	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Metalaxyl	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Methiocarb	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Methomyl	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Methyl Parathion	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
MGK-264	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Myclobutanil	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Naled	0.01	0.50	<loq< td=""><td>Pass</td></loq<>	Pass
Oxamyl	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass
Paclobutrazol	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Permethrins	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Phosmet	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Piperonyl Butoxide	0.01	2.00	<loq< td=""><td>Pass</td></loq<>	Pass
Prallethrin	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Propiconazole	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Propoxur	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Pyrethrins	0.01	1.00	<loq< td=""><td>Pass</td></loq<>	Pass



Pass

Methods: LCMS and GCMS





Powered by Confident Cannabis 6 of 7

## Loon Lab Extracts & Research LLC

4730 Quebec Ave N. New Hope, MN 55428 gabriel@loonlabmn.com (651) 808-7240

### Sample: 2207AIT0208.0959

Strain: N/A Batch#: LL- Caramel-001; Batch Size: 90 g Sample Received: 07/20/2022; Report Created: 08/05/2022

#### LL-Caramel-001

Ingestible, Chocolate

### Pesticides

4150 98th Ave S

(888) 897-4367

www.hempinspection.com

Fargo, ND



Pass

Date Tested: 08/03/2022

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Pyridaben	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Spinosad	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Spiromesifen	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Spirotetramat	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Spiroxamine	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Tebuconazole	0.01	0.40	<loq< td=""><td>Pass</td></loq<>	Pass
Thiacloprid	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Thiamethoxam	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
Trifloxystrobin	0.01	0.20	<loq< td=""><td>Pass</td></loq<>	Pass
5 and GCMS				

lent Cannabis **Rights Reserved** (866) 506-5866

**ac-MRA** 

**Ben Gaboury** 

ISO/IEC 17025

PJLA

Measurement Uncertainty is not used for pass/fail conditions but available upon request.



Powered by Confident Cannabis 7 of 7

#### Loon Lab Extracts & Research LLC

4730 Quebec Ave N. New Hope, MN 55428 gabriel@loonlabmn.com (651) 808-7240

### Sample: 2207AIT0208.0959

Strain: N/A Batch#: LL- Caramel-001; Batch Size: 90 g Sample Received: 07/20/2022; Report Created: 08/05/2022

#### LL-Caramel-001

Ingestible, Chocolate

### **Residual Solvents**



Date Tested: 08/05/2022

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
1,4-Dioxane	71.250	380.000	<loq< td=""><td>Pass</td></loq<>	Pass
2-Butanol	437.500	5000.000	<loq< td=""><td>Pass</td></loq<>	Pass
2-Ethoxy-Ethanol	30.000	160.000	<loq< td=""><td>Pass</td></loq<>	Pass
2-Propanol IPA	437.500	5000.000	<loq< td=""><td>Pas</td></loq<>	Pas
Acetone	437.500	5000.000	<loq< td=""><td>Pas</td></loq<>	Pas
Acetonitrile	76.880	410.000	<loq< td=""><td>Pas</td></loq<>	Pas
Benzene	0.375	2.000	<loq< td=""><td>Pas</td></loq<>	Pas
Butanes	156.300	5000.000	<loq< td=""><td>Pas</td></loq<>	Pas
Cumene	13.130	70.000	<loq< td=""><td>Pas</td></loq<>	Pas
Cyclohexane	727.500	3880.000	<loq< td=""><td>Pas</td></loq<>	Pas
Dichloromethane	112.500	600.000	<loq< td=""><td>Pas</td></loq<>	Pas
Ethanol	437.500	5000.000	<loq< td=""><td>Pas</td></loq<>	Pas
Ethyl-Acetate	437.500	5000.000	<loq< td=""><td>Pas</td></loq<>	Pas
Ethyl-Ether	437.500	5000.000	<loq< td=""><td>Pas</td></loq<>	Pas
Ethylene Glycol	116.300	620.000	<loq< td=""><td>Pas</td></loq<>	Pas
Ethylene Oxide	9.375	50.000	<loq< td=""><td>Pas</td></loq<>	Pas
Heptane	437.500	5000.000	<loq< td=""><td>Pas</td></loq<>	Pas
Hexanes	217.500	290.000	<loq< td=""><td>Pas</td></loq<>	Pas
Isopropyl-Acetate	437.500	5000.000	<loq< td=""><td>Pas</td></loq<>	Pas
Methanol	312.500	3000.000	<loq< td=""><td>Pas</td></loq<>	Pas
Pentanes	953.100	5000.000	<loq< td=""><td>Pas</td></loq<>	Pas
Propane	31.250	5000.000	<loq< td=""><td>Pas</td></loq<>	Pas
Tetrahydrofuran	135.000	720.000	<loq< td=""><td>Pas</td></loq<>	Pas
Toluene	166.900	890.000	<loq< td=""><td>Pas</td></loq<>	Pas
Xylenes	1221.000	2170.000	<loq< td=""><td>Pas</td></loq<>	Pas

Method: GCMS (Headspace)

4150 98th Ave S Fargo, ND (888) 897-4367 www.hempinspection.com



**Confident Cannabis** All Rights Reserved (866) 506-5866

**Ben Gaboury** 

Www.hempinspection.com Senior Analytical Chemist This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certicate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division – Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.