FLORACARE

Composition

Lactobacillus

Sporogenes 80 mill CFU, Live Yeast Culture - 2mg, Liver extract - 10mg

Indication

Anorexia, Fibre Digenstion,

Imporves VFAs & Fat

Anorexia of Unkown Etiology

Supportive Therapy with Antibiotics Supportive Therapy with Anthelmintics

Indigestion / Poor Rumen Function

Benifits :

For support during Antibiotic Therapy

For Better Feed Intake & Better FCR

To Improve Digestion

To Maintain Healthy Gut & Rumen For Better health & Better Immunity


Dosage

Buffalo/Cow/Camel -1-2 bolus BD for 3-5 day

Sheep / Goat - 1/2-1 bolus daily for 3-5 day.

Presentation: Box of

30 x 4's Strips



ज्यादा भूख के लिए ⊿गुना पावर की गोली





ANIONIC SALT MIXTURE

- Prevents Mastitis
- Prevents Milk Fever
- Prevents retention of Plecenta
- Prevents Negative Energy Balance



Indication

- Helps in Prevention of Mastitis & Milk Fever
- In Transition Period of Cattle



Dosage

• 1 Sachet OD or As Directed by Veterinarian



Presentation

50gm x 20 Sachet OD

एक पुडीया रोज २० दिनों तक बच्चा देणे से पहले

निरन्तर उत्पादन के लिए प्रजनन जरुरी है।









After Flux

FLUX के साथ कैल्सियम एवं मिनरल न दें।



GASNIL

Cure the Bloat with gasnil



Composition

Magnesium Carbonate.
 Each Sachet contains:
 Magnesium Carbonate 16 gm



Indication

 Bloat, Gas, Tympany Indigestion, Impaction



Presentation

• 16 gm. Sachet.




Dosage

- Large Animal : 1-2 Sachet SOS
- One Sachet Daily as RUMEN MODIFIER

Pack: Box of 10 x 16 gm







RUMILAX

Cure the Constipation with Rumilax



Composition

 Each Sachet Contains : Sodium Sulphate 60 gm



Indication

Works as Laxative
 Intestinal motility, Restores,
 Normal Functioning of GI System and Rejuvenation for good Digestion.
 Improves Digestion and Performance.



Dosage


- Large Animals: 1-3 Sachet SOS
- One Sachet OD as RUMEN MODIFIER



Presentation

• 60 gm. Sachet.





Pack: Box of 5 x 60 gm.





TRACEMIN-7

Vitamin A – 18000 IU, Vitamin E(50%) - 300 mg
Cobalt Chloride - 20mg, Ferrous Sulphate - 250 mg
Zinc Sulphate - 60 mg, Copper Sulphate - 70 mg
lodine - 1 mg, Lysine mono HCL - 20 mg
D-L-Methionine - 80 mg,
Selenium as Solium Selenate - 50 mcg
Magnesium Hydroxide - 50 mg

- Indication
 - Infertility, Debility, Repeat breeding, Production
- Dosage
 - Large Animals : 1 bolus daily 21 days
 As Directed by Veterinarian
- **Presentation**
 - Box of 7 x 3 Boli





Ja Du Cal Ka Jadu Pilana Hain Mushkil, Khilana Hain Asan

JA DU CAL

Calcium Propionate monohydrate 100% Soluble Calcium



Composition

Each bolus Contains
 Calcium Propionate monohydrate 10,000 mg.



Indication

Calcium replenisher for high milkers



Dosage

• 1 Bolus OD for 10 days



Presentation

- Box of 1 x 10 Bolus
- 10 Litre of milk contains 11500 mg. of calcium.
 10 Litre of colostrum contains 22500 mg. of calcium.
 100 ml. of calcium tonic contains only 1750 mg. of calcium. (Not sufficient)
- Ja Du Cal the only solution to Replenish the heavy outflow of calcium as it contains 10000 mg. of calcium propionate in one bolus.



NUTRAL

Trisodium Citrate



Composition

• Trisodium Citrate 15 gm.



Indication

 Mastitis, Diarrhoea, PH balancer, Milk Production



Presentation

15gm Sachet



Dosage

- 30 mg/kgbdwt for 7-10days
- Trisodium Citrate for the treatment of Mastitis - Indian Veterinary Association
- * Trisodium Citrate Purchased under Intensive Mastitis Control Prog.
- * Anticoagutant activity, buffering agent
- Brings the PH of Systemic Fluid of the body to Neutral





A Complete solution for Dairy Farming

INOPHOS Bol.



Composition

- Each bolus Contains 10 gm.
- Sodium Acid Phosphate



Indication

- Anoestrus
- Infertility
- Peak Lactation



Dosage

1 Bolus OD



Presentation

Bolus of 10 x 1's


एक गोली रोज बांझपन भगाए दूध बढ़ाये

- In India Soil is Phosphorus Deficient–Cattle Requires Phosphorus Supplementation to Prevent Anorexia, Pica, Infertility.
- Important Component of Body Buffer and is excreted in Urine, adjusting Body Ph, Acts as urine acidifier thus prevents urinary calculi.
- Main reason of calcium deficiency is phosphorus deficiency.
- Prevents hypophosphatamea which leads to milk fiver.
- Acts as a Diuretic Also

Veterinary applied pharmocology and Therapetics

G.D. Brander and D.M. Puo







A Life a day Prevents all Metabolic Disorders in Dairy cattle

LIFE

Monensin Sodium 400 mg
(CRC) Capsule



- Ruminants Takes Cellulose (भूसा) for Microbes and ruminal microbes are regurgitated & transfered to Abomasum.
- Composition of Amino Acids (Protein) of microbes and milk are same.
- Too much grains in rations leads to acidosis in the rumen, Hence growth in gram positive bacteria that attack the udder.

Reduces Concentrate and increases DMI Hence Profits.


Rumen buffers

Buffers are included in ruminant diets to regulate Rumen pH to levels that favour the activity of **Cellulolytic** organisms (pH 6–7). Diets rich in readily fermentable carbohydrate

acidic conditions

create

• increase lactic acid information both of which are detrimental to the cellulolytic bacteria.



एक शोली LIFE प्रतिदिन दें 30 दिनों तक

TABLET A DAY PREVENTS

- Lameness
- Ketosis
- Liver Problems
- Milk Fever
- Downer Cow
- Retention of Placenta
- Metritis
- Mastitis
- Bloat, Tympany
- Diarrhoea



Full Fill the Trace Mineral Deficiency



Copper, Cobalt, Magnesium, ferrous, Zinc



Composition:

Each Bolus contains

Copper Solphate : 1.0 gm.

Manganese Sulphate : 0.56 gm.

Ferrous Sulphate : 0.60 gm.

Zinc Sulphate : 0.280 gm.

Cobalt Chloride : 0.056 gm.



Indication

Infertitity, Degnala, Trace minerals difeciency



Presentation

Box of 10 X 4's Strips



Dosage

1 Bolus OD For 10 Days

* Copper - Symptoms of Copper deficiency include, Chronic diarrhoea, weight loss, Swollen Joint, Light hair coat.

Copper is desired for high level performance, embroyo transplant and artificial insemination

MIKE MEHREN

Zinc - Plays a role in protein Synthesis, Maintenance of cell memberActs as a cofactor of nemerous enzymes - **EMEA**

Magnesium - Adjunctive Therapy of hyperthermia, Anticonyvulsant, Antacid.





CHYMOSIN

Chymotrypsin and Trypsin

Composition:

Each Bolus contains

 Papain
 : 46.15%

 Trypsin
 : 18.46%

 Chymotrypsn
 : 0.77%

 Bromelain
 : 36.61%

 Total Enzyme
 : 1870 mg.

Indication

- Mastitis, Metritis, Pyometra
- Increases Protein Digestion
- Chronic and Acute Mastitis
- To Relive pain and Swelling in post operative wounds
- Post Operative Pain
- Reduce inflamation, Oedema
- Soft tissue injury, sprains, strains
- Lameness & osteoarthritis

Benefits

- Tryptic enzyme protein dilator
- Boosts healing & cleaning of alveoli.
- Restores milk production after mastitis.
- Servicing of alveoli during mastitis.
- Block the growth & development of fibrosis.
- Reduces the udder fibrosis.
- Reduces the economic losses due to mastitis.

Cure inflammation & Pain New power of Chymosin

Antifibrotic & Milk Restorative



Dosage

 1 to 2 Bolus BD for 8-10 Days or As Directed by Veterinarian

Presentation

- Box of 5 x 4's Bolus
- 20 ml liquid

Indication (Liquid)

Topical, IU, Intramammary

The only protein dilator in Vet.



Dosage

20 ML

For debriding of external

& Internal debris

CHYMOSIN

Oral, IU

Topical &

LIQUID


20ml. OD for 3 days.



Third Generation DFM with micro Minerals

Feed Your Animal AQUAFED for more profitable dairy

सूखा चारा कम एवं दाना बढाणे के दुष्परिणाम







छोडो कल की बाते





OPTIMUM RUMINATION MAKES HAPPY COW.


Happy Cow Gives Optimum Production, Reproduction And Profitability.



Aquafed supports animal health form inside out, encourage peak performance and provide natural advantage to maximize your dairy profits

- Aquafed से Ruminal Fermentation बढता है, मतलब-
- अधिक जीवाण्, अधिक जीवाण् मतलब अधिक पाचन ।
- सूखा चारा बढाए (DMI) Increased.
- Cellulose जीवाणु खाए और गाय जीवाणु को पचाए ।
- भूसा बढाएँ, दाना घटाएँ, दुध का लागत मूल्य घटाएँ ।
- भूसा एवं जवाणु में प्रचुर कैल्शियम, फॉस्फोरस, मिनरल, नाईट्रोजन एवं एनर्जी है
- भूसा (Cellulose) + पानी = Dextrose $C^6H^{10}O^5 + H^2O = C^6H^{12}O^6$
- जीवाणु की संख्या अधिक मतलब रोग निरोधक क्षमता का बढना ।







Indication

- Sub-acute and acute ruminal acidosis
- Laminitis
- Ketosis
- Fatty Lever
- Left displacement abomasum
- Milk Fever

- Downer Cow
- Retained placenta
- Liver abscesses
- Metritis
- Mastitis
- Bloat
- Heat & Cold Stress



Dosage:

1ml/40kg Body Weight



Presentation:

30ml, 300 ml.





पैसे की बर्वादी

भूसा सम्पूर्ण आहार गाय के लिए, गाय के द्वारा, गाय के अन्दर

(Complete Food for the Cow, by the Cow, in the Cow)



AI WITHOUT SEMINAL FLUID REDUCES CONCEPTION

Role of Seminal Fluid



Sperm histones, mRNA, ncRNA, micro RNA Sperm DNA fragmentation, methylation

Sperm genomic / epigenetic effects

Embryokines e.g. mRNAs, micro RNAs, ncRNAs

Promo
Promo
Promo
Reduce
Modification

Recruitment of dendritic cells and

Blastocyst / offspring development




- Promotes implantation
- Promotes placentation
- Promotes maternal tolerance
- Reduces preeclampsia risk
- Modifies fetal growth

neutrophils and priming of Tregs

- Protects the Semen from Natural Biological Attacks.
- Protection from Environmental Factors.
- · Fertility Enhancing Protein Compounds.
- Promote Irrigation
- Receptivity to implantation
- Helps in Sperm Selection
- · Conception and Embryo Development
- Maintain Vaginal Hygene

Dosage:

Large animal: 20-30 ml. IU before AI for Longevity of Semen



Creates Favourable Environment

Introducing

Semen + (A Semen Extender)



No Conception without Satisfaction
No Satisfaction Without Seminal Fluid





Formulations Pvt. Ltd.



ECTO-WASH

Broad Spectrum

Composition:

Natural Active ingredients of plant origin used in veterinary medicine in dogs & livestocks against external parasites

Indication :

Broad Spectrum Non Systemic ectoparasitic against Flies, Ticks, Mites, Lice Fleas and Mosquitoes

Dosage:

Mix the contents in 1 to 2 ltr of water and wipe the skin with mixed solution Use Exact Quantity of Water for better results

Safety :

No Residues in milk

Prevents all Vector Borne Diseases including FMD & LUMPY SKIN DISEASES











Anitiprotozoal botanical extract

BVBENIT-H

Broad Spectrum

Anti

cancer

Pharm

acologi

activity

Anti

inflam

mator\

BABENIL-H

hmatic

Antimal

arial

Antipyr

etic

Antifert

ilitv

Gastrop

forective

Composition:

Non Medical Antiparasite and antiprotozoal extract derived from organic source

Indication:

For the treatment and prophylaxis of babesiosis, Trypnosomiasis, Anaplasmosis, Theileriosis, Pyrexia of unkonown origin and mixed haemoprotozoan Infections

USP:

No dyspepsia
No anphylacitc shoct
Safe in preganancy
Anti Bacterial, Fungal, Acrocidal
No Ticks after treatment
Liver and Kidney not effected
Economical for the farmers

Organic treatment for Babesiosis, Anaplasmosis, Trypnosomiasis, Theileriosis



Dosage :

1 Bolus orally for 8 alternate days





Inhibits harmful bacteria and protects benificial bacteria with Symbiotic Action.

Sefatox - G

(सिफाटोक्स-जी)



Composition:

Geraniol 2.36gm



USP:

- Broad spectrum activity
- Inhibits Gram+ve, Gram-ve and Mycoplasma
- A Potential safe and Powerful alternative to Antibiotics
- · Geraniol does not destroy the gut microbiome
- No Drug residue and no resistance
- Significantly inhibits the pathogenic bacteria only.
- · Rotores the useful microbial Communities.
- Increases the abundance of probiotic in milk.



Indication:

- Respiratory Tract infections pneumonia, bronchitis...
- Post parturient diseases like
- Mastitis
- Metritis, Payometra, Vaginitis.
- · Foot Rot, Pododermatitis.
- Urinary tract infections, FMD.
- Skin & Soft Tissue infections.
- To prevent secondary bacterial infections.



Additional Advantage

 Anti Inflammatory, anti oxidant, anti ulcer, anti fungal and Acracidal protective effects on liver, heart and nerves.



Dosage:

Intramuscular Only, 1 Vial OD for 3 to 5 days Up to 600 kg. B/W 2.36 gm Vial, OR As directed by Veterinarian







NIACIN 6gm Bolus

RUM-FER



Composition:

NIACIN 6am Bolus

Indication:

Ruminal Fermentation Modifier

Oosage:

- · 1 Bolus Daily or
- As directed by Veterinarian
- Presentation 1 x 10 Bolus
- **Benefits**

Rumifer Helps in the digestion of carbohydrates & fibers present in cattle forages and convert into propionic Acid, B-Hydroxy butyric Acid and Acetic acid which provides energy to the cattle

Reduce Ketosis and support transition Cows liver Degreasing

Choline 15gm bolus

KETONI

- Composition Choline 15am bolus
- Indication Fatty Liver, Anorexia Increses Fat % and Improves Fiber Digstion
- **Presentation** 1 x 10 S
- **Dosage** 1 Bolous OD





Table 1: Effects ph rumen degraded and rumen bypass choline supplementation					
Parameters	Control	Choline supplement (Rumen)	Choline supplement (Abomasum)		
Milk (Kg/day)	21.4	21.8	28.8		
Butterfat (%)	2.55	2.78	2.90		
Dry matter (intake/day)	15.0	15.2	15.9		




Improves Digestion



Prevents Ketosis & Acidiosis

Prevents



Increases Milk

Production

Laila Majnu Xi Jodi







Indication

Composition: Mono Ammonium Phosphate

Non Protein feed Supplement, General Health and

productivity, growth.

Dosage


: 1 Bolus OD

Presentation: 1x10 Bolus

(90-95% Bioavailability of Protein and Phosphorus

INJECTABLES

	Brand Name	Composition	Pack
3	ENDECTONIL	Invermectin	10ML, 50 ML
\$	INOPHOS	Sodium acid Phosphate	30ML
3	SPASNIL	Dicyclomin HCL	30 ml vial
3	CEFOBACT	Cefoperazone Sodium, Sulbactum	2.25gm, 3gm
3	SEFATOX - Z	Ceftriaxone Sodium	3gm
3	SEFATOX - S	Ceftriaxone Sodium, Sulbactum	3gm, 375mg, 4.5gm
3	ANIFEN - P	Piroxicam and paracetamol	30ml vial, 100ml
3	MILKO MAX	Calcium, Vitamin D ₃ & Vitamin B ₁₂	30 ml
3	ADEB	Vitamin A, D ₃ , E & H in iodised form	5 ml Vial
3	NURO - BM	Methylcobalamin - 2500 mcg	10ml, 30ml Vial
3	LIVOFIT.	Vit B. Comp, Choline Choloride	50 ml Vial
F	QUNOFLOX - L	Levofloxacin	15ml, 30ml



CHYMOSIN



Composition: Chymotrypsin and Trypsin

Indication : Mastitis, Increases Protein Digestion

Dosage: 1 Bolus OD for 8 - 10 days

Presentation: Box of 5 X 6's Strips

Helps to expedite the healing process that follows injury to tissue structure. Helps in removing cullulor debris, bloodclots and Scartissue. Is Called Sports injury Formula Douglas Laboratories, Pittsburgh

ERGOVAT



Composition: Methyl Ergometrine

Indication: Uterine involution,

Bloodless calving

Choline 15gm bolus

KETONIL

कीटोनील

1 X 10 BOLUS

Dosage: 2-5mg/animal

Presentation: Box of 5 X 6's Strips

Choline 15gm bolus

Composition: Rumen Protected

Choline 15gm

Indication : Fatty Liver, Anorexia

Increases Fat % and

Improves Fibre Digestion

Dosage : 1 Bolus OD or

As Directed by veterinarian

Presentation: 1 x 10 S

NEUTRAL

Composition: Trisodium Citrate

Indication : Mastitis, Diarrhoea, PH balancer,

Milk Production

Dosage: 30 mg/kgbdwt for 7-10 days

Presentation: 15gm

Trisodium Citrate for the treatment of Mastitis - Indian Veterinary Association

Trisodium Citrate Purchased under Intensive Mastitis Control Prog.

* Anticoagutant activity, buffering agent

* Brings the PH of Systemic Fluid of the body to Neutral



Composition: Saccharomyces cerevisiae -

15000MCFU

Bacillus Subtills - 500MCFU
Propionibacterium Freydenreichi

- 500MCFU

S. Cerevisiae 10 Billion CFU

Indication : Anorexia, Fibre digestion,

Improves VFA_s & Fat

Presentation: Box of 20 x 4 Bolus



WELFTERN BOLD

TRISOCIUM CITRATE BOLUS

NEUTRAL

FIBRONIL

Composition: Kanchnar Gugal B.R.-1.5gm

Triphals Gugal B.R.-1gm

Chitrak muls Ext. A.B. (Plunbago zeylonica) 0.025gm Punarnayestaka Kwatch Churn Ext. B.R.-050gm Apamarge Kshar (Achyranthes aspera) A.B.-0.15gm.

Indication : Mastitis, Fibrosis

Dosage : As Directed by Veterinarian

Presentation: Box of 10 x 6 Bolus



NOPHOS

A COMPLETE SOLUTION TO DAIRY FARMING.



Composition: Sodium acid Phosphate Indication : Anoestrus, Infertility,

Peak Lactation

: 1 Bolus OD for 10-20 days Dosage

Presentation: Box of 10X1's

- ★ In India Soil is Phosphorus Deficient-Cattle Requires Phosphorus Supplementation to Prevent Anorexia, Pica, Infertility.
- ★ Important Component of Body Buffer and is excreted in Urine adjusting Body Ph-acts as urine acidifier thus prevents urinary calculi.
- * Main reason of calcium deficiency is phosphorus deficiency.
- * Prevents hypophosphatamea which leads to milk fiver.
- Acts as a Diuretic Also

Veterinary applied pharmocology and Therapetics G.D. Brander and D.M. Pug

एक गोली रोज

बांझपन भगाए, दूध बढ़ायें

Composition: Albendazole

Indication : Broad Spectrum Athelmintics

: 7.5 mg - 15 mg/kg bw Dosage

Presentation: 30 ml, 60 ml, 90 ml, 120 ml, 3 gm bolus,

1.5gm





NPN BOLUS

Indication Protein

Supplements

: 1 Bolus OD Dosage Presentation: 1 x 10 Bolus

Monensin Sodium 400 mg

सिर्फ एक गोली रोज 305 दिनों तक दाना घटायें, भूसा बढ़ायें, मुनाफा बढ़ायें

Life a day keeps the Cattle, healthy, Productive and fertile

हर साल बच्चा होगा तभी तो किसान बढ़ेगा



ANIONIC SALT MIXTURE



Composition:

Indication : Helps in Prevention of Mastitis & Milk Fever

In Transition Period of Cattle

: 1 Sachet OD or As Directed by Veterinarian Dosage

Presentation: 50gm x 20 Sachet OD

Prevents Mastitis

Prevents Milk Fever

Prevents retention of Plecenta

Prevents Negative Energy Balance

IMMUNOVET

Composition: Betacaroteno - 20mg

> Zinc Methionine - 9gm Copper Sulphate - 15 mg

Sodium Selinate - 5 mg

Vit A - 500 I.V.

: Immunomodulator Indication Presentation: Box of 1 x 10 Bolus



Niacin 6gm bolus **RUME-FER**

Composition: Niacin 6 gm Ruminal Indication

Fermentation Modifier

: 1 Bolus Daily or Dosage

As Directed by veterinarian

Presentation: 1 x 10 Bolus



JA DU CAL

Composition: Calcium Propionate monohydrate

100% Soluble Calcium

: Calcium replenisher for high milkers Indication

Dosage : 1 Bolus OD for 10 days

Presentation: Box of 1 x 10 Bolus

Composition: Cholecalciferol

: Calcium metabolism, Increasing Indication

> milk production, prevents milk fever, Prolapse of uterus

: 1 sach OD for 8-10 days Dosage

Presentation: 5 mg Sach



Niacin 6gm bolus



CATABOLITE

Composition: Positive DCAD Mix

Indication : For more milk and Production

: One Sach for 10-20 Days Dosage

Presentation: Box of 20 Sach

TRACEMIN-7

Composition: Vitamin A-18000 IU, Vitamin E(50%) - 300 mg

Cobalt Chloride - 20mg, Ferrous Sulphate - 250 mg Zinc Sulphate - 60 mg, Copper Sulphate - 70 mg

D-L-Methionine - 80 mg,

Selenium as Solium Selenate - 50 mcg

Magnesium Hydroxide - 50 mg

: Infertility, Debility, Production Indication As Directed by Veterinarian Dosage

Presentation: Box of 7 x 3 Boli





Composition: Ivermectin I.P 100 mg.

: Internal & External parasites, Mange Indication

: Bolus - 10 mg/50 kg body weight Dosage

Presentation: 1 x 100 mg Bolus

ETHAMVET

Composition: Ethamsylate

Indication : Increases Blood Platelates, Blood

Coaglant, Blood Protozoal

Dosage : One Bolus twice Daily for 3 Days

Presentation: 5x6Bolus





FENBEN

Composition: Fenbendazole

Indication **Board Spectrum Athelmintics**

: 150 mg for Calf, Small Animal Dosage

3 gm for Large Animal

Presentation: 150 mg & 3 gm. bolus

ANMOL

Composition: Aceclofenac + Paracetamol

Indication : Pain, fever, inflamation

Dosage : 1-2 boli BD

Presentation: Box of 5 X 6's Strips



Aceclofenac acts by blocking the action of cyclooxygenase, which is responsible for the production of prostaglandins.



FAST

Composition: Copper, Cobalt, Magnesium,

ferrous, Zinc

Indication : Infertitity, Degnala, Trace

minerals difeciency

Dosage: 1 bolus OD for 10 days
Presentation: Box of 10 X 4's Strips

* Copper - Symptoms of Copper deficiency include, Chronic diarhea, weight loss, Swollen Joint, Light hair coat.

Copper is desired for high level performance, embroyo transplant and artificial insemination

MIKE MEHREN

Zinc - Plays a role in protein Synthesis, Maintenance of cell member Acts as a cofactor of nemerous enzymes - **EMEA**Magnesium - Adjunctive Therapy of hyperthermia, Anticonyvulsant, Antacid.

NIDE - L



Composition: Oxyclozanide and Levamisole

Indication : Fascioliasis, Amphistomiasis,

Moneziasis

Dosage : Bolus - 1 bolus / 100kg

Liq - 1 ml/2.5kgbw

Presentation: 110ml, Box of 5 X 6 Strips

ENDECTONIL

Composition: Invermectin

Indication : Internal and external Parasites, Mange

Dosage : Bolus - 10 mg/50kg bdwt

Presentation: Box of 5 X 6's Strips

10mg, 100mg

★ Revolutionary drug with activity against both parasitic nematodes and anthropods – WHO.



LIVOFIT BOLUS



Composition: Silymarine - 210mg

Indication : Sluggish Liver, Jaundice, Fatty lever

Dosage : One bolus BD for 10 days

Presentation: Box of 10X4's Strips

* Silymarine - Hepatoprotector, increases milk, Fat percentage, 100% natural Journal of Dairy Science Vol 87, Issue 7 Pages - 2239-2247

BLOAT-NIL

Composition: Algenic acid, Aluminium hydroxide,

Smithicone, Magnesium Sulphate

Indication : Bloat, Tympany, Impaction,

Dyspepsia

Dosage : 4-6 boli BD

Presentation: Box of 5 X 6's Strips



DAISTOP

Composition: Loperamide & Simethicone

Indication : All types of Diarrhoea

Dosage : 2-4 bolus BD

Presentation: Box of 5 X 6's Strips

Loperamide - Reduces intestinal motility

Simethicone - Attacks excess gas in

the Stomach



SPASNIL BOLUS

Composition: Dicyclomin HCL & Nimesulide

Indication : Smooth Muscle pain, Colic pain

Dosage : 2-4 bolus BD

Presentation: Box of 5 X 6's Strips





FLOXAVET P

Composition: Pfloxacin

Indication : Ecoli, Mixed bacterial infection

Dosage: 1-2 boli BD

Presentation: Box of 5 X 6's Strips

FLORACARE

Composition: Lactobacillus Sporogenes 80

mill CFU,

Live Yeast Culture - 2mg, Liver

extract - 10mg

Indication : Anorexia, Fibre digestion,

Improves VFAs & Fat

Presentation: Box of 20X4's Strips





ESTROFIT

Composition: Folic Acid,

Clomiphene Citrate

Indication: Induction of ovulation,

delayed puberty, Anoestrum

Dosage : One bolus daily for 5 days

Presentation: Box of 10 X 5's Strips

PANVET

Composition: Pantoprazole

Indication : Proton pump in hibitor,

Bloat, Tympany

Dosage : 2-4 boli BD

Presentation: Box of 5 X 6's Strips





(SAFE, RELIABLE & EFFICIENT ANTIBIOTIC)



Composition:

Each Tab Contains. Catharanthus roseus



USP:

- · Triple Action Broad spectrum
- · Antibacterial, Anti viral, Anti ulcer, Anti-inflammatory
- · With prebiotic, Post biotic & Symbiotic effect



Indication:

Supportive and Prevention for:

- Mastitis
- · Bacterial Diarrhoea & Dysentery
- · Peritonitis, Gonorrhoe



· Inhibits harmful bacteria without disturbing beneficial bacteria.



Additional Advantage

- · No Residue in Milk & Meat.
- · Responsible antibiotic use.
- · Supports Sustainable production.
- · No Resistance.



Dosage:

One Bolus. BD for 5 days. Up to 600 B/W Or As directed by Veterinarian Use and abuse of Antibiotics in food producing animals is dangerous for public health



PLACENT-EX

Small Pack-Big Bang



Composition

Each ml Contains
Nigella Sativa extract
(Thymoquinone) 50 mg.
Ashoka (Saraca asoca) extract 20 mg.
Dashmool (Ten Roots) extract 10 mg.
Excipients - q.s.




Indication

Improvement of Uterine tone and contraction Delayed Calving. Wonderful Galactagogue Improves Fertility




Dosage

- 50-100 ml. orally within 24 hrs. post Calving. Can be repeated after 20 hrs if required.
- Milk let Down 20ml OD for 5-10 Days
- Intrauterine Infection 20ml OD for 3-5 Days (Intrauterine)





Presentation







JA DU CAL

Syrup

A NEW GENERATION SUPPLEMENT FOR THE NEW GENERATION LIVESTOCK (10ml is more powerful than 100ml)



Composition

Each ml Contains
Calcium propionate 175 mg
Chromium propionate 0.8 mg
Cobalt Acetate 15 mg
Sorbitol qs



Benefits

Improves Ruminal fermentation
Improves Energy Metabolism
Improves Microbial diversity
Immune Function and Stress Response
Heat Stress Relief
Mold Inhibitor
Prevents Hypoglycemia and ketosis
Reduces Respiratory Rate and Rectal temperature
Enhances Milk yield and milk composition




Dosage


Lactating Cows - 1 ml/40kg bd.wt with drinking water after milking **Dry cows -** 1ml/80kg bd.wt **Horses -** 5ml OD **Goats -** 2ml OD with dringking water **Pig -** 3 to 5ml OD



Presentation 360 ml.



Poultry - 1ml 2ltr. of water



Formulations Pvt. Ltd.

EASTR-ON Syrup

Phytoestrogens Combination



Composition

Each ml Contains : Phytoestrogens Selenised yeast

30mg. 0.3mg.



Benefits

Unexplained infertility.
Improves pregnancy rate.
Polycystic Ovarian Syndrome.
Pre and Post insemination.
Prevents early embroyonic death.




Dosage

1ml/40kg bdwt.



Presentation

100 ml.



REPRODUCTIVE HORMONES IN CATTLE

